



Doc M

Sanitaryware Solutions

**AKW**<sup>®</sup>



## We're here to help

At AKW we pride ourselves on our heritage, with *care* and *family* still the focus of our ethos today; caring for our customers and promoting a family feel throughout our business. For over 35 years we have strived to design products that make life easier for our customers and this is no more apparent than with our Doc M solutions.

Intelligently designed to comply with Doc M Building Regulations, the core aim of our range is to ensure users have inclusive access to, and can efficiently and safely use toileting facilities with as much dignity and ease as possible, a sentiment which reinforces our key values.

Throughout this brochure, we will demonstrate how to adhere to Doc M regulations by providing clear and concise information, supporting imagery, illustrative diagrams, and helpful guidance. We will also highlight the collection of Doc M compliant products available from AKW, which have been displayed in easy-to-order packs to make the process even simpler.

The AKW Doc M solution underpins our mantra – Life Made Better – and so we look forward to showcasing our collections, working with you to ensure compliance, and improving users' quality of life.

# Doc M and achieving compliance

Document M, often shortened to Doc M, forms part of UK Building Regulations and provides guidance on access, layout and the use of different buildings, with a focus on inclusivity and ensuring the needs of people with reduced mobility are met.

A Doc M sanitaryware pack contains a variety of products that should be considered for installation in a compliant accessible toilet or washroom intended for public use, such as raised-height toilet pans, grab rails and wash basins.

AKW offer numerous different Doc M packs, allowing you to make the right choice for the space available and the needs of the building's users. Each pack has been designed for maximum comfort, ease-of-use, and comes with recommendations for how and where products should be installed to ensure compliance.

To help you with this, we have provided several example Doc M toilet and washroom layouts, with advice about what to consider when designing an efficient, safe and compliant space.





## Toilet Pans & Cisterns

### Navlin Doc M WCs

A raised-height toilet pan is a key requirement when designing a Doc M compliant washroom; they help wheelchair users safely transfer to and from the toilet, make it easier for those with limited mobility to lower themselves and rise from the toilet, and reduce pressure on hips, knees and ankles.

AKW Navlin Doc M toilet pans are 480mm high to comply with Doc M regulations, with the choice of close-coupled or back-to-wall pans (pair with low-level cisterns) available depending on preference and needs. Close-coupled toilet pans offer projections of 650mm or 750mm, with the extended projection designed to benefit users during side transfers.

All cisterns feature screw-down lids for security and spatula lever flush handles that are easy to operate with a closed fist or elbow. To comply with Doc M regulations, flush handles must be installed on the side furthest from the wall for greater access. Our flush handles can be installed on either side of the cistern and are supplied with blanking plugs.

A rimless pan improves hygiene with less hard-to-reach places for bacteria to thrive and a direct flushing system which distributes water around the pan more effectively, making each flush more efficient.

Ergonomic toilet seats are designed for prolonged user comfort, come in a range of colours to aid those with visual impairment, feature seat lugs for stability when transferring, and are available with or without a lid.

- + Contemporary styling to complement any washroom décor
- + Easy to operate, inclusive spatula lever handle flush
- + Rimless toilet pan for increased hygiene
- + Seat lugs stabilise movement when transferring to/from a wheelchair
- + Comfortable back rest supplied with low-level WC product packs



# Brassware and Basins

## Mixer Taps

Doc M approved mixer basin taps require one-handed operation and feature a single turn, extended lever handle which means they can be easily used with a closed fist or elbow, even when wet.

Our TMV3 approved thermostatic tap (top) benefits from clear hot and cold temperature indicators, an 80mm handle, and an integral thermostat which prevents users from being scalded.

For a more contemporary finish, our Monobloc tap (bottom) features a striking design, hot and cold temperature indicators and a 70mm lever handle.

- + Extended lever handle for easy operation by those with limited dexterity, even when wet
- + Hot and cold indicators for ease of use



## Wash Basins

For compliance with British Standard BS 8300, wash basin taps must be positioned on the side of the basin nearest the WC, enabling users to rinse their hands from a comfortable and dignified seated position without over-stretching, an act that poses a trip/fall risk.

Our Navlin Doc M finger rinse wash basin enables you to fit the tap on the side most relevant for the installation. It is also incredibly compact and the ideal size for hand washing, with an additional bracket for extra support.

As featured in our Peninsular Doc M product pack, our one tap hole Navlin 550mm wash basin is ideal for when a larger basin is required.

- + Free flow open waste to prevent accidental flooding
- + No chain-stay holes to minimise risk of bacterial growth
- + Additional bracket provided under the basin to give additional support

# Grab Rails

## Fixed Grab Rails

Correctly positioned grab rails are a necessity in a fully compliant Doc M washroom as they provide users with support and stability when moving around the space, transferring in/out of a wheelchair, and lowering/rising from the toilet.

Our collection of AKW grab rails are available in a range of colours with bolder options specifically designed to aid the visually impaired. Rails can support loads of between 15.5 – 23.5st (100 – 150kg) and are made from durable, high-quality stainless steel with the choice of polished, epoxy resin coated or uPVC fluted finishes, the latter ensuring superb grip even when wet.

## Fold-Up Rails

In environments where space allows, a fold-up rail is an essential installation in a Doc M washroom as this specifically assists users with lowering/rising from the toilet, and easily folds away to facilitate a side transfer from a wheelchair and maximise space.

When installed correctly, AKW fold-up rails can safely support the weight of 30st (200kg). These rails are supplied with an optional clip-on toilet roll holder, are finished with an epoxy resin coating and treated with a rust inhibitor for longevity.



# Surface Finish Requirements

In washrooms intended for public use, regulations recommend ensuring there is sufficient visual contrast between one element or fitting against another; for example, this may be between the wall and grab rail, the toilet pan and seat, or the wall and floor.

This difference in colour contrast between the two items makes it easier for users with visual impairment to see and easily distinguish between the two objects.

Light Reflectance Value (LRV) is the measurement of this visual contrast, with each item awarded an LRV based on the amount of visible and usable light reflected from a surface when illuminated by a source of light.

The recommended difference in LRV values between two surfaces, e.g., the wall and grab rail, should be a minimum of 30 points for there to be enough contrast. When rooms are lit to more than 200 lux, the two values must differ by 20 points.

The LRV & RAL values of AKW Doc M approved grab rails can be found in the table below. RAL colours are determined according to the European colour matching system of the same name which defines colours for paint, coatings and plastics.

**The LRV & RAL values of our grab rails are shown in the table below.**

LRV & RAL Values		
Colour	LRV	RAL
White	87	9016
Blue	7	5005
Dark Blue	2	5011
Mid-Grey	15	7005



# Installing a Doc M Washroom

The compliancy of Doc M washrooms and toilets is dependent on the design of the space and the placement of the products. This means that although you may have purchased a Doc M sanitaryware pack most relevant for the environment and user needs, unless this is installed correctly and follows guidance issued within Doc M Building Regulations, your washroom will **not** be fully compliant.


Over the next few pages, we will demonstrate how a fully compliant Doc M washroom or toilet should be designed and installed, by depicting three example layouts.



# Doc M Installation

Close-Coupled, Standard, or Low-Level Doc M Packs 1-8

Plan View



## Key

- |  |   |  |
|--|---|--|
| 1. Sanitary dispenser                                | 8. Wash basin, this should project no further than 250mm from wall            | 14. Sanitary disposal unit   |
| 2. Alternative door position                         | 9. Vertical grab rails  | 15. Fold-up support rail   |
| 3. Waste disposal bin                                | 10. Mixer tap, installed on side of basin nearest WC                          | 16. Vertical grab rail   |
| 4. Shelf, installed 760mm above finished floor level | 11. Two clothes hooks, installed 1050mm and 1400mm above finished floor level | 17. Flush mechanism, installed on side of cistern furthest from wall   |
| 5. Wheelchair turning space (1500x1500mm)            | 12. Alarm pull cord   | 18. Flat-topped, close-coupled cistern, provides back rest and colostomy bag changing surface for standing users * |
| 6. Long mirror                                       | 13. Horizontal grab rail  | 19. Horizontal pull rail on outward-opening door   |
| 7. Wall A (see side view)                            |   |  |


\* Where low-level cisterns are used, a rail with padded back rest should be provided, and a colostomy bag changing shelf installed 950mm above finished floor level.

NOTE: Examples shown are for right-handed transfer to WC.

# Doc M Installation

Close-Coupled, Standard, or Low-Level Doc M Packs 1-8

Side View



## Key

- |   |   |  |
|---|---|--|
| 1. Wall A (see plan view)   | adjacent to door, with coin slot positioned 750-1000mm above finished floor level | 10. Alarm reset button   |
| 2. Alarm pull cord with two red bangles   |   | 11. Centre of vertical grab rails should be 1100mm   |
| 3. Vertical grab rails installed above wash basin 500-700mm apart with basin positioned centrally below | 6. Automatic hand dryer   | 12. Horizontal grab rail   |
| 4. Colostomy bag changing shelf, installed 950mm above finished floor level *                           | 7. Soap dispenser   | 13. Shelf, installed 760mm above finished floor level  |
| 5. Sanitary dispenser, installed on wall  | 8. Paper towel dispenser  | 14. Wash basin, mixer tap installed on side of basin nearest WC  |
|   | 9. Toilet tissue dispenser  | 15. Flat-topped, close-coupled cistern, provides back rest and colostomy bag changing surface for standing users * |


\* Where low-level cisterns are used, a rail with padded back rest should be provided, and a colostomy bag changing shelf, installed 950mm above finished floor level.

NOTE: Examples shown are for right-handed transfer to WC.

# Doc M Installation

## Peninsular Doc M Pack 9

Plan View



Dimensions shown in millimetres

### Key


- |   |  |
|---|--|
| 1. Door, may be installed at any position along wall, but leading edge cannot be less than 300mm from return wall | 8. Wheelchair turning space (1500x1500mm)  |
| 2. Towel rail   | 9. Independent tall mirror   |
| 3. Sanitary dispenser   | 10. Alarm pull cord  |
| 4. Shelf, installed 760mm above finished floor level  | 11. Fold-up support rails, one with a toilet roll holder   |
| 5. Waste disposal bin   | 12. Vertical grab rail   |
| 6. Large wash basin, installed with mirror above and vertical grab rails either side 500-700mm apart              | 13. Sanitary disposal unit   |
| 7. Two clothes hooks, installed 1050mm and 1400mm above finished floor level                                      | 14. Flat-topped, close-coupled cistern, provides back rest and colostomy bag changing surface for standing users * |
|   | 15. Horizontal pull rail on outward-opening door   |

\* Where low-level cisterns are used, a rail with padded back rest should be provided, and a colostomy bag changing shelf installed 950mm above finished floor level.


# Doc M Installation

## Ambulant Doc M Pack 10

Plan View



Side View



Dimensions shown in millimetres

### Key

1. Vertical grab rails
2. Two clothes hooks, installed 1050mm and 1400mm above finished floor level
3. Flat-topped, close-coupled cistern, provides back rest and colostomy bag changing surface for standing users \*
4. Horizontal grab rails
5. Horizontal pull rail on outward-opening door

\* Where low-level cisterns are used, a rail with padded back rest should be provided, and a colostomy bag changing shelf installed 950mm above finished floor level.

## PACK 1

# Fully Compliant Close-Coupled WC Pack

This practical pack contains all the essentials needed to install a fully compliant Doc M washroom, featuring a close-coupled WC with lever flush and 750mm projection, a finger rinse wash basin with thermostatic mixer tap, a selection of grab rails able to support up to 30st (200kg), and our Doc M accessory pack.

### Pack includes:

- + Navlin Doc M raised-height, rimless toilet pan with 750mm projection
- + Water-saving, close-coupled cistern with spatula lever flush and screw-down lid
- + Blue ergonomic toilet seat with lid, soft-close hinges and seat lugs
- + Navlin Doc M finger rinse 400mm wash basin with two tap holes
- + TMV3 WRAS approved thermostatic mixer tap
- + Blue 600mm straight grab rails with uPVC fluted finish x 4
- + Blue 450mm straight grab rail with uPVC fluted finish
- + Blue fold-up rail with adjustable leg and optional toilet roll holder, finished with an epoxy resin coating and treated with a rust inhibitor
- + Doc M accessory pack: small shelf, large shelf, contrasting blue clothes hooks x 2, alarm pull cord, lever-operated soap dispenser, electric hand dryer, paper towel dispenser and toilet tissue dispenser

### Product Code

**28310FBU** Fully Compliant Close-Coupled Doc M Pack – Fluted Blue





## PACK 3

# Standard Close-Coupled WC Pack

This pack includes everything needed to assemble a fully compliant washroom. It features a close-coupled WC with lever flush and 750mm projection, a finger rinse wash basin with Monobloc mixer tap, and a selection of grab rails able to support up to 30st (200kg).

### Pack includes:

- + Navlin Doc M raised-height, rimless toilet pan with 750mm projection
- + Water-saving, close-coupled cistern with spatula lever flush and screw-down lid
- + Ergonomic toilet seat with lid, soft-close hinges and seat lugs (available in blue, white, dark blue or mid-grey)
- + Navlin Doc M finger rinse 400mm wash basin with two tap holes
- + Monobloc spray mixer tap
- + 600mm straight grab rails with either a smooth, epoxy resin coating (available in white, dark blue or mid-grey) or fluted uPVC finish (choose from blue, white, dark blue or mid-grey) x 4
- + 450mm straight grab rail with either a smooth, epoxy resin coating (available in white, dark blue or mid-grey) or fluted uPVC finish (choose from blue, white, dark blue or mid-grey)
- + Fold-up rail with adjustable leg and optional toilet roll holder, finished with an epoxy resin coating (available in blue, white, dark blue or mid-grey) and treated with a rust inhibitor

### Product Codes

<b>28312FBU</b>	Close-Coupled Std Doc M Pack – Fluted Blue
<b>28312FWH</b>	Close-Coupled Std Doc M Pack – Fluted White
<b>28312FDB</b>	Close-Coupled Std Doc M Pack – Fluted Dark Blue
<b>28312FMG</b>	Close-Coupled Std Doc M Pack – Fluted Mid-Grey
<b>28312SWH</b>	Close-Coupled Std Doc M Pack – Stainless White
<b>28312SDB</b>	Close-Coupled Std Doc M Pack – Stainless Dark Blue
<b>28312SMG</b>	Close-Coupled Std Doc M Pack – Stainless Mid-Grey



## PACK 4 & PACK 6

# Standard Low-Level WC Pack

An alternative to a close-coupled WC, these packs contain everything needed to install a fully compliant low-level WC, and include a back-to-wall toilet pan with low-level cistern, flush pipe, padded back rest and lever flush, as well as a finger rinse wash basin with mixer tap, and a selection of grab rails able to support up to 30st (200kg).

### Pack includes:

- + Navlin Doc M raised-height, back-to-wall rimless toilet pan
- + Water-saving low-level cistern with spatula lever flush, screw-down lid and flush pipe
- + Ergonomic toilet seat with soft-close hinges and seat lugs, without lid (available in blue or white)
- + Padded back rest (available in blue or grey)
- + Navlin Doc M finger rinse 400mm wash basin with two tap holes
- + Monobloc spray mixer tap (Pack 4) or TMV3 WRAS approved thermostatic mixer tap (Pack 6)
- + 600mm straight grab rails with uPVC fluted finish (available in blue or white) x 4
- + 450mm straight grab rail with uPVC fluted finish (available in blue or white)
- + Fold-up rail with adjustable leg and optional toilet roll holder, finished with an epoxy resin coating (available in blue or white) and treated with a rust inhibitor

### Product Codes – Pack 4

**28313FBU** Low-Level Std Doc M Pack – Fluted Blue

**28313FWH** Low-Level Std Doc M Pack – Fluted White

### Product Codes – Pack 6

**28315FBU** Low-Level Std Doc M Pack with TMV3 Mixer Tap – Fluted Blue

**28315FWH** Low-Level Std Doc M Pack with TMV3 Mixer Tap – Fluted White



## PACK 5

# Standard Close-Coupled WC Pack – TMV3

This pack includes everything needed to assemble a fully compliant washroom. It features a close-coupled WC with lever flush and 750mm projection, a finger rinse wash basin with thermostatic mixer tap, and a selection of grab rails able to support up to 30st (200kg).

### Pack includes:

- + Navlin Doc M raised-height, rimless toilet pan with 750mm projection
- + Water-saving, close-coupled cistern with spatula lever flush and screw-down lid
- + Ergonomic toilet seat with lid, soft-close hinges and seat lugs (available in blue, white, dark blue or mid-grey)
- + Navlin Doc M finger rinse 400mm wash basin with two tap holes
- + TMV3 WRAS approved thermostatic mixer tap
- + 600mm straight grab rails with either a smooth, epoxy resin coating (available in white, dark blue or mid-grey) or fluted uPVC finish (choose from blue, white, dark blue or mid-grey) x 4
- + 450mm straight grab rail with either a smooth, epoxy resin coating (available in white, dark blue or mid-grey) or fluted uPVC finish (choose from blue, white, dark blue or mid-grey)
- + Fold-up rail with adjustable leg and optional toilet roll holder, finished with an epoxy resin coating (available in blue, dark blue, mid-grey or white) and treated with a rust inhibitor

### Product Codes

<b>28314FBU</b>	Close-Coupled Std Doc M Pack with TMV3 Mixer Tap – Fluted Blue
<b>28314FWH</b>	Close-Coupled Std Doc M Pack with TMV3 Mixer Tap – Fluted White
<b>28314FDB</b>	Close-Coupled Std Doc M Pack with TMV3 Mixer Tap – Fluted Dark Blue
<b>28314FMG</b>	Close-Coupled Std Doc M Pack with TMV3 Mixer Tap – Fluted Mid-Grey
<b>28314SWH</b>	Close-Coupled Std Doc M Pack with TMV3 Mixer Tap – Stainless White
<b>28314SDB</b>	Close-Coupled Std Doc M Pack with TMV3 Mixer Tap – Stainless Dark Blue
<b>28314SMG</b>	Close-Coupled Std Doc M Pack with TMV3 Mixer Tap – Stainless Mid-Grey



## PACK 7 & PACK 8

# Contemporary Close-Coupled or Low-Level WC Pack

If achieving a contemporary aesthetic is a key goal when designing your Doc M washroom, then these packs provide all the products you will need. Each pack features either a close-coupled (Pack 7) or low-level (Pack 8) WC with lever flush, a finger rinse wash basin with Monobloc mixer tap, and a selection of grab rails able to support up to 30st (200kg).

### Pack includes:

- + Navlin Doc M raised-height, rimless toilet pan with 750mm projection (Pack 7) or Navlin Doc M raised-height, back-to-wall rimless toilet pan (Pack 8)
- + Water-saving cistern with spatula lever flush, screw-down lid (Packs 7 & 8), and flush pipe (Pack 8)
- + White ergonomic toilet seat with soft-close hinges, seat lugs (Packs 7 & 8), and lid (Pack 7)
- + Grey padded back rest (Pack 8)
- + Navlin Doc M finger rinse 400mm wash basin with two tap holes
- + Monobloc spray mixer tap
- + 600mm straight grab rails with a polished stainless-steel finish x 4
- + 450mm straight grab rail with a polished stainless-steel finish
- + Stainless-steel fold-up rail with adjustable leg and optional toilet roll holder

### Product Code – Pack 7

**28319SS** Close-Coupled Contemporary Doc M Pack – Stainless-Steel

### Product Code – Pack 8

**28316SS** Low-Level Contemporary Doc M Pack – Stainless-Steel



## PACK 9

# Peninsular WC Pack

The Peninsular pack contains the essentials needed to install a fully compliant Doc M washroom, featuring a close-coupled WC with lever flush and 750mm projection, Navlin wash basin with thermostatic mixer tap, a selection of grab rails able to support up to 30st (200kg), and our Doc M accessory pack.

### Pack includes:

- + Navlin Doc M raised-height, rimless toilet pan with 750mm projection
- + Water-saving, close-coupled cistern with spatula lever flush and screw-down lid
- + Ergonomic toilet seat with soft-close hinges and seat lugs, without lid (available in blue or white)
- + Navlin 550mm wash basin with one tap hole
- + TMV3 WRAS approved thermostatic mixer tap
- + 600mm straight grab rails with uPVC fluted finish (available in blue or white) x 4
- + 450mm straight grab rail with uPVC finish (available in blue or white)
- + Fold-up rails with adjustable leg and optional toilet roll holder, finished with an epoxy resin coating (available in blue or white) and treated with a rust inhibitor x 2
- + Doc M accessory pack: small shelf, large shelf, contrasting blue clothes hooks x 2, alarm pull cord, lever-operated soap dispenser, electric hand dryer, paper towel dispenser and toilet tissue dispenser

### Product Codes

**28317FBU** Close-Coupled Peninsular Doc M Pack – Fluted Blue

**28317FWH** Close-Coupled Peninsular Doc M Pack – Fluted White



## PACK 10

# Ambulant WC Pack

The Ambulant pack provides all the products needed to install a Doc M compliant toilet within a cubicle environment. This includes a close-coupled WC with lever flush and 650mm projection, grab rails able to support up to 23.5st (150kg), and contrasting clothes hooks.

### Pack includes:

- + Navlin Doc M raised-height, rimless toilet pan with 650mm projection
- + Water-saving, close-coupled cistern with spatula lever flush and screw-down lid
- + Ergonomic toilet seat with soft-close hinges and seat lugs, without lid (available in blue or white)
- + 600mm straight grab rails with uPVC fluted finish (available in blue or white) x 4
- + 450mm straight grab rail with uPVC fluted finish (available in blue or white)
- + Blue clothes hook x 2

### Product Codes

**28318FBU** Close-Coupled Ambulant Doc M Pack – Fluted Blue

**28318FWH** Close-Coupled Ambulant Doc M Pack – Fluted White



# Warranty Information

At AKW, we pride ourselves on being able to deliver high-quality bathroom products, many of which come with our 'made for life' guarantee.

Find details of our various warranties below; please be aware that all our product warranties exclude damage, misuse, limescale build-up, and wear and tear.

Sanitaryware (ceramic)	
Cistern Fittings	
Toilet Seats	
Brassware	
Grab Rails	
Fold-Up Rails	
Accessories	
Packs 1, 4 & 9	5 year electrical warranty 

## For More Information

Browse our full range of accessible showering and kitchen products by visiting our website and downloading our latest catalogue. Visit: [akw-ltd.co.uk](http://akw-ltd.co.uk)

# Product List

## WCs

<b>23590</b>	Navlin Doc M Raised-Height Close-Coupled Toilet Pan (750mm)
<b>23591</b>	Navlin Doc M Raised-Height Close-Coupled Toilet Pan (650mm)
<b>23593</b>	Navlin Doc M Raised-Height Back-to-Wall Toilet Pan
<b>23594</b>	Navlin Doc M Cistern with Lever Flush & Screw-Down Lid
<b>23559</b>	Navlin Doc M Low-Level Cistern with Lever Flush & Flush Pipe

## Ergonomic Toilet Seats

<b>23124</b>	Ergonomic Toilet Seat with lid – Blue
<b>23125</b>	Ergonomic Toilet Seat without lid – Blue
<b>23122</b>	Ergonomic Toilet Seat with lid – White
<b>23123</b>	Ergonomic Toilet Seat without lid – White
<b>23124DB</b>	Ergonomic Toilet Seat with lid – Dark Blue
<b>23124MG</b>	Ergonomic Toilet Seat with lid – Mid Grey

## Padded Back Rests

<b>01190BU</b>	PU Padded Back Rest Rail – Blue
<b>01190GR</b>	PU Padded Back Rest Rail – Grey

## Wash Basins

<b>23117</b>	Navlin Doc M Finger Rinse 400mm Wash Basin
<b>23580</b>	Navlin One Tap Hole 550mm Wash Basin

## Brassware

<b>23116A</b>	TMV3 Thermostatic Mixer Tap
<b>23118</b>	Monobloc Spray Mixer Tap

## Accessories

<b>23138</b>	Toilet Tissue Dispenser
<b>23139</b>	Large Paper Towel Dispenser
<b>23142</b>	Lever-Operated Soap Dispenser
<b>23143</b>	Alarm & Pull Cord
<b>23144</b>	Blue Clothes Hook
<b>23145</b>	Small White Polypropylene Shelf
<b>23146</b>	Large White Polypropylene Shelf
<b>23624-UK</b>	Hand Dryer – ABS

## Grab Rails

<b>01410BU</b>	450x32mm Large Plastic Fluted Grab Rail – Blue
<b>01410WH</b>	450x32mm Large Plastic Fluted Grab Rail – White
<b>01410DB</b>	450x32mm Large Plastic Fluted Grab Rail – Dark Blue
<b>01410MG</b>	450x32mm Large Plastic Fluted Grab Rail – Mid-Grey
<b>01420BU</b>	600x32mm Large Plastic Fluted Grab Rail – Blue
<b>01420WH</b>	600x32mm Large Plastic Fluted Grab Rail – White
<b>01420DB</b>	600x32mm Large Plastic Fluted Grab Rail – Dark Blue
<b>01420MG</b>	600x32mm Large Plastic Fluted Grab Rail – Mid-Grey
<b>01241WH</b>	450mm Grab Rail Stainless-Steel Epoxy Coated – White
<b>01241DB</b>	450mm Grab Rail Stainless-Steel Epoxy Coated – Dark Blue
<b>01241MG</b>	450mm Grab Rail Stainless-Steel Epoxy Coated – Mid-Grey
<b>01242WH</b>	600mm Grab Rail Stainless-Steel Epoxy Coated – White
<b>01242DB</b>	600mm Grab Rail Stainless-Steel Epoxy Coated – Dark Blue
<b>01242MG</b>	600mm Grab Rail Stainless-Steel Epoxy Coated – Mid-Grey
<b>LB00128</b>	450mm Stainless-Steel Grab Rail
<b>LB00129</b>	600mm Stainless-Steel Grab Rail

## Fold-Up Rails

<b>01830BU</b>	Hinged Fold-Up Double Hairpin Rail, Adjustable Leg (32mm) – Blue
<b>01830WH</b>	Hinged Fold-Up Double Hairpin Rail, Adjustable Leg (32mm) – White
<b>01830DB</b>	Fold-Up Toilet Support Grab Rail, Adjustable Leg – Dark Blue
<b>01830MG</b>	Fold-Up Toilet Support Grab Rail, Adjustable Leg – Mid-Grey
<b>01830SS</b>	Hinged Fold-Up Double Hairpin Rail, Adjustable Leg (32mm) – Stainless-Steel



#### Orders & Quotes

01905 823 299

[orders@akw-ltd.co.uk](mailto:orders@akw-ltd.co.uk)

#### General Enquiries

01905 823 298

[sales@akw-ltd.co.uk](mailto:sales@akw-ltd.co.uk)

#### Technical Enquiries

01905 560 219

[tech@akw-ltd.co.uk](mailto:tech@akw-ltd.co.uk)

#### Fax

01905 823 297

#### AKW

Pointon Way, Hampton Lovett

Droitwich Spa, WR9 0LR

[www.akw-ltd.co.uk](http://www.akw-ltd.co.uk)

[orders.akw-ltd.co.uk](mailto:orders.akw-ltd.co.uk)

