

eVOLVE™

ELECTRIC SHOWER

Power	8.5KW / 9.5KW / 10.5KW
Minimum pressure	0.085 MPa (0.85 bar) Recommended: 1 bar
Maximum pressure	1.0 MPa (10 bar)
Recommended maximum pressure	3 bar
Water entry points	Right hand side and left hand side: top, bottom, side and rear
Cable entry points	Right hand side and left hand side: top, bottom and rear
Inlet fitting connections	15mm compression or push fit elbow
Outlet fitting connections	1/2" BSP thread
Electric requirements	Supply voltage 230 – 240V, MCB rating : 8.5KW and 9.5KW - 40A 10.5KW - 45/50A
Water system	Mains cold system
Features	Digital temperature display
	Push button start/stop
	Rotary controls (power control rotary control)
	Safety features: Phased shut down, Over temperature protection
	Low pressure indicator
	Stainless steel hose
	105mm handset, 5 spray patterns
Colour	Midnight Black / Space Grey / Arctic White
Trim colour	Satin Silver
Guarantee period	Shower unit – 2 years
	Shower head and kit – 2 years
Approvals	CE Marking
	BEAB
	European Water Label
	ERP Directive
	WRAS



Flow handset with 3
spray patterns and
rub clean nozzles


Digital
display

Satin
silver
trim



Power control

Temperature
control

Chrome plated
stainless steel
1500mm hose



CONNECTIONS



MIDNIGHT BLACK
8.5KW VOTZ25
9.5KW VOTZ26
10.5KW VOTZ27

ARCTIC WHITE
8.5KW VOPZ25
9.5KW VOPZ26
10.5KW VOPZ27

SPACE GREY
8.5KW VOXZ25
9.5KW VOXZ26
10.5KW VOXZ27



eVOLVE™

ELECTRIC SHOWER FLOW RATES

	Flow rate l/min on power setting 3			Flow rate l/min on power setting 2			Flow rate l/min on power setting 1		
Cold water mains inlet temp°C	5	10	15	5	10	15	5	10	15
8.5kW									
Shower temperature of 37°C	3.48	4.13	5.09	n/a	2.43	2.99	n/a	n/a	n/a
Shower temperature of 38°C	3.38	3.99	4.87	n/a	2.34	2.86	n/a	n/a	n/a
Shower temperature of 40°C	3.18	3.72	4.48	n/a	n/a	2.63	n/a	n/a	n/a
Shower temperature of 43°C	2.93	3.38	4	n/a	n/a	2.35	n/a	n/a	n/a
9.5kW									
Shower temperature of 37°C	3.89	4.62	5.69	n/a	2.43	2.99	n/a	n/a	2.69
Shower temperature of 38°C	3.77	4.45	5.44	n/a	2.34	2.86	n/a	n/a	2.58
Shower temperature of 40°C	3.56	4.16	5	n/a	n/a	2.63	n/a	n/a	2.37
Shower temperature of 43°C	3.28	3.78	4.47	n/a	n/a	2.35	n/a	n/a	n/a
10.5kW									
Shower temperature of 37°C	4.3	5.11	6.28	n/a	2.67	3.29	n/a	2.43	2.99
Shower temperature of 38°C	4.17	4.92	6.01	n/a	2.58	3.15	n/a	2.34	2.86
Shower temperature of 40°C	3.93	4.6	5.53	n/a	2.41	2.9	n/a	n/a	2.63
Shower temperature of 43°C	3.62	4.18	4.94	n/a	n/a	2.59	n/a	n/a	2.35

n/a: Where the unit cannot achieve the flow rate required for a specific temperature