


# FRAMED 6 SLIDING DOOR




## Key features:



Code	Glass	Door Type	Width	Height	Entry Width	Fixed Panel	Adjustment	Frame Type	Finish	Weight
<b>1193803</b>	6mm	Sliding	1000mm	1900mm	380mm	383mm	965 - 1005mm	Framed	Polished Silver	31Kg
<b>1193804</b>	6mm	Sliding	1200mm	1900mm	480mm	483mm	1165-1205mm	Framed	Polished Silver	37Kg
<b>1193805</b>	6mm	Sliding	1400mm	1900mm	580mm	583mm	1365-1405mm	Framed	Polished Silver	43Kg
<b>1193806</b>	6mm	Sliding	1600mm	1900mm	580mm	783mm	1565-1605mm	Framed	Polished Silver	49Kg
<b>1193807</b>	6mm	Sliding	1700mm	1900mm	580mm	883mm	1665-1705mm	Framed	Polished Silver	52Kg

## Description:

The framed 6 sliding door shower enclosure range is available in a number of sizes fitting widths of 1000mm - 1700mm. With 6mm toughened safety glass, and polished silver profiles and chrome handles the range is a beautiful complement to modern bathroom design.



All dimensions are approximate and subject to normal variation. Although every effort is made not to change the above product specification, Aqualux reserve the right to do so without prior notification if necessary.


# FRAMED 6 SIDE PANEL FOR SLIDING DOOR



## Key features:



6mm toughened safety glass



1900mm height



20mm adjustment



Reversible



Aquaglean Anticalc coating



Chrome design handle



12 year guarantee




Quick release bearings


Code	Glass	Width	Height	Adjustment	Finish	Weight
1193808	6mm	700mm	1900mm	668-688mm	Polished Silver	22Kg
1193809	6mm	760mm	1900mm	728-748mm	Polished Silver	24Kg
1193811	6mm	800mm	1900mm	768-788mm	Polished Silver	25Kg
1193810	6mm	900mm	1900mm	868-888mm	Polished Silver	28Kg

## Description:

The framed 6 side panel for the sliding door is available in a number of sizes fitting width of 700mm - 900mm. With 6mm toughened safety glass, and polished silver profiles and chrome handles the range is a beautiful complement to modern bathroom design.



Front View




Exterior View

All dimensions are approximate and subject to normal variation. Although every effort is made not to change the above product specification, Aqualux reserve the right to do so without prior notification if necessary.

# FRAMED 6 PIVOT DOORS




## Key features:



Code	Glass	Door Type	Width	Height	Entry Width	Adjustment	Frame Type	Finish	Weight
<b>1193813</b>	6mm	Pivot	760mm	1900mm	519mm	724-764mm	Framed	Polished Silver	24Kg
<b>1193797</b>	6mm	Pivot	800mm	1900mm	555mm	764-804mm	Framed	Polished Silver	25Kg
<b>1193800</b>	6mm	Pivot	900mm	1900mm	555mm	864-904mm	Framed	Polished Silver	28Kg

## Description:

The framed 6 pivot door shower enclosure range is available in a number of sizes fitting widths of 760mm - 900mm. With 6mm toughened safety glass, and polished silver profiles and chrome handles the range is a beautiful complement to modern bathroom design.



All dimensions are approximate and subject to normal variation. Although every effort is made not to change the above product specification, Aqualux reserve the right to do so without prior notification if necessary.



# FRAMED 6 BIFOLD DOOR



## Key features:



6mm toughened safety glass



1900mm height



20mm adjustment



Reversible



Aquaglean Anticalc coating



Chrome design handle




12 year guarantee


Code	Glass	Door Type	Width	Height	Entry Width	Adjustment	Frame Type	Finish	Weight
<b>1193812</b>	6mm	Bi-Fold	760mm	1900mm	508mm	724-764mm	Framed	Polished Silver	26Kg
<b>1193814</b>	6mm	Bi-Fold	800mm	1900mm	560mm	764-804mm	Framed	Polished Silver	27Kg
<b>1193796</b>	6mm	Bi-Fold	900mm	1900mm	652mm	864-904mm	Framed	Polished Silver	30Kg

## Description:

The framed 6 bifold door shower enclosure range is available in a number of sizes fitting widths of 760 - 900mm. With 6mm toughened safety glass, and polished silver profiles and chrome handles the range is a beautiful complement to modern bathroom design.



Front view



Exterior View

All dimensions are approximate and subject to normal variation. Although every effort is made not to change the above product specification, Aqualux reserve the right to do so without prior notification if necessary.

# FRAMED 6 QUADRANT



## Key features:



6mm toughened safety glass



1900mm height



20mm adjustment



Aquaglean Anticalc coating



Chrome design handle



12 year guarantee




Quick release bearings

Code	Glass	Door Type	Width	Height	Entry Width	Fixed Panel	Adjustment	Frame Type	Finish	Weight
<b>1193798</b>	6mm	Quadrant	800x800	1900mm	415mm	190mm	770-790mm	Framed	Polished Silver	39Kg
<b>1193799</b>	6mm	Quadrant	900x900	1900mm	534mm	290mm	870-890mm	Framed	Polished Silver	44Kg

## Description:

The framed 6 quadrant shower enclosure range is available in a number of sizes fitting widths of 800mm to 1200mm. With 6mm toughened safety glass, and polished silver frames and chrome handles the range is a beautiful complement to modern bathroom design.



Front View



Exterior View

All dimensions are approximate and subject to normal variation. Although every effort is made not to change the above product specification, Aqualux reserve the right to do so without prior notification if necessary.

# FRAMED 6 OFFSET QUADRANT



## Key features:



6mm toughened safety glass



1900mm height



20mm adjustment



Aquaglean Anticalc coating



Chrome design handle



12 year guarantee



Quick release bearings



Reversible

Code	Glass	Door Type	Width	Height	Entry Width	Fixed Panel	Adjustment	Frame Type	Finish	Weight
<b>1193801</b>	6mm	Offset Quadrant	800x1000	1900mm	472mm	190mm & 390mm	770-790mm 970-990mm	Framed	Polished Silver	45Kg
<b>1193802</b>	6mm	Offset Quadrant	800x1200	1900mm	472mm	190mm & 590mm	770-790mm 1170-1190mm	Framed	Polished Silver	51Kg

## Description:

The framed 6 offset quadrant shower enclosure range is available in a number of sizes fitting widths of 800mm to 1200mm. With 6mm toughened safety glass, and polished silver frames and chrome handles the range is a beautiful complement to modern bathroom design.



Front View



Exterior View

All dimensions are approximate and subject to normal variation. Although every effort is made not to change the above product specification, Aqualux reserve the right to do so without prior notification if necessary.