

VELIS EVO

WALL HUNG ELECTRIC STORAGE WATER HEATER

HOT WATER | HEATING | RENEWABLES ariston.com

VELIS EVO FEATURES AND BENEFITS



Velis Evo is the perfect blend of comfort and design. Revolutionary in electric storage water heating, the Velis Evo is shower ready in less than 30 minutes.*

ENERGY RATING

- / Ultra slim twin tank design
- / "Eco Evo" function
- / Wi-Fi compatible for smartphone control*
- / Best in class ErP rating
- / Anti-legionella and ABS safety system
- / Shower ready alerts on screen** and in-app*
- / Fast re-heat times, shower ready in less than 30 minutes*
- / Premium italian design
- / Available in 45 and 80 litre models
- / Must be installed with supplied unvented kit

^{*} Velis Evo Wi-Fi only









PLUS









ΙΤΔΙΙΔΝ

KEY FEATURES:

TWIN TANK TECHNOLOGY

Get up to 16% more hot water with all models in the Velis Evo range, which boasts an innovative, high quality titanium enamelled twin tank structure for added durability. Reduced **stratification** with the unique twin tank technology, providing extra hot water and a hot shower in less than 30 minutes.*





AQUA ARISTON NET

Velis Evo Wi-Fi is compatible with the Aqua Ariston Net app, allowing full control and monitoring from the palm of your hand. **Shuffle through modes** and turn the unit on remotely for a hot shower at the perfect time. With Agua Ariston Net you can monitor energy consumption and achieve savings of up to 25% using daily and weekly programming.




The innovative **ECO EVO** function memorises user habits to deliver hot water while saving up to 14% on energy bills. The product operates in compliance with top standards on energy efficiency within the electric water heating category.






VELIS EVO ELECTRIC STORAGE WATER HEATER





PRODUCT DIMENSIONS



VELIS 45

A = 776mm **B** = 405mm

VELIS 80

A = 1251mm **B** = 880mm

LEGEND

| Technical Data | | 80 | | 80 |
|---|----------|----------|---------------|---------------|
| | | | | |
| Installation | Vertical | Vertical | Vertical | Vertical |
| Actual Capacity (L) | | 80 | | 80 |
| Power (kW) | 1.5/1.5 | 1.5/1.5 | 3/3 | 3/3 |
| Body Colour | | | Brushed Metal | Brushed Metal |
| Voltage (V) | 220-240 | 220-240 | 230-240 | 230-240 |
| Frequency (Hz) | 50/60 | 50/60 | 50/60 | 50/60 |
| V40 (I) | 77 | | 77 | |
| IP Protection | IPX4 | IPX4 | IPX4 | IPX4 |
| Max Working Temp (°C) | | | | |
| ErP Rating | | | | |
| Tapping Profile | М | М | M | М |
| Warranty | 5 years | 5 years | 5 years | 5 years |
| Aqua Ariston Net Compatibility | No | No | | |
| Heating Times (ΔT=45°C) | | 1h 52m | 29m | |
| Standing Losses [kWh/24h] @65°C | 0.96 | 1.32 | 0.96 | 1.32 |
| PRODUCT CODES (including unvented kits) | 3626305 | 3626306 | 3626307 | 3626308 |

SLIM, SMART AND SUPER FAST WATER HEATING

HOT WATER | HEATING | RENEWABLES

Customer Service: customer.service.uk@aristonthermo.com | 0333 240 8777 Sales: salesoffice@aristonthermo.com | 0333 240 6666

ariston.com













