


## CONTOUR 21

## A4131AA

CONTOUR 21 | Basin mixer 61x154x151 mm, 100 mm spout projection in chrome finish, 4.8 l/min (3 bar), no waste | Sequential cartridge, Thermostatic function, Water & Energy savings, SmartShine

### Image & drawing

Armitage  
Shanks



### General information

Product type:	Washbasin mixers
Sub product type:	Basin mixer
Brand:	Armitage Shanks
Suite name:	CONTOUR 21
Designer:	Artefakt
Colour:	AA - Chrome
Surface finish effect:	glossy
Height (mm):	151
Width (mm):	61
Length / Projection (mm):	154
Fixing method:	Shank fixation
Net weight (kg):	2.60
EAN code:	4015413305037

Suitable for use with handrinse basins in public areas and Doc M. Satisfies DDA requirements. Meets the requirements laid out in HTM 64, HTM 04. Single easy use lever operates on/off and temperature control. Eliminates the need for premixed water. Suitable for high and low pressure systems. To ensure system hygiene and user safety the water flow always commences from cold. Traditional backnut fixing for added security. Fits into a standard pillar tap hole. Flow rate stays constant even when temperature setting is changed (providing supply pressure is 1.0 bar or higher). Flow rate limited to a practical economic level irrespective of supply pressure for suitability with high pressure supplies. Thermostatically set to 41°C with single lever to control flow of water. Durable and easy to clean finish. Supplied complete with strainer/check valves and flow limiters. Serviceable from above the basin (once supplies are isolated). Cartridge based system for easy servicing/repair. Regulated to 5 litres per minute maximum. Alternative low pressure outlet option supplied. Unregulated flow rate 5 litres per minute at 0.3 bar.

### Features



Sequential cartridge



Thermostatic function



Water & Energy savings



SmartShine

### Downloads

• [Installation Guide](#)

• [Spare Parts List](#)

### Product standard & certifications

Additional standards: EN 248 | DIN 4109-1 | EN 1111

### Product specifications

Amount of handles:	1
Blue Start technology:	No
Colour code:	AA
Colour description:	chrome
Cool Body technology:	No
Easy Fix technology:	No

## CONTOUR 21

## A4131AA

CONTOUR 21 | Basin mixer 61x154x151 mm, 100 mm spout projection in chrome finish, 4.8 l/min (3 bar), no waste | Sequential cartridge, Thermostatic function, Water & Energy savings, SmartShine

### Product specifications

Handle application:	Volume control
Handle position:	Top
Includes a chain eye:	No
Integrated electronics:	No
Low-pressure model:	No
Material:	Metal
Material of handle:	Metal
Material quality:	Brass
Max. flow rate at 3 bar (l):	4.8
Max. flow rate at 3 bar (l) for all outlets:	4.8
Max. flow rate at 3 bar (l) for spout:	4.8
Max. operating pressure (bar):	10
Min. operating pressure (bar):	0.5
Operating method:	Manual
PVD technology:	No
SmartShine:	Yes
Spout model:	Fixed
Spout type:	Casted body
Surface cover:	chromium-plated
Surface finish effect:	glossy
Swivelling spout:	No
Tap outlet model:	Aerator
Tap outlet visibility:	Visible
Tap outlet adjustable:	No
Tap outlet is anti-vandal:	No
Thermostatic:	Yes
Touchless control:	No
Type of handle:	Medical
Type of temperature control:	Thermostatic
With drain plug:	No
With escutcheon(s):	No
With handle(s):	Yes
With outlet:	Yes
With pull-out spray:	No
With waste set:	No
Fixing method:	Shank fixation
Mounting method:	Tap hole

## Your local contact:

### België • Belgique

Ideal Standard Produktions-GmbH  
Corporate Village - Frame 21 Building  
Da Vincilaan 2  
B-1935 Zaventem  
☎ +32 2 325 66 00  
✉ +32 2 325 66 01  
www.idealstandard.be

### България

Идеал Стандарт - Видима АД  
ул. "Марин Попов" 53  
гр. Севлиево, 5400  
☎ +359 885 938 880  
✉ office@idealstandard.com  
www.idealstandard.bg

### Česká republika

Ideal Standard s.r.o.  
Zemská 623  
41574 Teplice  
☎ +420 (0)-417-265 11  
✉ +420 (0)-417-265 15  
www.idealstandard.cz

### Hrvatska

Ideal Standard Hrvatska  
Lopatinečka ul. 8  
10000, Zagreb  
☎ +385 91 229 9304  
www.idealstandard.hr

### Danmark

Ideal Standard Skandinavia ApS  
Fynsvej 9  
5500 Middelfart (Denmark)  
☎ +45 75 84 10 10  
www.idealstandard.dk

### Deutschland

Ideal Standard GmbH  
Euskirchener Straße 80  
53121 Bonn  
☎ +49 (0)228 521-0  
✉ +49 (0)228 521-241  
✉ idealstandard.de@idealstandard.com  
www.idealstandard.de

### Éire

Ideal Standard Éire  
2nd Floor, Unit 3103 Lake Drive Citywest  
Business Campus Tallaght Dublin 24 YXW2  
☎ +353 1 4564525  
www.idealstandard.ie

### España

Ideal Standard Iberia S.L.U  
Riera Principal Nr. 8  
08328 Alella (Barcelona - España)  
☎ +34 93 561 80 00  
www.idealstandard.es

### Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών:  
Λ. Μεσογείων 265, 15451 Ν.  
Ψυχικό, Αθήνα  
☎ +2106790800  
www.idealstandard.gr

### France

Ideal Standard France - Siège social  
39 Rue St. Sabin  
75011 Paris  
☎ +33 (0)1 49 38 81 34  
✉ sav.idealstandard@idealstandard.com  
(demandes techniques) /  
devis.chantier@idealstandard.com  
(demandes commerciales)  
www.idealstandard.fr

### Italia

Ideal Standard (Italia) Srl  
Via Giosuè Borsi 9  
20143 Milano, Italia  
☎ +39 (0)2 28881  
✉ info@idealstandard.it  
www.idealstandard.it

### Nederland

Ideal Standard Nederland BV  
Hambakenwetering 3  
5231 DD 's-Hertogenbosch  
☎ +31 (0)-77 355 08 08  
✉ +31 (0)-77 354 21 86  
www.idealstandard.nl

### Österreich

Ideal Standard GmbH  
Zweigniederlassung Österreich  
Erzherzog-Karl-Str. 131-135  
1220 Wien Österreich  
☎ +43 125 66 222-0  
✉ +43 125 66 222-625  
www.idealstandard.at

### Polska

Ideal Standard Polska  
Ul. Ostrowskiego 7  
53-238 Wrocław  
☎ +48 71 78 68 301  
www.idealstandard.po

### România

Ideal Standard Representative Office România  
Calea Victoriei 109, Etaj 1, Sector 1  
București, 010069  
☎ +40 746 050 408  
✉ officebucharest@idealstandard.com  
www.ideal-standard.ro

### Srbija

Ideal Standard - Vidima AD  
Drinčićeva br.19, I sprat, stan br.8  
11000 Beograd Srbija  
☎ +381 11 7138 058  
www.idealstandard.rs

### United Kingdom

Ideal Standard (UK) Ltd  
The Bathroom Works National Avenue  
Kingston Upon Hull  
HU5 4HS  
☎ +44 (0)-1482 346 461  
✉ +44 (0)-1482 445 886  
www.idealstandard.co.uk