




CONTOUR 21+ A6698AA

CONTOUR 21⁺ | Basin mixer 136x146x143 mm, 110 mm spout projection in chrome finish, 3.8 I/min (3 bar), no waste | DOC M compliant, Sequential cartridge, Hidden aerator, SmartShine

Image & drawing







General information

Product type: Washbasin mixers Sub product type: Basin mixer Armitage Shanks Brand: Suite name: CONTOUR 21+ Ideal Standard Designer: Colour: AA - Chrome Surface finish effect: glossy Height (mm): 143 Width (mm): 136 Length / Projection (mm): 146 Fixing method: Shank fixation Net weight (kg): 2.01

4015413340151

Single sequential lever for on/off operation and temperature control. Supplied with service valves which include isolators, strainers, check valves, flow regulators and 15mm compression connections. Temperature factory set to $40\pm1^{\circ}\text{C}$. Product will work on low pressure providing the flow regulatore is removed and replaced using a flow guide (A960191NU). Factory fitted 3.8 litre per minute flow regulator in an anti-vandal housing. 1.9 litre per minute eco spray outlet also supplied. Both require 1 bar minimum pressure. Clamping ring with three fixing screws for securefix to the basin which will not come loose if correctly installed.

Features

EAN code:



DOC M compliant



Sequential cartridge



Hidden aerator



SmartShine

Downloads

• Installation Guide

Product standard & certifications

EN 248 | DIN 4109-1 | EN 817 Additional standards:

Reg 4 certificate name: 2410957

Product specifications

Amount of handles:	1
Blue Start technology:	No
Colour code:	AA
Colour description:	chrome
Cool Body technology:	No
DOC M compliant:	Yes
Easy Fix technology:	No
Handle position:	Тор
Includes a chain eve:	No





CONTOUR 21⁺ A6698AA

CONTOUR 21 $^+$ | Basin mixer 136x146x143 mm, 110 mm spout projection in chrome finish, 3.8 l/min (3 bar), no waste | DOC M compliant, Sequential cartridge, Hidden aerator, SmartShine

Product s	pecifications
-----------	---------------

Integrated electronics:	No
Low-pressure model:	No
Material:	Metal
Material quality:	Brass
Max. flow rate at 3 bar (l):	3.8
Max. flow rate at 3 bar (I) for all outlets:	3.8
Max. flow rate at 3 bar (l) for spout:	3.8
Operating method:	Manual
PVD technology:	No
SmartShine:	Yes
Spout model:	Fixed
Spout type:	Tubular
Surface cover:	chromium-plated
Surface finish effect:	glossy
Swivelling spout:	No
Tap outlet model:	Aerator
Tap outlet visibility:	Hidden
Tap outlet adjustable:	No
Tap outlet is anti-vandal:	No
Temperature limiter:	Yes
Thermostatic:	Yes
Touchless control:	No
Type of handle:	Medical
With drain plug:	No
With escutcheon(s):	No
With handle(s):	Yes
With outlet:	Yes
With pull-out spray:	No
With waste set:	No
Fixing method:	Shank fixation
Mounting method:	Tap hole





Your local contact:

België • Belgique

Ideal Standard Produktions-GmbH Corporate Village - Frame 21 Building Da Vincilaan 2 B-1935 Zaventem

(1) +32 2 325 66 00(2) +32 2 325 66 01(3) ±32 5 66 01(4) ±32 2 325 66 01(5) ±32 2 325 66 01(6) ±32 2 325 66 01(7) ±32 2 325 66 01(8) ±32 2 325 66 01(9) ±32 2 325 66 01<

България

Идеал Стандарт - Видима АД ул. "Марин Попов" 53 гр. Севлиево, 5400 ② +359 885 938 880 ☑ office@idealstandard.com www.idealstandard.bg

Česká republika

Ideal Standard s.r.o.
Zemska 623
41574 Teplice
① +420 (0)-417-265 11
② +420 (0)-417-265 15
www.idealstandard.cz

Hrvatska

Ideal Standard Hrvatska Lopatinečka ul. 8 10000, Zagreb ① +385 91 229 9304 www.idealstandard.hr

Danmark

Ideal Standard Skandinavia ApS Fynsvej 9 5500 Middelfart (Denmark) ① +45 75 84 10 10 www.idealstandard.dk

Deutschland

Ideal Standard GmbH
Euskirchener Straße 80
53121 Bonn
① +49 (0)228 521-0
= +49 (0)228 521-241
\times idealstandard.de@idealstandard.com

www.idealstandard.de

Éire

Ideal Standard Éire 2nd Floor, Unit 3103 Lake Drive Citywest Business Campus Tallaght Dublin 24 YXW2 ① +353 1 4564525 www.idealstandard.ie

España

Ideal Standard Iberia S.L.U Riera Principal Nr. 8 08328 Alella (Barcelona - España) ① +34 93 561 80 00 www.idealstandard.es

Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών: Λ. Μεσογείων 265, 15451 Ν. Ψυχικό, Αθήνα Φ +2106790800 www.idealstandard.gr

France

Ideal Standard France - Siège social 39Rue St. Sabin 75011 Paris

 +33 (0)1 49 38 81 34
 sav.idealstandard@idealstandard.com (demandes techniques) / devis.chantier@idealstandard.com (demandes commerciales)

www.idealstandard.fr

Italia

Ideal Standard (Italia) Srl Via Giosuè Borsi 9 20143 Milano, Italia ① +39 (0)2 28881 ☑ info@idealstandard.it www.idealstandard.it

Nederland

Ideal Standard Nederland BV Hambakenwetering 3 5231 DD 's-Hertogenbosch ① +31 (0)-77 355 08 08 ② +31 (0)-77 354 21 86 www.idealstandard.nl

Österreich

Ideal Standard GmbH
Zweigniederlassung Österreich
Erzherzog-Karl-Str. 131–135
1220 Wien Österreich
① +43 125 66 222-0
= +43 125 66 222-625
www.idealstandard.at

Polska

Ideal Standard Polska UI, Ostrowskiego 7 53-238 Wroclaw ① +48 71 78 68 301 www.idealstandard.po

România

Ideal Standard Representative Office România Calea Victoriei 109, Etaj 1, Sector 1 București, 010069 ① +40 746 050 408 ☑ officebucharest@idealstandard.com www.ideal-standard.ro

Srbija

Ideal Standard - Vidima AD Drinčićeva br.19, I sprat, stan br.8 11000 Beograd Srbija ① +381 11 7138 058 www.idealstandard.rs

United Kingdom

www.idealstandard.co.uk

Ideal Standard (UK) Ltd
The Bathroom Works National Avenue
Kingston Upon Hull
HU5 4HS
① +44 (0)-1482 346 461
B +44 (0)-1482 445 886