



SENSORFLOW WAVE


A6163AA

SENSORFLOW WAVE | Basin mixer 81.5x161x138 mm, 116 mm spout projection in chrome finish, 3.8 l/min (3 bar), no waste | EasyFix, Cool Body technology, Touchless control, SmartShine

Image & drawing







General information

Product type: Washbasin mixers Sub product type: Basin mixer Brand: Armitage Shanks Suite name: SENSORFLOW WAVE Ideal Standard Designer: Colour: AA - Chrome Surface finish effect: glossy Height (mm): 138 Width (mm): 81.5 Length / Projection (mm): 161 Fixing method: EasyFix Net weight (kg): 2.06

EAN code: 4015413332989

Minimum operating pressure 1 bar. Fitted with a proximity sensor which will automatically shut off 2 seconds after sensor no longer detects movement. Automatic flow stop factory set to operate after 55 seconds of continuous operation. Adjustable duty flush/purge facility. Consideration should be given to safe hot water delivery and the use of an appropriate temperature reduction device, please see A5900AA (for use with 15mm pipework) or A5901AA (for use with 22mm pipework. Mains powered Sensorflow products must be connected to a continuous permanent power supply of these require 220-240 volts and each 1 having its own fuse spur.

Features



EasyFix



Cool Body technology



Touchless control



Installation Guide

SmartShine

Downloads

- Maintenance Guide
- Spare Parts List

Product standard & certifications

EN 248 | DIN 4109-1 | EN 15091 Additional standards:

Product specifications

Amount of handles: 1 Blue Start technology: No Colour code: AA Colour description: chrome Cool Body technology: Easy Fix technology:

Handle application: Temperature control

Handle position: Lateral Includes a chain eye:





SENSORFLOW WAVE

A6163AA

SENSORFLOW WAVE | Basin mixer 81.5x161x138 mm, 116 mm spout projection in chrome finish, 3.8 l/min (3 bar), no waste | EasyFix, Cool Body technology, Touchless control, SmartShine

Integrated electronics:	Yes
Lead-free waterways:	Yes
Low-pressure model:	No
Material:	Metal
Material of handle:	Metal
Material quality:	Brass
Max. flow rate at 3 bar (l):	3.8
Max. flow rate at 3 bar (I) for all outlets:	3.8
Max. flow rate at 3 bar (I) for spout:	3.8
Max. operating pressure (bar):	8
Min. operating pressure (bar):	1
Nickel-free waterways:	Yes
Operating method:	Contactless
PVD technology:	No
SmartShine:	Yes
Spout model:	Fixed
Spout type:	Casted body
Surface cover:	chromium-plated
Surface finish effect:	glossy
Swivelling spout:	No
Tap outlet model:	Aerator
Tap outlet visibility:	Visible
Tap outlet adjustable:	No
Tap outlet is anti-vandal:	No
Touchless control:	Yes
Type of handle:	Rotary knob
Type of temperature control:	Manually operated
With drain plug:	No
With escutcheon(s):	No
With handle(s):	Yes
With outlet:	Yes
With pull-out spray:	No
With waste set:	No
Fixing method:	EasyFix

Tap hole

Mounting method:





Your local contact:

België • Belgique

Ideal Standard Produktions-GmbH Corporate Village - Frame 21 Building Da Vincilaan 2 B-1935 Zaventem

(1) +32 2 325 66 00(2) +32 2 325 66 01(3) ±32 5 66 01(4) ±32 2 325 66 01(5) ±32 2 325 66 01(6) ±32 2 325 66 01(7) ±32 2 325 66 01(8) ±32 2 325 66 01(9) ±32 2 325 66 01<

България

Идеал Стандарт - Видима АД ул. "Марин Попов" 53 гр. Севлиево, 5400 ② +359 885 938 880 ☑ office@idealstandard.com www.idealstandard.bg

Česká republika

Ideal Standard s.r.o. Zemska 623 41574 Teplice ① +420 (0)-417-265 11 B +420 (0)-417-265 15

www.idealstandard.cz

Hrvatska

Ideal Standard Hrvatska Lopatinečka ul. 8 10000, Zagreb ① +385 91 229 9304 www.idealstandard.hr

Danmark

Ideal Standard Skandinavia ApS Fynsvej 9 5500 Middelfart (Denmark) ① +45 75 84 10 10 www.idealstandard.dk

Deutschland

Ideal Standard GmbH Euskirchener Straße 80 53121 Bonn ① +49 (0)228 521-0 🗷 +49 (0)228 521-241

☑ idealstandard.de@idealstandard.com www.idealstandard.de

Éire

Ideal Standard Éire 2nd Floor, Unit 3103 Lake Drive Citywest Business Campus Tallaght Dublin 24 YXW2 ① +353 1 4564525 www.idealstandard.ie

España

Ideal Standard Iberia S.L.U Riera Principal Nr. 8 08328 Alella (Barcelona - España) ① +34 93 561 80 00 www.idealstandard.es

Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών: Λ. Μεσογείων 265, 15451 Ν. Ψυχικό, Αθήνα Φ +2106790800 www.idealstandard.gr

France

Ideal Standard France - Siège social 39Rue St. Sabin 75011 Paris

 +33 (0)1 49 38 81 34
 sav.idealstandard@idealstandard.com (demandes techniques) / devis.chantier@idealstandard.com

(demandes commerciales)
www.idealstandard.fr

Italia

Ideal Standard (Italia) Srl Via Giosuè Borsi 9 20143 Milano, Italia ① +39 (0)2 28881 ☑ info@idealstandard.it www.idealstandard.it

Nederland

Ideal Standard Nederland BV Hambakenwetering 3 5231 DD 's-Hertogenbosch ① +31 (0)-77 355 08 08 ② +31 (0)-77 354 21 86 www.idealstandard.nl

Österreich

Ideal Standard GmbH
Zweigniederlassung Österreich
Erzherzog-Karl-Str. 131–135
1220 Wien Österreich
① +43 125 66 222-0
= +43 125 66 222-625
www.idealstandard.at

Polska

Ideal Standard Polska UI, Ostrowskiego 7 53-238 Wroclaw ① +48 71 78 68 301 www.idealstandard.po

România

Ideal Standard Representative Office România Calea Victoriei 109, Etaj 1, Sector 1 București, 010069 ① +40 746 050 408 ☑ officebucharest@idealstandard.com www.ideal-standard.ro

Srbija

Ideal Standard - Vidima AD Drinčićeva br.19, I sprat, stan br.8 11000 Beograd Srbija ① +381 11 7138 058 www.idealstandard.rs

United Kingdom

Ideal Standard (UK) Ltd The Bathroom Works National Avenue Kingston Upon Hull HU5 4HS ① +44 (0)-1482 346 461

+44 (0)-1482 445 886 +44 (0)-1482 445 886 www.idealstandard.co.uk