


## SANDRINGHAM 21

## S0673AA

SANDRINGHAM 21 | Basin pillar tap 44x93 mm, 105 mm spout projection in chrome finish, 4 l/min (3 bar), no waste | SmartShine

### Image & drawing

Armitage  
Shanks



### General information

|                        |                  |
|------------------------|------------------|
| Product type:          | Washbasin mixers |
| Sub product type:      | Basin pillar tap |
| Brand:                 | Armitage Shanks  |
| Suite name:            | SANDRINGHAM 21   |
| Designer:              | Ideal Standard   |
| Colour:                | AA - Chrome      |
| Surface finish effect: | glossy           |
| Height (mm):           | 93               |
| Width (mm):            | 44               |
| Fixing method:         | Shank fixation   |
| Net weight (kg):       | 0.56             |
| EAN code:              | 5017830527824    |

Easy push mechanism. 4 litre per minute flow regulators supplied for water saving installations. Also supplied with an additional pair of hot and cold indices. Consideration should be given to safe hot water delivery and the use of an appropriate temperature reduction device, please see A5900AA (for use with 15mm pipework) or A5901AA (for use with 22mm pipework).

### Features



SmartShine

### Downloads

- [Installation Guide](#)

### Product standard & certifications

|                       |                              |
|-----------------------|------------------------------|
| Additional standards: | EN 248   DIN 4109-1   EN 200 |
|-----------------------|------------------------------|

### Product specifications

|                                              |             |
|----------------------------------------------|-------------|
| Amount of handles:                           | 1           |
| Blue Start technology:                       | No          |
| Colour code:                                 | AA          |
| Colour description:                          | chrome      |
| DVGW intrinsically safe:                     | No          |
| Handle position:                             | Top         |
| Includes a chain eye:                        | No          |
| Integrated electronics:                      | No          |
| Low-pressure model:                          | No          |
| Material:                                    | Metal       |
| Material quality:                            | Brass       |
| Max. flow rate at 3 bar (l):                 | 4           |
| Max. flow rate at 3 bar (l) for all outlets: | 4           |
| Max. flow rate at 3 bar (l) for spout:       | 4           |
| Operating method:                            | Push button |

## SANDRINGHAM 21

## S0673AA

SANDRINGHAM 21 | Basin pillar tap 44x93 mm, 105 mm spout projection in chrome finish, 4 l/min (3 bar), no waste | SmartShine

### Product specifications

|                              |                   |
|------------------------------|-------------------|
| PVD technology:              | No                |
| Self-closing:                | Yes               |
| SmartShine:                  | Yes               |
| Spout model:                 | Fixed             |
| Spout type:                  | Casted body       |
| Surface cover:               | chromium-plated   |
| Surface finish effect:       | glossy            |
| Swivelling spout:            | No                |
| Tap outlet model:            | Aerator           |
| Tap outlet visibility:       | Visible           |
| Tap outlet adjustable:       | No                |
| Tap outlet is anti-vandal:   | No                |
| Touchless control:           | No                |
| Type of handle:              | Push button       |
| Type of temperature control: | Manually operated |
| Water saving:                | Yes               |
| With escutcheon(s):          | No                |
| With handle(s):              | Yes               |
| With outlet:                 | Yes               |
| With waste set:              | No                |
| Easy Fix technology:         | No                |
| Fixing method:               | Shank fixation    |
| Mounting method:             | Tap hole          |

## Your local contact:

### België • Belgique

Ideal Standard Produktions-GmbH  
Corporate Village - Frame 21 Building  
Da Vincilaan 2  
B-1935 Zaventem  
☎ +32 2 325 66 00  
☎ +32 2 325 66 01  
🌐 [www.idealstandard.be](http://www.idealstandard.be)

### Éire

Ideal Standard Éire  
2nd Floor, Unit 3103 Lake Drive Citywest  
Business Campus Tallaght Dublin 24 YXW2  
☎ +353 1 4564525  
🌐 [www.idealstandard.ie](http://www.idealstandard.ie)

### Österreich

Ideal Standard GmbH  
Zweigniederlassung Österreich  
Erzherzog-Karl-Str. 131-135  
1220 Wien Österreich  
☎ +43 125 66 222-0  
☎ +43 125 66 222-625  
🌐 [www.idealstandard.at](http://www.idealstandard.at)

### България

Идеал Стандарт - Видима АД  
ул. "Марин Попов" 53  
гр. Севлиево, 5400  
☎ +359 885 938 880  
✉ [office@idealstandard.com](mailto:office@idealstandard.com)  
🌐 [www.idealstandard.bg](http://www.idealstandard.bg)

### España

Ideal Standard Iberia S.L.U  
Riera Principal Nr. 8  
08328 Alella (Barcelona - España)  
☎ +34 93 561 80 00  
🌐 [www.idealstandard.es](http://www.idealstandard.es)

### Polska

Ideal Standard Polska  
Ul. Ostrowskiego 7  
53-238 Wrocław  
☎ +48 71 78 68 301  
🌐 [www.idealstandard.po](http://www.idealstandard.po)

### Česká republika

Ideal Standard s.r.o.  
Zemská 623  
41574 Teplice  
☎ +420 (0)-417-265 11  
☎ +420 (0)-417-265 15  
🌐 [www.idealstandard.cz](http://www.idealstandard.cz)

### Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών:  
Λ. Μεσογείων 265, 15451 Ν  
Ψυχικό, Αθήνα  
☎ +2106790800  
🌐 [www.idealstandard.gr](http://www.idealstandard.gr)

### România

Ideal Standard Representative Office România  
Calea Victoriei 109, Etaj 1,  
Sector 1, București, 010069  
☎ +40 746 050 408  
✉ [officebucharest@idealstandard.com](mailto:officebucharest@idealstandard.com)  
🌐 [www.ideal-standard.ro](http://www.ideal-standard.ro)

### Hrvatska

Ideal Standard Hrvatska  
Lopatinečka ul. 8  
10000, Zagreb  
☎ +385 91 229 9304  
🌐 [www.idealstandard.hr](http://www.idealstandard.hr)

### France

Ideal Standard France - Siège social  
39 Rue St. Sabin  
75011 Paris  
☎ +33 (0)1 49 38 81 34  
✉ [sav.idealstandard@idealstandard.com](mailto:sav.idealstandard@idealstandard.com)  
(demandes techniques) /  
[devis.chantier@idealstandard.com](mailto:devis.chantier@idealstandard.com)  
(demandes commerciales)  
🌐 [www.idealstandard.fr](http://www.idealstandard.fr)

### Srbija

Ideal Standard - Vidima AD  
Drinčićeva br.19, I sprat, stan br. 8  
11000 Beograd Srbija  
☎ +381 11 7138 058  
🌐 [www.idealstandard.rs](http://www.idealstandard.rs)

### Danmark

Ideal Standard Skandinav ApS  
Fynsvej 9  
5500 Middelfart (Denmark)  
☎ +45 75 84 10 10  
🌐 [www.idealstandard.dk](http://www.idealstandard.dk)

### Italia

Ideal Standard (Italia) Srl  
Via Giosuè Borsi 9  
20143 Milano, Italia  
☎ +39 (0)2 28881  
✉ [info@idealstandard.it](mailto:info@idealstandard.it)  
🌐 [www.idealstandard.it](http://www.idealstandard.it)

### United Kingdom

Ideal Standard (UK) Ltd  
The Bathroom Works National Avenue  
Kingston Upon Hull  
HU5 4HS  
☎ +44 (0)-1482 346 461  
☎ +44 (0)-1482 445 886  
🌐 [www.idealstandard.co.uk](http://www.idealstandard.co.uk)

### Deutschland

Ideal Standard GmbH  
Euskirchener Straße 80  
53121 Bonn  
☎ +49 (0)228 521-0  
☎ +49 (0)228 521-241  
✉ [idealstandard.de@idealstandard.com](mailto:idealstandard.de@idealstandard.com)  
🌐 [www.idealstandard.de](http://www.idealstandard.de)

### Nederland

Ideal Standard Nederland BV  
Hambakenwetering 3  
5231 DD 's-Hertogenbosch  
☎ +31 (0)-77 355 08 08  
☎ +31 (0)-77 354 21 86  
🌐 [www.idealstandard.nl](http://www.idealstandard.nl)