



SENSORFLOW 21

A4849GN

SENSORFLOW 21 | Wall-mounted basin tap 50x280x50 mm, 230 mm spout projection in silver storm finish, 3.7 l/min (3 bar), no waste | Panel installation, Touchless control, Vandal-resistant, PVD technology

Image & drawing

Armitage
Shanks



General information

Product type:	Washbasin mixers
Sub product type:	Wall-mounted basin tap
Brand:	Armitage Shanks
Suite name:	SENSORFLOW 21
Designer:	Artefakt
Colour:	GN - Silver Storm
Surface finish effect:	satin
Height (mm):	50
Width (mm):	50
Length / Projection (mm):	280
Net weight (kg):	2.07
EAN code:	4015413330893

Designed to be supplied with pre-mixed water. Consideration should be given to safe hot water delivery and the use of an appropriate temperature reduction device, please see A5900AA (for use with 15mm pipework) or A5901AA (for use with 22mm pipework). The downward pointing sensor is set to work in the normal handwashing position. This helps to eliminate false triggering from high visibility clothing associated with forward facing sensors, we also do not recommend the use of chromium plated wastes. Automatically shuts off if sensor is obstructed for a maximum of 55 seconds. Mains powered transformer with option to use up to 5 link units per main unit or alternatively there are stand alone battery powered units available. Flow rate regulated at 3.7 litres per minute at 1 bar. Mains powered Sensorflow products must be connected to a continuous permanent power supply of these require 220-240 volts and each 1 having its own fuse spur.

Features

Panel installation		Touchless control
	Vandal-resistant	 PVD technology

Downloads

- [Maintenance Guide](#)
- [Declaration of Conformity](#)
- [Installation Guide](#)
- [Spare Parts List](#)

Product standard & certifications

Additional standards:	EN 248 DIN 4109-1 EN 15091
Reg 4 certificate name:	2408973

Product specifications

Amount of escutcheon(s):	1
Amount of handles:	0
Blue Start technology:	No
Colour code:	GN
Colour description:	silver storm
Cool Body technology:	No

SENSORFLOW 21

A4849GN

SENSORFLOW 21 | Wall-mounted basin tap 50x280x50 mm, 230 mm spout projection in silver storm finish, 3.7 l/min (3 bar), no waste | Panel installation, Touchless control, Vandal-resistant, PVD technology

Product specifications

Includes a chain eye:	No
Integrated electronics:	Yes
Low-pressure model:	No
Material:	Metal
Material quality:	Brass
Max. flow rate at 3 bar (l):	3.7
Max. flow rate at 3 bar (l) for all outlets:	3.7
Max. flow rate at 3 bar (l) for spout:	3.7
Max. operating pressure (bar):	5
Min. operating pressure (bar):	0.1
Operating method:	Contactless
PVD technology:	Yes
Shape of escutcheon(s):	Round
Spout model:	Fixed
Spout type:	Tubular
Surface cover:	plated
Surface finish effect:	satin
Swivelling spout:	No
Tap outlet model:	Aerator
Tap outlet visibility:	Visible
Tap outlet adjustable:	No
Tap outlet is anti-vandal:	Yes
Touchless control:	Yes
With drain plug:	No
With escutcheon(s):	Yes
With handle(s):	No
With outlet:	Yes
With pull-out spray:	No
With waste set:	No
Easy Fix technology:	No
Mounting method:	Panel mounted

Your local contact:

België • Belgique

Ideal Standard Produktions-GmbH
Corporate Village - Frame 21 Building
Da Vincilaan 2
B-1935 Zaventem
☎ +32 2 325 66 00
☎ +32 2 325 66 01
🌐 www.idealstandard.be

Éire

Ideal Standard Éire
2nd Floor, Unit 3103 Lake Drive Citywest
Business Campus Tallaght Dublin 24 YXW2
☎ +353 1 4564525
🌐 www.idealstandard.ie

Österreich

Ideal Standard GmbH
Zweigniederlassung Österreich
Erzherzog-Karl-Str. 131-135
1220 Wien Österreich
☎ +43 125 66 222-0
☎ +43 125 66 222-625
🌐 www.idealstandard.at

България

Идеал Стандарт - Видима АД
ул. "Марин Попов" 53
гр. Севлиево, 5400
☎ +359 885 938 880
✉ office@idealstandard.com
🌐 www.idealstandard.bg

España

Ideal Standard Iberia S.L.U
Riera Principal Nr. 8
08328 Alella (Barcelona - España)
☎ +34 93 561 80 00
🌐 www.idealstandard.es

Polska

Ideal Standard Polska
Ul. Ostrowskiego 7
53-238 Wrocław
☎ +48 71 78 68 301
🌐 www.idealstandard.po

Česká republika

Ideal Standard s.r.o.
Zemská 623
41574 Teplice
☎ +420 (0)-417-265 11
☎ +420 (0)-417-265 15
🌐 www.idealstandard.cz

Ελλάδα

Ideal Standard S. A. Γραφεία Αθηνών:
Λ. Μεσογείων 265, 15451 Ν
Ψυχικό, Αθήνα
☎ +2106790800
🌐 www.idealstandard.gr

România

Ideal Standard Representative Office România
Calea Victoriei 109, Etaj 1,
Sector 1, București, 010069
☎ +40 746 050 408
✉ officebucharest@idealstandard.com
🌐 www.ideal-standard.ro

Hrvatska

Ideal Standard Hrvatska
Lopatinečka ul. 8
10000, Zagreb
☎ +385 91 229 9304
🌐 www.idealstandard.hr

France

Ideal Standard France - Siège social
39 Rue St. Sabin
75011 Paris
☎ +33 (0)1 49 38 81 34
✉ sav.idealstandard@idealstandard.com
(demandes techniques) /
devis.chantier@idealstandard.com
(demandes commerciales)
🌐 www.idealstandard.fr

Srbija

Ideal Standard - Vidima AD
Drinčićeva br.19, I sprat, stan br. 8
11000 Beograd Srbija
☎ +381 11 7138 058
🌐 www.idealstandard.rs

Danmark

Ideal Standard Skandinav ApS
Fynsvej 9
5500 Middelfart (Denmark)
☎ +45 75 84 10 10
🌐 www.idealstandard.dk

Italia

Ideal Standard (Italia) Srl
Via Giosuè Borsi 9
20143 Milano, Italia
☎ +39 (0)2 28881
✉ info@idealstandard.it
🌐 www.idealstandard.it

United Kingdom

Ideal Standard (UK) Ltd
The Bathroom Works National Avenue
Kingston Upon Hull
HU5 4HS
☎ +44 (0)-1482 346 461
☎ +44 (0)-1482 445 886
🌐 www.idealstandard.co.uk

Deutschland

Ideal Standard GmbH
Euskirchener Straße 80
53121 Bonn
☎ +49 (0)228 521-0
☎ +49 (0)228 521-241
✉ idealstandard.de@idealstandard.com
🌐 www.idealstandard.de

Nederland

Ideal Standard Nederland BV
Hambakenwetering 3
5231 DD 's-Hertogenbosch
☎ +31 (0)-77 355 08 08
☎ +31 (0)-77 354 21 86
🌐 www.idealstandard.nl