

CORAM

SHOWERS



STYLE WITH
STANDARDS

Redefining bathroom design

Stylish, reliable and seamlessly engineered: a great bathroom should be all three. That's why we bring our creativity and specialist insight to every project, transforming each room with shower enclosures that really make sense of the space — and make a statement, too.

Whether it's a simple upgrade or a floor-to-ceiling makeover — whatever the size, scale and budget — it's all about working with each bathroom's natural assets to create a space that's as functional as it is inviting.

#StyleWithStandards



Optima 6 Sliding Door with Side Panel

Enclosure style designed with standards

Trend intelligence

With our European-based design hub, we're able to draw on a broad range of influences from across the continent and stay ahead of trends. We invest in our own in-house teams developing and designing in line with our customer requirements.

Nationwide network

Our enclosures, bath screens, glass panels and accessories are widely available across the UK making it simple to source spares and replacements.

Ten-year guarantee

Every Coram Showers product is guaranteed for a decade*.

Customer service and technical support

Our customer support team is made up of a dedicated group of experts, and they're always on hand to help. There's plenty of information online too, including hints, tips and product guides.

For support or advice, call us on: **01460 256 080**

Committed to progress

We're always working to improve our service and products — aesthetically, technically and environmentally too — to ensure we're offering you the best.

*10 year guarantee for Coram Showers enclosures, trays, shower panels and bath screens. From the date of installation we will provide a 10 year guarantee in respect of our Coram Showers portfolio which includes enclosures, trays, shower panels and bath screens against manufacturing defects and faulty materials provided that the Coram Showers products are installed, used and maintained in accordance with the manufacturer's instructions, including care and cleaning advice. Full details of our products guarantee can be found online www.coram.co.uk/terms-conditions

For full terms and conditions, please visit www.coram.co.uk

Showering products for every space

Refined styling, practical features and intelligent design: we consider our fittings and fixtures from every angle. That's why all our products are quick to fit, easy to clean and a pleasure to use.



Premier 8 Offset Quadrant Enclosure



All of our products are available on Compusoft's EQ system for easy quotation calculations.



Ten-year guarantee

Our enclosures are guaranteed for a decade, for your peace of mind.



Stay-clean glass

Our enclosures are fitted with our stay-clean glass as standard, reducing cleaning time by up to 70%.




Finishing touches

From designer hinges and fittings to quality aluminium shower profiles, we fine-tune every detail.



A better all-round service for installers



Speedy delivery

We offer next-day delivery on most of our product range. *Please see terms and conditions for further information.

Simple to fit

With an easy rail-fixing system, and installer-friendly features across the board, our enclosures are refreshingly easy to fit.

Smart screens

Our unique levelling system technology and concealed fixings mean our bath screens are quick to fit, with no visible screws.

Reinforced packaging

There's no need to worry about breakages en route: we use specialist packaging to protect your delivery.



Need a little help?

You'll find our hints and tips at www.coram.co.uk/resources



CONTENTS

- 10 Glass Shower Panels
- 18 Premier 8 Enclosures
- 28 Optima 6 Enclosures
- 42 GB 5 Enclosures
- 50 Bath Screens and Panels
- 58 Stone Resin Shower Trays
- 64 Bathroom Accessories
- 70 Customer Care




GLASS SHOWER PANELS

Tailor your shower enclosure to suit your space with the innovative Premier 8 and Column shower panels. Their clean lines and smart technology open up your bathroom for an airy, spacious feel.

Specification

- 2000mm high
- 8mm toughened safety glass EN 12150 Standard
- 20mm adjustment per profile
- Stay Clean Glass as standard
- Universal Fixing Bracket with optional T-Bar
- Can either be fitted with a shower tray or wetroom floor
- Guaranteed for a decade
- CE tested and complies to BS EN 14428



Premier 8 Glass Screens with Universal Bracing Bar and T-Bar.
Additional T-Bar, Product Code: SPTB

A closer look at our Shower Panels

8mm Stay-clean glass

Our easy-to-maintain toughened safety glass is made to be BS EN 12150 standards, and is fitted as standard.

Universal fixing bracket

Features the flexibility to be fixed straight or at an angle that works for your bathroom. Optional T-Bar available.

20mm adjustment

For an even finish, even on out of true walls.

Seamless finishes

Our screens can be silicone-sealed directly onto a shower tray or tiled floor. However, the Premier 8 screen is provided with a Polished chrome trim as standard. Other accessories are available to purchase separately.

Easy fitting options

Premier 8 and Column glass screens can be fitted on a wetroom floor or a tray.

Light, bright shower spaces

Toughened safety glass creates a modern and spacious bathroom with the Premier 8 and Column Glass Screens. With 20mm adjustment to allow for uneven surfaces, these glass screens make creating a minimalist walk-in shower space effortless.

Premier 8 screen with Universal Bracing Bar



Bracing Bar, Product Code: SPAB



Premier 8 1200mm screen with two 200mm Return Panels

Premier 8

Always seen as an impressive feature, this design draws the eye to boast an expansive room whilst also fashioning the spacious shower enclosure itself. Standing at 2000mm high, this semi-frameless design comes in a variety of widths and configurations.

Bottom chrome trim provided as standard.



Toughened glass



Stay clean glass




Guarantee

Sizes and codes


Width (mm)	Height (mm)	Adjustment per profile (mm)	Adjustment range (mm)	Product code
700	2000	20	680 - 700	SP70C
800	2000	20	780 - 800	SP80C
900	2000	20	880 - 900	SP90C
1000	2000	20	980 - 1000	SP10C
1100	2000	20	1080 - 1100	SP11C
1200	2000	20	1180 - 1200	SP12C

Add on product	Product code
200mm - Return Panel pack / chrome / plain glass	SP02C
300mm - Return Panel pack / chrome / plain glass	SP03C
Additional 1.2m Bracing Bar for Premier 8 range / chrome	SPAB
Additional T Bar chrome	SPTB

Configurations



Single panel	Single panel with angled Bracing Bar	Single panel with straight Bracing Bar	Single panel with fixed Return Panel
A Fixing bracket depth: 1200mm max	A Fixing bracket depth: 1200mm max	A Fixing bracket depth: 1200mm max	A Fixing bracket depth: 1200mm max
B Panel size options: 700, 800, 900	B Panel size options: 700**, 800**, 900**, 1000, 1100 and 1200	B Panel size options: 700**, 800**, 900**, 1000, 1100 and 1200	B Panel size options: 700**, 800**, 900**, 1000, 1100 and 1200
			C Return Panel options: 200 or 300



Two fixed panels	Two fixed panels with T-Bar***	Walk-through	Walk-through with fixed Return Panels
A Fixing bracket depth: 1200mm max	A Fixing bracket depth: 1200mm max	A Fixing bracket depth: 1200mm max	A Fixing bracket depth: 1200mm max
B + C Panel size options: 700**, 800**, 900**, 1000, 1100 and 1200	B + C Panel size options: 700**, 800**, 900**, 1000, 1100 and 1200	B Panel size options: 1000*, 1100* and 1200*	B Panel size options: 1000*, 1100* and 1200*
			C Return Panel options: 200 or 300

*Please note for walk-through panel sizes of 1000, 1100 or 1200 you will need an additional Bracing Bar. Other formats are available to suit your specific requirements. These are just a few of the possible configurations.

**Please note 700, 800 and 900mm Glass Screens are not sold with a Bracing Bar.

***T-Bar to be purchased separately.



Column

The 8mm glass panel is supported by a floor-to-ceiling chrome column using our TigerFix fitting. The top section of the column is telescopic, which means it can be adjusted in height from 2027mm to 2700mm. This panel can be configured as a walk-in or walk-through, to suit your needs.

TigerFix is included.



Toughened glass



Stay clean glass



Guarantee


Sizes and codes

Width (mm)	Height (mm)	Adjustment per profile (mm)	Adjustment range (mm)	Product code
700	2000	20	716 - 736	ASC70CUC
800	2000	20	816 - 836	ASC80CUC
900	2000	20	916 - 936	ASC90CUC
1000	2000	20	1016 - 1036	ASC10CUC
1200	2000	20	1216 - 1236	ASC12CUC

Add on product	Product code
Additional floor to Ceiling Pole - for walk-through configuration	IASCT2000

Configurations

Walk-through*




Single panel corner



Two panels corner**



Single panel alcove



* Requires purchase of additional pole.
** Recommended 500mm for ease of access.



What's TigerFix?

It's an innovative adhesive solution that allows you to easily install Column Glass Screens without the need for drilling or fixing.

Product code
B3985FIX

PREMIER 8

At 2000mm high the semi-frameless Premier 8 range is an elegant addition to any modern bathroom.

The contemporary style and long symmetrical handle provide easy access for all, whilst the seamless design and fully concealed fixings ensure minimal cleaning inside and out. Available in 6 door styles and numerous sizes and configurations that allow installation in any setting, either on a shower tray or wetroom floor.

Specification as standard

- 2000mm high
- 8mm toughened safety glass EN 12150*
- 20mm adjustment per profile
- Stay clean coating as standard
- Cam and pin™ quick installation system
- Level and lock™ screwless adjustment
- Pre-assembled for quick installation
- Ultra-clear soft seals
- Reversible design
- High polished chrome finish
- Guaranteed for a decade
- CE tested and compliant to BS EN 14428

*8mm Doors and Side Panels, 6mm Fixed Panels



Premier 8 Sliding Door



Pivot Door Chrome

A high quality and highly versatile door, featuring a rise and fall pivot hinge which allows the door to stay open at 90° and close solidly with ease. The off-set pivot design is the perfect solution for smaller spaces and alcoves or as a corner or three-sided enclosure.*

*When used in conjunction with Side Panels page 27



Toughened glass



Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
700	2000	655-695	20	425	P8PI70CUC
760	2000	715- 755	20	455	P8PI76CUC
800	2000	755-795	20	475	P8PI80CUC
900	2000	855-895	20	525	P8PI90CUC
1000	2000	955-995	20	575	P8PI10CUC



Bi-Fold Door Chrome

Stylish space-saving design, ideal for en-suites and smaller bathrooms, featuring a frameless smooth sliding inward folding door, which ensures maximum opening access. Can also be used with a Side Panel for corner installation.



Toughened glass



Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
760	2000	715-755	20	450	P8BF76CUC
800	2000	755-795	20	470	P8BF80CUC
900	2000	855-895	20	520	P8BF90CUC
1000	2000	955-995	20	570	P8BF10CUC



Sliding Door Chrome

An elegant spacious enclosure for larger showering spaces, with effortless, soft close and soft opening, as standard. Smooth gliding double bearing rollers, flush to glass mounting and ultra-clear seals create a seamless look inside and out and keep cleaning time to an absolute minimum.



Toughened glass



Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
1000	2000	955-995	20	375	P8SL10CUC
1100	2000	1055-1095	20	425	P8SL11CUC
1200	2000	1155-1195	20	475	P8SL12CUC
1300	2000	1255-1295	20	525	P8SL13CUC
1400	2000	1355-1395	20	575	P8SL14CUC

Quadrant Door Chrome

A striking curved glass alternative to a traditional Corner Entry, that delivers on style and functionality. Flush to glass mounted quick release rollers, concealed fixings and ultra-clear seals are just a few of the features which make this traditional space-saving enclosure a popular choice.



Toughened glass




Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Depth (mm)	Height (mm)	Adjustment range width (mm)	Adjustment range depth (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
800	800	2000	775-795	775-795	20	425	P8QD80CUC
900	900	2000	875-895	875-895	20	515	P8QD90CUC
1000	800	2000	975-995	775-795	20	425	P8QD108CUC
1200	900	2000	1175-1195	875-895	20	515	P8QD129CUC



Corner Entry Door Chrome

Attractive traditional solution for smaller bathrooms, incorporating two smooth gliding doors with flush to glass mounting. Symmetrical handles, a high-polished frame and ultra-clear seals give this enclosure presence and a point of difference from other options available.

Premier 8 Corner Entry Enclosures cannot be installed on a 4 upstand tray

8mm

Stay clean glass

10 YEAR
Guarantee

Sizes and codes

Width (mm)	Depth (mm)	Height (mm)	Adjustment range width (mm)	Adjustment range depth (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
760	760	2000	735-755	735-755	20	368	P8CE76CUC
800	800	2000	775-795	775-795	20	397	P8CE80CUC
900	900	2000	875-895	875-895	20	467	P8CE90CUC
1000	1000	2000	975-995	975-995	20	538	P8CE10CUC



Double Bi-Fold Door Chrome

Modern and space saving design which allows for easy access to the showering area. This is a frameless door which can be installed both in a corner and in-line. The Bi-Folding design allows both doors to be folded back to the wall to give a large opening. This feature also allows the doors to be stored back to the wall to save space, making this the perfect enclosure for smaller bathrooms. These doors can be opened both inwards and outwards and set at 90° for ease of use.

Premier 8 Double Bi-Fold doors cannot be installed on a 4 upstand tray.

8mm

Stay clean glass

10 YEAR
Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range width (mm)	Adjustment range depth (mm)	Adjustment per profile (mm)	Product code
760	2000	735-755	735-755	20	P8CB76CUC
800	2000	775-795	775-795	20	P8CB80CUC
900	2000	875-895	875 - 895	20	P8CB90CUC
1000	2000	975-995	975-995	20	P8CB10CUC



In-Line Panel Chrome

A variety of frameless, minimalist, In-Line Panel options to extend enclosure width; can be used in an alcove with side panels in a corner or three-sided enclosure. The In-Line Panels can be used with Pivot, Bi-Fold, Sliding, Quadrant and Corner Entry Enclosures.

Glass to Wall Fixing Bracket included.
Doors sold separately.



Toughened glass



Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Product code
200	2000	175-195	20	P8ILB20CUC
400	2000	375-395	20	P8ILB40CUC
600	2000	575-595	20	P8ILB60CUC

In-Line Panel adjustments (mm)

700 Door	760 Door	800 Door	900 Door	1000 Door	Product code
830-890	890-950	930-990	1030-1090	1130-1190	P8ILB20CUC
1030-1090	1090-1150	1130-1190	1230-1290	1330-1390	P8ILB40CUC
1230-1290	1290-1350	1330-1390	1430-1490	1530-1590	P8ILB60CUC

For width with a Side Panel remove 20mm



Side Panel Chrome & Accessories

Minimal, glass edge Side Panel in a variety of sizes; used to create corner and three-sided enclosures. Doors need to be ordered separately.

Installation of a Side Panel with an Premier 8 door will reduce the door adjustment size by 20mm. See door technical data sheet for full details.



Toughened glass



Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Product code
700	2000	675-695	20	P8SP70CUC
760	2000	735- 755	20	P8SP76CUC
800	2000	775-795	20	P8SP80CUC
900	2000	875-895	20	P8SP90CUC
1000	2000	975-995	20	P8SP10CUC
1200	2000	1175-1195	20	P8SP12CUC

Accessories	Product code
Premier 8 Extension Profile Chrome for use with Quadrant, Corner Entry, Sliding, Bi-Fold and Pivot Doors (pack of 1 x 20mm adjustment)	P8ES20C
Premier 8 Extension Profile Chrome for use with Side Panels (pack of 1 x 20mm adjustment)	P8ESP20C
Fixing Bracket for Glass to Wall configuration Chrome 2 required when 2 side panels are used to create a 3 sided enclosure	OPFBWOC
Fixing Bracket for Glass to Glass configuration Chrome For fixing an In-Line panel to a Side Panel	OPFBGOC

OPTIMA 6

Featuring a pre-assembled easy installation system, the semi-frameless Optima 6 is the ultimate in installers' choice for fit and reliability. At 1900mm high, featuring fully concealed fixings and 6mm glass throughout, Optima 6 is the leading choice for style, longevity, ease of cleaning and serviceability. Available in Chrome or White, 6 door styles, multiple sizes and minimalist Side and In-Line Panels, the diverse range can be installed on either a shower tray or wetroom floor.

Specification as standard

- 1900mm high
- 6mm toughened glass EN 12150
- 20mm adjustment per profile
- Stay clean coating as standard
- Cam and pin™ quick installation system
- Level and lock™ screwless adjustment
- Seamless profiles and fixings for a minimal look and easy cleaning
- Pre-assembled for quick installation
- Ultra-clear soft seals with UV resistant treatment applied to reduce discolouration over time
- Reversible design
- High polished chrome finish
- Guaranteed for a decade
- CE tested and compliant to BS EN 14428



Optima 6 Pivot Enclosure with Side Panel



Pivot Hinge



Optima 6 Chrome Handle

Pivot Door Chrome

A contemporary semi-frameless Pivot Door design, which is ideal for smaller spaces. Featuring smooth rise and fall hinges, ultra-clear seals and stay clean glass as standard.

Toughened glass

Stay clean glass

Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
700	1900	655-695	20	425	O6PI70CUC
760	1900	715- 755	20	455	O6PI76CUC
800	1900	755-795	20	475	O6PI80CUC
900	1900	855-895	20	525	O6PI90CUC
1000	1900	955-995	20	575	O6PI10CUC



Bi-Fold Hinge inside view



Bi-Fold Hinge outside view

Bi-Fold Door Chrome

The ultimate space saving option for locations where space is restricted, featuring a frameless inward folding door providing easy access.


Toughened glass

Stay clean glass

Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
760	1900	715- 755	20	450	O6BF76CUC
800	1900	755-795	20	470	O6BF80CUC
900	1900	855-895	20	520	O6BF90CUC
1000	1900	955-995	20	570	O6BF10CUC



Corner Entry Door Chrome

The ultimate choice for corner showering spaces where space is limited, featuring two sliding doors creating maximum door entry. The level and lock™ system makes this product easy to fit, sturdy and long lasting.

Optima 6 Corner Entry Enclosures cannot be installed on a 4 upstand tray.

Sizes and codes

Width (mm)	Height (mm)	Adjustment range width (mm)	Adjustment range depth (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
760	1900	735-755	735-755	20	368	O6CE76CUC
900	1900	875-895	875-895	20	467	O6CE90CUC



Quadrant Door Chrome

A classic contemporary space-saving curved alternative to the Corner Entry. Featuring quick release rollers and ultra-clear seals, this design is easy to fit, durable and reliable, perfect for any family bathroom.

Sizes and codes

Width (mm)	Depth (mm)	Height (mm)	Adjustment range width (mm)	Adjustment range depth (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
800	800	1900	775-795	775-795	20	425	O6QD80CUC
900	900	1900	875-895	875-895	20	515	O6QD90CUC
1000	800	1900	975-995	775-795	20	425	O6QD108CUC
1200	900	1900	1175-1195	875-895	20	515	O6QD129CUC



Sliding Door Chrome

Stylised, spacious enclosure for larger showering areas, featuring quick-release rollers, ultra-clear seals, easy-to-fit and assemble systems make this product a stylish yet simple contemporary solution.

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
1000	1900	955-995	20	375	O6SL10CUC
1100	1900	1055-1095	20	425	O6SL11CUC
1200	1900	1155-1195	20	475	O6SL12CUC
1300	1900	1255-1295	20	525	O6SL13CUC
1400	1900	1355-1395	20	575	O6SL14CUC



Toughened glass



Stay clean glass




Guarantee



Side Panel Chrome & Accessories

Minimal, glass edge Side Panel in a variety of sizes; used to create corner and three-sided enclosures.

Installation of a Side Panel with an Optima 6 door will reduce the door adjustment size by 20mm. See door technical data sheet for full details.



Toughened glass



Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
700	1900	675-695	20	N/A	O6SP70CUC
760	1900	735-755	20	N/A	O6SP76CUC
800	1900	775-795	20	N/A	O6SP80CUC
900	1900	875-895	20	N/A	O6SP90CUC
1000	1900	975-995	20	N/A	O6SP10CUC

Accessories	Product code
Optima 6 Extension Profile Chrome for use with Quadrant, Corner Entry, Sliding, Bi-Fold and Pivot Doors (pack of 1 x 20mm adjustment)	O6ES20C
Optima 6 Extension Profile Chrome for use with Double Sliding Doors (pack of 1 x 20mm adjustment)	O6ESD20C
Optima 6 Extension Profile Chrome for use with Side Panels (pack of 1 x 20mm adjustment)	O6ESP20C
Fixing Bracket for Glass to Wall configuration Chrome 2 required when 2 side panels are used to create a 3 sided enclosure	OPFBW0C
Fixing Bracket for Glass to Glass configuration Chrome For fixing an In-Line panel to a Side Panel	OPFBG0C



In-Line Panel Chrome

A variety of frameless, minimalist, In-Line Panel options to extend closure width; can be used in an alcove or with a Side Panel for a three-sided enclosure.

Glass to Wall Fixing Bracket included.
Doors sold separately.



Toughened glass



Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
200	1900	175-195	20	N/A	O6ILB20CUC
400	1900	375-395	20	N/A	O6ILB40CUC
600	1900	575-595	20	N/A	O6ILB60CUC

700 Door	760 Door	800 Door	900 Door	1000 Door	Product code
830-890	890-950	930-990	1030-1090	1130-1190	O6ILB20CUC
1030-1090	1090-1150	1130-1190	1230-1290	1330-1390	O6ILB40CUC
1230-1290	1290-1350	1330-1390	1430-1490	1530-1590	O6ILB60CUC

For width with a Side Panel remove 20mm



Optima 6 White Handle



Optima 6 White Profile

Pivot Door White

A classic semi-frameless Pivot Door design, which is ideal for smaller spaces. Featuring smooth rise and fall hinges, ultra-clear seals and stay clean glass as standard.



Toughened glass



Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
760	1900	715- 755	20	455	O6PI76CUW
800	1900	755-795	20	475	O6PI80CUW



Bi-Fold Hinge and Roller



Bi-Fold Hinge

Bi-Fold Door White

The inward folding door ensures easy access and a large opening, which is ideal in locations where space is restricted. Can be used with a Side Panel to create a corner enclosure.



Toughened glass



Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
760	1900	715- 755	20	450	O6BF76CUW
800	1900	755-795	20	470	O6BF80CUW



Optima 6 White Top Roller



Optima 6 White Handle

Sliding Door White

For wider enclosures, in either an alcove or corner with a Side Panel, the Optima 6 Sliding Door is the perfect solution. The shower door can be installed in an alcove or used in conjunction with a Side Panel.



Toughened glass



Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
1000	1900	955-995	20	375	O6SL10CUW
1200	1900	1155-1195	20	475	O6SL12CUW



Side Panel White & Accessories

A high quality Side Panel perfect for minimalist corner installations.

For door adjustments with a Side Panel, remove 20mm



Toughened glass



Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
760	1900	735-755	20	N/A	O6SP76CUW
800	1900	775-795	20	N/A	O6SP80CUW
900	1900	875-895	20	N/A	O6SP90CUW

Accessories	Product code
Optima 6 Extension Profile White For use with Pivot, Sliding and Bi-Fold Doors (pack of 1 x 20mm adjustment)	O6ES20W
Optima 6 Extension Profile White For use with Side Panels (pack of 1 x 20mm adjustment)	O6ESP20W

GB 5

Offering real value with no compromise on quality and reliability, GB 5 is the leading choice for contractors and specifiers. At 1800mm high GB 5 is the perfect solution for reduced height and smaller spaces. Featuring fresh modern styling and high-quality chrome fixtures and fixings, the range is available in 5 door styles and multiple sizes, perfect for installation on a shower tray or wetroom floor.

Specification as standard

- 1800mm high
- 5mm toughened glass EN 12150*
- 25mm adjustment per profile
- Stay clean coating as standard
- Chrome cover and profile caps
- Ultra-clear soft seals
- Reversible design
- High Polished chrome finish
- Guaranteed for a decade
- CE tested and compliant to BS EN 14428

*5mm moving doors and 4mm fixed panel



GB 5 Bi-Fold Door



Pivot Door

A classic semi-frameless Pivot Door design is perfect for limited space. The Pivot Door is available in a wide range of sizes for corner and alcove situations.



Toughened glass




Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
700	1800	655-705	25	410	GB5PI70CUC
760	1800	715-765	25	470	GB5PI76CUC
800	1800	755-805	25	510	GB5PI80CUC
900	1800	855-905	25	610	GB5PI90CUC



Bi-Fold Door

The Bi-Fold Door is ideal for locations where space is restricted, the inward folding door creates a wide opening and easy access.



Toughened glass



Stay clean glass



Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
700	1800	655-705	25	440	GB5BF70CUC
760	1800	715-765	25	490	GB5BF76CUC
800	1800	755-805	25	520	GB5BF80CUC
900	1800	855-905	25	610	GB5BF90CUC
1000	1800	955-1005	25	685	GB5BF10CUC



GB 5 Chrome Profile Caps



GB 5 Bottom Profile

Quadrant Door

A space enhancing curved glass option to a traditional corner entry with quick release rollers and stay clean glass for simple and easy cleaning.

Toughened glass

Stay clean glass

Guarantee

Sizes and codes

Width (mm)	Depth (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
800	800	1800	775-800x775-800	25	405	GB5QD80CUC
900	900	1800	875-900x875-900	25	510	GB5QD90CUC
1200	800	1800	1175-1200x775-800	25	460	GB5QD128CUC
1200	900	1800	1175-1200x875-900	25	510	GB5QD129CUC



GB 5 Top Roller



GB 5 Chrome Handle

Corner Entry Door

A space-saving alternative featuring two sliding doors to create a corner entry opening with no protruding doors, perfect for smaller bathrooms or en-suites.


Toughened glass

Stay clean glass

Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range width (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
760	1800	735-760	25	360	GB5CE76CUC
800	1800	775-800	25	390	GB5CE80CUC



Sliding Door

Ideal for creating spacious enclosures in either an alcove or corner. The Sliding Door effortlessly fits into large spaces to create a comfortable showering space.

Toughened glass

Stay clean glass

Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
1000	1800	955-1005	25	370	GB5SL10CUC
1100	1800	1055-1105	25	420	GB5SL11CUC
1200	1800	1155-1205	25	470	GB5SL12CUC



Side Panel & Accessories

Glass edged panel suitable for installation with Pivot, Bi-Fold and Sliding Doors. Can be used to create corner and three-sided enclosures.

Toughened glass

Stay clean glass

Guarantee

Sizes and codes

Width (mm)	Height (mm)	Adjustment range (mm)	Adjustment per profile (mm)	Aperture (mm)	Product code
700	1800	670-695	25	N/A	GB5SP70CUC
760	1800	730-755	25	N/A	GB5SP76CUC
800	1800	770-795	25	N/A	GB5SP80CUC
900	1800	870-895	25	N/A	GB5SP90CUC

Accessories	Product code
GB 5 Extension Profile Chrome. Adds up to 20mm to the width of the doors or panel. (1 x 20mm)	GB5ES20C
Fixing Bracket for Glass to Wall configuration Chrome 2 fixing brackets included. 1 needed per wall fixing	GB5FBW2C

BATH SCREENS AND PANELS

Need a quick update for a traditional bath and shower arrangement? Add one of our easy-fit Bath Screens. With watertight technology and elegant styling, they each feature a unique levelling system and hidden screws for a neat finish.

Bath Screens Specification

- 1400mm high
- Unique levelling system
- Toughened safety glass to EN 12150 as standard
- Highly Polished chrome finish
- Corrosion-resistant aluminium frames
- High quality pencil Polished edges for an ultra smooth and rounded finish
- Removable seals for easy cleaning
- Additional fixed panel available on various bath screens for extra splash protection
- CE tested and complies to BS EN 14428
- Guaranteed for a decade

With our Bath Screens, baths need to have a flat rim and should be installed with the top edge horizontal.



Curved Bath Screen



Curved



Glass thickness

A large curved screen with concealed fixings and a smooth hinge make this a comfortably spacious solution.

Width: 800mm
Height: 1400mm
Adjustment: 793-807mm
Adjustment total: 14mm

Product code

SFR80CUC

Square



Glass thickness

Classic square screen with concealed fixings and a smooth hinge make this a discreet yet spacious solution.

Width: 800mm
Height: 1400mm
Adjustment: 793-807mm
Adjustment total: 14mm

Product code

SFQ80CUC



Compact Curved



Glass thickness

Engineered with both design and function at heart. This smooth folding curved screen provides a sleek modern statement.

Width: 550mm
Height: 1400mm
Adjustment: 543-557mm
Adjustment total: 14mm

Product code

SFR55CUC

Sail



Glass thickness

An attractive addition to modern and traditional baths. The curved design adds a stylish element to refresh any bathroom.

Width: 800mm
Height: 1400mm
Adjustment: 793-807mm
Adjustment total: 14mm

Product code

SFS80CUC





Curved with Panel



Glass thickness

An extra fixed panel adds protection at the end of the bath – ideal for high performance showers. Also includes a corner basket in high quality brass wire.

Width: 1050mm
Height: 1400mm
Adjustment: 1036-1064mm
Adjustment total: 28mm

Product code

SFR105CUC



Compact Curved with Panel



Glass thickness

Curved panel modern screen with additional panel and integrated basket for ease of use whilst showering.

Width: 800mm
Height: 1400mm
Adjustment: 786-814mm
Adjustment total: 28mm

Product code

SFR802CUC

Square with Panel



Glass thickness

Featuring the same crisp square design, the additional panel and integrated basket offers further protection from shower water.

Width: 1050mm
Height: 1400mm
Adjustment: 1036-1064mm
Adjustment total: 28mm

Product code

SFQ105CUC



Sail with Panel Chrome



Glass thickness

The popular sail screen with additional panel and built-in accessory basket for the ultimate bath screen.

Width: 1050mm
Height: 1400mm
Adjustment: 1036-1064mm
Adjustment total: 28mm

Product code

SFS105CUC



Folding 4 Panel



Glass thickness

Folding screens with continuous seals give you a neat and flexible solution which simply folds away when not in use.

Width open: 865mm
Width folded: 245mm
Height: 1400mm
Adjustment: 858-872mm
Adjustment total: 14mm

Product code

SFD4CUC



Folding 5 Panel



Glass thickness

Folding screens with continuous seals give you a neat and flexible solution which simply folds away when not in use.

Width open: 1060mm
Width folded: 245mm
Height: 1400mm
Adjustment: 1052-1066mm
Adjustment total: 14mm

Product code

SFD5CUC

Shower Curtain Screen



Glass thickness

A fixed short panel for use with a shower curtain – silicone sealed where it fits the bath. Curtain and rail not included.

Width: 250mm
Height: 1400mm
Adjustment: 248-263mm
Adjustment total: 14mm

Product code

SCS15CUC




STONE RESIN SHOWER TRAYS

Our Stone Resin Shower Trays are created with a unique production process which ensures they are lighter than standard resin trays, without compromising the strength and durability.

Construction: single skin

Acrylic-capped moulding, reinforced with a precision-moulded, stone resin back layer.


- 30% lighter than standard stone resin trays
- High-gloss acrylic surface with anti-bacterial hygienic properties
- EN 14527:2006 Class 1 compliant, and EN 15720:2009 compliant
- 90mm Top Access Waste available (to be purchased separately)
- Easy-to-use design for speedy assembly
- Minimalist design, just 50mm high



Stone Resin Flat Top Shower Tray.



Guarantee



Flat Top Trays

Rectangular Shower Trays

Size (mm)	Waste position (a)	Waste position (b)	Product code
1000 x 800 x 50	147mm	147mm	YA108WHI
1200 x 800 x 50	147mm	147mm	YA128WHI
1200 x 900 x 50	147mm	147mm	YA129WHI
1400 x 800 x 50	147mm	147mm	YA148WHI
1700 x 800 x 50	147mm	850mm	YA178WHI
1700 x 900 x 50	147mm	850mm	YA179WHI

Square Shower Trays

Size (mm)	Waste position (a)	Waste position (b)	Product code
760 x 760 x 50	147mm	147mm	YA76WHI
800 x 800 x 50	147mm	147mm	YA80WHI
900 x 900 x 50	147mm	147mm	YA90WHI

Quadrant Shower Trays

Size (mm)	Waste position (a)	Waste position (b)	Product code
800 x 800 x 50 (550 Radius)	130mm	250mm	YAQ80WHI
900 x 900 x 50 (550 Radius)	130mm	350mm	YAQ90WHI

Off-set Quadrant Shower Trays

Size (mm)	Waste position (a)	Waste position (b)	Product code
1000 x 800 x 50 (Left Hand)	130mm	350mm	YAQ108LWHI
1000 x 800 x 50 (Right Hand)	130mm	350mm	YAQ108RWHI
1200 x 800 x 50 (Left Hand)	130mm	450mm	YAQ128LWHI
1200 x 800 x 50 (Right Hand)	130mm	450mm	YAQ128RWHI
1200 x 900 x 50 (Left Hand)	130mm	450mm	YAQ129LWHI
1200 x 900 x 50 (Right Hand)	130mm	450mm	YAQ129RWHI

Upstand Shower Trays

For Alcoves

Height to rim with riser kit is 135mm. Without the riser kit the rim is 50mm on the standard tray.



Rectangular with 3 upstands

Description	Size	Tray code
Stone Resin Shower Tray	1700 x 900mm - 3 upstand	YA1793WHI

Quadrants & Offset Quadrants



Left hand tray shown

Description	Size	Tray code
Stone resin quadrant shower tray	800 x 800mm - 2 upstand	YAQ802WHI
Stone resin quadrant shower tray	900 x 900mm - 2 upstand	YAQ902WHI

Universal

Height to rim 135mm with riser kit, riser kit to be purchased seperately.




Square with 4 upstands

Description	Size	Tray code
Stone resin shower tray	760 x 760 x 50mm - 4 upstand	YA764WHI
Stone resin shower tray	800 x 800 x 50mm - 4 upstand	YA804WHI
Stone resin shower tray	900 x 900 x 50mm - 4 upstand	YA904WHI

Rectangular with 4 upstands

Description	Size	Tray code
Stone resin shower tray	900 x 760 x 50mm - 4 upstand	YA974WHI
Stone resin shower tray	1000 x 800 x 50mm - 4 upstand	YA184WHI
Stone resin shower tray	1200 x 760 x 50mm - 4 upstand	YA1274WHI
Stone resin shower tray	1200 x 800 x 50mm - 4 upstand	YA1284WHI
Stone resin shower tray	1200 x 900 x 50mm - 4 upstand	YA1294WHI
Stone resin shower tray	1400 x 800 x 50mm - 4 upstand	YA1484WHI



Riser Kits and Waste

At just 85mm high, the Riser Kit comes complete with panels, clips and quick-to-install leg assemblies.




Product	Product code
Rectangular Riser Kit - Up to 1200mm x 900mm	RK129WHI
Rectangular Riser Kit - Up to 1700mm x 900mm	RK179WHI
Off-Set Quadrant Tray Riser Kit	RKQ129WHI
90mm Top Access Waste	STA90TRAP
Self Adhesive Tiling Upstand (3.5 metre roll)	US12350

Self Adhesive
Tiling Upstand

We recommend use of our high performance Tile Upstand waterproofing membrane to provide a guaranteed seamless link between tray and tile.

Product code US12350



BOSTON COMFORT AND SAFETY BATHROOM ACCESSORIES

Designed to update and enhance bathrooms for independent living, our stylish Boston Comfort and Safety range is focused on providing assistance and support. A beautiful range to make the shower space a safer place.

1 Safety Bar / Toilet Roll Holder

- Highly robust Grips and Safety Bars with a bearing capacity of up to 150kg
- 2 in 1 Toilet Roll Holder, a stylish design that doubles as a sturdy wall grip to help you get up more easily

2 Safety Bar – straight

- Choice of 3 sizes
- Wall mounted
- Easy reach and easy grip

3 Folding Seat

- Load bearing 120kg
- Shower in comfort
- Slim and stylish low profile both when in use and when stored
- Neatly folds away
- Textured non slip finish for extra security

4 Safety Shower Bar


- Shower Rail that works as a sturdy wall grip
- Shower Safety Bar is available with left, right and angled options

5 Accessories

- Anti-Slip Grip
- Universal Organiser – easily clips to any horizontal or vertical safety bar. Easily repositioned

Additional benefits

- Towel Rails that can be turned into sturdy safety bar grips
- Shower Rails that also work as a solid wall grip if needed
- A choice of attractive Brushed or Polished stainless steel finishes



Add grip where you need it

To equip you with extra support and comfort wherever you need it, our safety bars are customisable with a range of add-on accessory options.

- Our innovative anti-slip grip provides an extra level of security in the bathroom.
- Additional Grips can be added to all safety bars.
- Our Safety Bars offer a reassuring level of grip in wet environments, with a warmer feel than metal grab bars.



Safety Bar / Toilet Roll Holder 135°

Description	Product code
Left stainless steel Brushed	299120946
Left stainless steel Polished	299120346
Right stainless steel Brushed	299150946
Right stainless steel Polished	299150346



Safety Bar 135°

Description	Product code
Left stainless steel Brushed	298720946
Left stainless steel Polished	298720346
Right stainless steel Brushed	298750946
Right stainless steel Polished	298750346



Safety Shower Bar 90°

Description	Product code
Left stainless steel Brushed	299720946
Left stainless steel Polished	299720346
Right stainless steel Brushed	299750946
Right stainless steel Polished	299750346



Toilet Brush and Holder

Description	Product code
Stainless steel Brushed	299920946
Stainless steel Polished	299920346



Safety Bar - straight

(3 sizes available)

Description	Product code
30cm stainless steel Brushed	297720946
30cm stainless steel Polished	297720346
45cm stainless steel Brushed	297920946
45cm stainless steel Polished	297920346
90cm stainless steel Brushed	298120946
90cm stainless steel Polished	298120346



Folding Seat

Description	Product code
Folding Seat	299520346



Safety Bar 90°

Description	Product code
Left stainless steel Brushed	298320946
Left stainless steel Polished	298320346
Right stainless steel Brushed	298350946
Right stainless steel Polished	298350346



Accessories

Description	Product code
Anti-Slip Grip grey	297521046
Organiser grey	297621046

Boston Accessories

Our Boston Accessories are designed to be the perfect combination for our Boston Comfort & Safety range



Toilet Brush & Holder

Product code
B3099CHR



Soap Dispenser

Product code
B3085CHR



Towel Ring

Product code
B3089CHR



Beaker Holder

Product code
B3076CHR



Hook

Product code
B3096CHR



Double Towel Rack

Product code
B3086CHR



Toilet Roll Holder

Product code
B3090CHR



What is TigerFix?


It's an innovative adhesive solution that allows you to easily install Boston Bathroom Accessories without the need for drilling or fixing.

Product code
B3985FIX

Coram Showers Accessories




Bottle & Sponge Holder




Sponge & Soap Holder

Product code
IG150-697.



Bottle & Sponge Holder

Product code
IG140-697.



Shower Corner Basket

Product code
IG182-697.



Hanging Double Basket

Product code
IG253-000



Double Corner Basket

Product code
IG183-697.

Need a hand?

Our customer care team are here to help:
01460 256 080 or email us
aftersales@coram.co.uk
spareparts@coram.co.uk



Guaranteed performance

We guarantee our enclosures against faulty materials or manufacture for ten years¹.



Stay-clean glass

The glass in our Shower Enclosures is designed to need 50-70% less cleaning than other showers, on average. That's thanks to our microscopically thin coating that won't peel or flake, and works to prevent the build-up of limescale and grime.



All of our products are available on Compusoft's EQ system for easy quotation calculations.

Maintaining your enclosure

- Position the shower control and spray head so that the shower does not spray directly onto the door.
- The spray head should be installed next to the door rather than opposite. This will make the shower easier to access and keep your enclosure watertight.
- When the shower door opens, water may drip on the floor. Make sure the floor outside the enclosure won't be affected by water.
- With our bath screens, baths need to have a flat rim and should be installed with the top edge horizontal. Any water that collects around the taps should then drain into the bath.

Want to place an order?

Email: orders@coram.co.uk
Call: 01460 256 080

For brochure and videos
please visit [Coram.co.uk/resources](https://www.coram.co.uk/resources)

Coram Group

CORAM
SHOWERS

geesa

impey

sealskin

TIGER

¹10 year guarantee for Coram Showers enclosures, trays, shower panels and bath screens.
From the date of installation we will provide a 10 year guarantee in respect of our Coram Showers portfolio which includes enclosures, trays, shower panels and bath screens against manufacturing defects and faulty materials provided that the Coram Showers products are installed, used and maintained in accordance with the manufacturer's instructions, including care and cleaning advice. Full details of our products guarantee can be found online www.coram.co.uk/terms-conditions

