


TECHNICAL DATA SHEET

**PREMIER 8
SLIDING DOOR
SHOWER ENCLOSURE,
SIDE PANEL & INLINE PANEL**

P8SL10CUC
P8SL11CUC
P8SL12CUC
P8SL13CUC
P8SL14CUC




CORAM
SHOWERS

HEIGHT & WEIGHT

PRODUCT CODE	DESCRIPTION	WEIGHT NET KG	HEIGHT (MM)	WIDTH (MM)
P8SL10CUC	Premier 8 Sliding Door 1000mm Chrome	36	2000	1000
P8SL11CUC	Premier 8 Sliding Door 1100mm Chrome	39	2000	1100
P8SL12CUC	Premier 8 Sliding Door 1200mm Chrome	42.5	2000	1200
P8SL13CUC	Premier 8 Sliding Door 1300mm Chrome	46	2000	1300
P8SL14CUC	Premier 8 Sliding Door 1400mm Chrome	49.5	2000	1400

all dimensions are in mm


DOOR OPENING DIMENSIONS



PRODUCT CODE	WIDTH (MM)	DOOR OPENING (A)
P8SL10CUC	1000	375
P8SL11CUC	1100	425
P8SL12CUC	1200	475
P8SL13CUC	1300	525
P8SL14CUC	1400	575


all dimensions are in mm

DOOR ADJUSTMENT



PRODUCT CODE	OVERALL WIDTH (B)	AMOUNT OF ADJUSTMENT (PER SIDE)
P8SL10CUC	955-995	20
P8SL11CUC	1055-1095	20
P8SL12CUC	1155-1195	20
P8SL13CUC	1255-1295	20
P8SL14CUC	1355-1395	20

all dimensions are in mm




Side Panel Adjustment dimensions


DOOR PRODUCT CODE	OVERALL WIDTH (C)	ADJUSTMENT (DOOR)	AMOUNT OF ADJUSTMENT	PANEL PRODUCT CODE	SIDE PANEL OVERALL WIDTH (D)	ADJUSTMENT (SIDE PANEL)	AMOUNT OF ADJUSTMENT
P8SL10CUC	1000	955-975	20	P8SP70CUC	700	675-695	20
P8SL11CUC	1100	1055-1075	20	P8SP76CUC	760	735-755	20
P8SL12CUC	1200	1155-1175	20	P8SP80CUC	800	775-795	20
P8SL13CUC	1300	1255-1275	20	P8SP90CUC	900	875-895	20
P8SL14CUC	1400	1355-1375	20	P8SP10CUC	1000	975-995	20
				P8SP12CUC	1200	1175-1195	20


all dimensions are in mm

Wall fixing dimension



Glass thickness





Door Adjustment dimensions

DOOR PRODUCT CODE	DOOR OVERALL WIDTH	WIDTH (E)	AMOUNT OF ADJUSTMENT (DOOR)	INLINE PRODUCT CODE	INLINE PANEL (F)	INLINE PANEL ADJUSTMENT	AMOUNT OF ADJUSTMENT INLINE
P8SL10CUC	1000	955-995	40*	P8IL20CUC	200	175-195	20
P8SL10CUC	1000	955-995	40*	P8IL40CUC	400	375-395	20
P8SL10CUC	1000	955-995	40*	P8IL60CUC	600	575-595	20
P8SL11CUC	1100	1055-1095	40*	P8IL20CUC	200	175-195	20
P8SL11CUC	1100	1055-1095	40*	P8IL40CUC	400	375-395	20
P8SL11CUC	1100	1055-1095	40*	P8IL60CUC	600	575-595	20
P8SL12CUC	1200	1155-1195	40*	P8IL20CUC	200	175-195	20
P8SL12CUC	1200	1155-1195	40*	P8IL40CUC	400	375-395	20
P8SL12CUC	1200	1155-1195	40*	P8IL60CUC	600	575-595	20
P8SL13CUC	1300	1255-1295	40*	P8IL20CUC	200	175-195	20
P8SL13CUC	1300	1255-1295	40*	P8IL40CUC	400	375-395	20
P8SL13CUC	1300	1255-1295	40*	P8IL60CUC	600	575-595	20
P8SL14CUC	1400	1355-1395	40*	P8IL20CUC	200	175-195	20
P8SL14CUC	1400	1355-1395	40*	P8IL40CUC	400	375-395	20
P8SL14CUC	1400	1355-1395	40*	P8IL60CUC	600	575-595	20

* For width with a side panel remove 20mm

CUSTOMER CARELINE 01460 256080

www.coram.co.uk

technicalsupport@coram.co.uk

Coram Showers, Conquest Business Park
Cad Road, Ilton, Somerset, TA19 9EA

CORAM
SHOWERS