

Technical Drawing & FAQ Data Sheets


•	•	•	•
•	•	•	•
•		•	•
•		•	•
•	•	•	•
•	•	•	•
•		•	•
•		•	•
•	•	•	•
•	•	•	•
•		•	
•		•	•
•	•	•	•
•	•	•	•

Ariel

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.





Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

Astral, Ariel & Epic

	Version No. 30.03.17
Product	Ariel
Art. No.	Ariel: 77470000
Product Description	Portrait steam free LED illuminated mirror with charging socket.

Question	Answer		
Nett weight (kg)	Ariel: 12.25kg		
Light Source	LED		
Light Source Average Lifespan	Average: 20,000 hr		
Total Rated Wattage (W)	Ariel: 38.3W		
Lumens (Lm)	Ariel: 390 lm		
Kelvins (k)	Ariel: 6400k		
Is the mirror dimmable?	No		
Energy Rating	Class A		
Is the heated pad only on when the mirror is illuminated?	Yes		
Does the mirror require an earth connection?	Yes		
Can I bypass the sensor so the mirror comes on with the main room light?	Yes		
Is it cool white or warm white illumination?	Cool white light only		
What IP rating is the mirror?	All mirrors are IP44 rated		
What orientation can the mirror be hung?	Ariel is portrait only		
How long is the warranty?	5 years from date of purchase on silvering coating on mirror only 2 years from date of purchase on electrical components in the mirror		

Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.