


Liberty

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.





Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.



| | Version No. 30.03.17 |
|------------------------|--|
| Product | Liberty |
| Art. No. | Liberty: 77411000 |
| Product Description | Portrait landscape steam free LED back-lit illuminated mirror. |

| Question | Answer |
|--|--|
| Nett weight (kg) | Liberty: 5.6kg |
| Light Source | LED |
| Light Source Average Lifespan | Average: 20,000 hr |
| Total Rated Wattage (W) | Liberty: 22.5W |
| Lumens (Lm) | Liberty: 420lm |
| Kelvins (k) | Liberty: 6400k |
| Is the mirror dimmable? | No |
| Energy Rating | Class A |
| Is the heated pad only on when the mirror is illuminated? | Yes |
| Does the mirror require an earth connection? | Yes |
| Can I bypass the sensor so the mirror comes on with the main room light? | Yes |
| Is it cool white or warm white illumination? | Cool white light only |
| What IP rating is the mirror? | IP44 rated |
| What orientation can the mirror be hung? | Liberty portrait hanging only |
| How long is the warranty? | 5 years from date of purchase on silvering coating on mirror only 2 years from date of purchase on electrical components in the mirror |
| | |

Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.