

## **Technical Drawing & FAQ Data Sheets**


o		
o		0
0		0
o		0
o		0
o		•
٥		0
0		•
0		•
o		•
0		•
o		•
0		•
o		0
•		•
•		•

Lucca

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.





## **Electrical Safety Information**

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.



	Version No. 30.03.17	
Product	Lucca	
Art. No.	Lucca: 77402000	
Product Description	Portrait mirror with LED design illumination with heated pad feature.	

Question	Answer	
Nett weight (kg)	Lucca: 7.8kg	
Light Source	LED	
Light Source Average Lifespan	Average: 20,000 hr	
Total Rated Wattage (W)	Lucca: 37.4W	
Lumens (Lm)	Lucca: 200	
Kelvins (k)	Lucca: 6400k	
Is the mirror dimmable?	No	
Energy Rating	Class A	
Is the heated pad only on when the mirror is illuminated?	Yes	
Does the mirror require an earth connection?	Yes	
Can I bypass the sensor so the mirror comes on with the main room light?	Yes	
Is the mirror cool white or warm white illumination?	Cool white light only	
What IP rating is the mirror?	IP44 rated	
What orientation can the mirror be hung?	Lucca is portrait hanging only	
How long is the warranty?	5 years from date of purchase on silvering coating on mirror only 2 years from date of purchase on electrical components in the mirror	

## **Electrical Safety Information**

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.