


MAKING BATHROOMS BEAUTIFUL Technical Drawing & FAQ Data Sheets





Rhythm Bluetooth[™]Ceiling Light


R211004 Ver No. 1.1 Jan 2019


HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible. In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

Rhythm Art no. 0710









Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

Rhythm Bluetooth[™] Ceiling Light

		Version No. 04.10.21
	Product	Rhythm Bluetooth™ Ceiling Light
	Art. No.	0710
0	Product Description	Ceiling mounted IP44 light with cool white & warm white LED illumination. Option RGB mode setting with 12 colour choices. Bluetooth™ connectivity with compatible devices to play relaxing music in your bathroom.

Question	Answer
Nett weight (kg)	Nett: kg Gross: kg
Light source	LED
Light source average lifespan	Average: 20,000 hr
Total rated wattage (W)	26w
Lumens (Lm)	1555lm
Kelvins (k)	3000-6000k & RGB
Is the ceiling light dimmable?	Yes
Energy rating	E
Does the ceiling light require an earth connection?	No
Is the ceiling light cool white or warm white illumination?	The ceiling light is colour temperature changing and RGB function
What IP rating is the ceiling light?	The ceiling light is IP44 rated
How is the light operated?	The light can be remote controlled and also operated at the wall switch
Is the ceiling light Bluetooth™ enabled?	Yes, the light can be connected to Bluetooth™ compatible devices
What is the speaker size in the ceiling light?	6w
Is the remote control water proof?	No - the remote control is water resistant and require x2 AAA batteries
How long is the warranty?	2 years from date of purchase on electrical components in the ceiling light

Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.