





MAKING  
BATHROOMS  
BEAUTIFUL

Technical Drawing &  
FAQ Data Sheets




Vita 50  
Vita 60

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.  
 HiB try and ensure all measurements are as accurate as possible.  
 In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.


## Vita 50

Art no. 45600



## Vita 60

Art no. 45500



### Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

		Version No. 22.03.17
Product	Vita 50 & Vita 60	
Art. No.	Vita 50: 45600 & Vita 60: 45500	
Product Description	Single/Double door cabinet with LED vertical illumination, soft close, intergrated bathroom charging socket & adjustable glass shelves.	

Question	Answer
Nett weight (kg)	Vita 50: 11.15kg/ Vita 60: 13.5kg
Light Source	LED
Light Source Average Lifespan	Average: 20,000 hr
Total Rated Wattage (W)	Vita 50: 14W/ Vita 60: 14W
Lumens (Lm)	Vita 50: 420lm / Vita 60: 420lm
Kelvins (k)	Vita 50 and Vita 60: 6400K
Is the cabinet dimmable?	No
Energy Rating	Class A
Is the heated pad only on when the cabinet is illuminated?	Yes
Does the cabinet require an earth connection?	Yes
Can I bypass the sensor so the cabinet comes on with the main room light?	Yes
Is it cool white or warm white illumination?	Cool white light only
What IP rating is the cabinet?	All mirrors are IP44 rated
What orientation can the cabinet be hung?	Both Vita 50 and Vita 60 can only be hung portrait
How long is the warranty?	5 years from date of purchase on silvering coating on mirror only 2 years from date of purchase on electrical components in the cabinet

## Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

**HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.**

**HiB try and ensure all measurements are as accurate as possible.**

**In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.**

T: +44 (0)20 8441 0352 F: +44 (0)208441 0219 E: sales@hib.co.uk W: hib.co.uk

HiB Ltd. Building 3, North London Business Park, Oakleigh Road South, New Southgate, London. N11 1GN