


CUSTOMER DATA SHEET

SALES CODE: HLA76H

DESCRIPTION: Revive Double Panel Radiator Hz 1500X354



PACKAGING DETAILS


Barcode

5055275896013

CUSTOMER DATA SHEET - HEATING

SALES CODE: HLA76

DESCRIPTION: Revive Double Panel Radiator 1500X354



PRODUCT DIMENSIONS

Height (mm)	Width (mm)	Depth (mm)	Length (mm)	Nett Wgt Kg
1500	354	78		30

PACKAGING DIMENSIONS

Height (mm)	Width (mm)	Length (mm)	Gross Wgt Kg
110	410	1580	31

PACKAGING DATA

Box Colour	White Cardboard Shrinkwrapped		
Box Qty	1	Label Colour	White Label
Label Size	100 x 50	Label Qty	2

OUTER BOX DIMENSIONS (If Applicable)

Height (mm)	Width (mm)	Length (mm)	Gross Wgt Kg
Barcode	5055146195658		

PRODUCT DETAILS

Contry of Origin	China					
Fitting Instruction	Yes					
RAL No	7016					
Heat Element Wattage	Not Applicable					
BTU Outputs	30°C	1601	50°C	3099	60°C	3926
Pipe Centres	430mm					
Packaging Volume (L)	60					
Wall to Ctr of Tappings	65					
Dual Fuel	N/A					

Certification	CE	Yes	RoHS	N/A	WEEE	N/A
Colour/Finish	Anthracite					
Product Material	Steel					
Heat Element Wattage Compatible	N/A					
Thermal Outputs (Watts)	30°C	469	50°C	908	60°C	1150
Max Projection						
Tube Diameter	N/A					
Floor to Ctr of Tappings	N/A					

CUSTOMER DATA SHEET - HEATING

SALES CODE: HLA20

DESCRIPTION: Revive Horizontal Radiator Brackets



PRODUCT DIMENSIONS

Height (mm)	Width (mm)	Depth (mm)	Length (mm)	Nett Wgt Kg
62	32	32		1.06

PACKAGING DATA

Box Colour	White Cardboard Box		
Box Qty	1	Label Colour	White Label
Label Size	100 x 50	Label Qty	1

PACKAGING DIMENSIONS

Height (mm)	Width (mm)	Length (mm)	Gross Wgt Kg
40	100	130	1.06

OUTER BOX DIMENSIONS (If Applicable)

Height (mm)	Width (mm)	Length (mm)	Gross Wgt Kg
Barcode	5055369000678		

PRODUCT DETAILS

Contry of Origin	China				
Fitting Instruction	No				
RAL No	7016				
Heat Element Wattage	Not Applicable				
BTU Outputs	30°C	N/A	50°C	N/A	60°C
Pipe Centres	N/A				
Packaging Volume (L)	N/A				
Wall to Ctr of Tappings	N/A				
Dual Fuel	N/A				

Certification	CE	N/A	RoHS	N/A	WEEE	N/A
Colour/Finish	Chrome					
Product Material	Steel					
Heat Element Wattage Compatible	N/A					
Thermal Outputs (Watts)	30°C	N/A	50°C	N/A	60°C	
Max Projection						
Tube Diameter	N/A					
Floor to Ctr of Tappings	N/A					