

# impey

## Contents


| Why choose a wetroom?                  | 2  |
|----------------------------------------|----|
| A perfect wetroom in four simple steps | 4  |
| Wetroom Floor Formers                  | 6  |
| Tiled and Vinyl Drainage               | 10 |
| Waterproofing                          | 12 |
| Underfloor Heating                     | 14 |
| Wetroom Screens                        | 16 |
| Specifications                         | 20 |
| Contact us                             | 31 |

## Why choose a wetroom?

Wetrooms add luxury, style and visual appeal to a home, and provide the perfect showering space even in the smallest areas. They create a sense of space, dedicated to luxury and relaxation plus practical level access to the showering area.

Wetrooms can be easily installed anywhere, from a ground floor space to a loft conversion, and their walk-in or walk-through design makes them accessible to everyone. They're easy to clean and maintain, and with Impey WaterGuard your walls and floors are 100% watertight with a lifetime guarantee.

The perfect leak-free, risk-free solution, for any location.



# A perfect wetroom in four simple steps

As the UK's leading wetroom manufacturer we pride ourself on simple, beautiful solutions born through decades of innovation and product refinement. This has resulted in a wetroom system that is the easiest and quickest to install.

Begin by following these four simple steps:

### **Step 1. Floor Former**

First select the floor former that's right for the situation. There are a range of 7 solutions to choose from in the Impey range.

### Step 2. Waterproofing

We've made creating a perfect waterproof and leak-free environment simple with our WaterGuard technology, designed and tested for use on both floors and walls.

### **Step 3. Underfloor Heating**

A highly recommended finishing touch to add real comfort to your wetroom. Aqua-Mat is a highly efficient underfloor heating system fitted under the tiles.

### **Step 4. Wetroom Screens**

Complete your wetroom with a stylish glass wetroom panel. Wetroom panels help restrict water escaping the showering area.



# Wetroom Floor Formers

Aqua-Dec floor formers are made to the highest level of care and detail - through streamlined manufacturing process and cutting edge technology - we ensure all products are of unparalleled quality and performance.

### Aqua-Dec EasyFit™

The UK's most popular specified and strongest wetroom floor former available. Made for use with wooden floors with joists and concrete floors.

### Aqua-Grade<sup>™</sup> and Aqua-Grade Linear<sup>™</sup>

The quick and easy way to create the perfect gradient for new pour concrete floors.

### Aqua-Dec Linear 1™

NEW! Floor former featuring one gradient down to the drain, producing a sleek and modern look.

### Aqua-Dec Linear 2™

Features two gradients to assist flow to the linear drain. The Aqua-Dec Linear 2 is the perfect solution for corner or alcove settings, with no need for diagonal cuts in the tiles.

### Aqua-Dec Linear 3™

3 way uniformed fall featuring an 800mm drain with all sizes. The Aqua-Dec Linear 3 can be fitted not only in corner and alcove settings but also in a walk-through environment.

### Aqua-Dec Linear 4™

Features four gradients to assist flow to the linear drain. The Aqua-Dec Linear 4 offers a unique appearance and is incredibly versatile. The Linear 4 can be fitted in a corner, alcove or walk-through setting.



## Aqua-Dec EasyFit<sup>™</sup>

Patented rotating drain plate to avoid all underfloor obstructions

The Aqua-Dec EasyFit floor former is an extremely strong 22mm thick SMC floorboard replacement with four pre-formed drainage gradients to provide a level-access wetroom floor suitable for tiling or vinyl. The Aqua-Dec EasyFit floor former can be trimmed anywhere up to the solid surround with a standard handsaw and features an underside cellular structure. The underside spoke pattern also provides increased rigidity to the structure of the floor former.

### Key Features of Aqua-Dec EasyFit



4 gradients leading to the drain

4 diagonal tile cuts

125mm or 127mm square drain, depending on drain top design

The most versatile floor former, suited to all showering situations

360° drain positioning


Trimmable

22mm thick

Made in the UK



TRIMMABLE







## Aqua-Grade™

Create the perfect tiled wetroom drainage gradient for new pour solid floors



The Aqua-Grade modular wetroom system enables you to build the perfect wetroom drainage on any concrete floor, whatever its specific requirements. Colour coded modular sections click together to form any size of matrix - which you then simply fill with screed, reducing installation time by up to 50%.

Designed to be installed directly onto the sub-floor and is especially suited to uneven surfaces as it can be easily levelled by adjusting the individual feet to provide the perfect platform.

### Key Features of Agua-Grade



Colour coded modular sections

Easily click together to form the matrix

Square drain top

Fill with screed, reducing installation time by up to 50% Install against a wall, in a corner or in centre of the room Key Features of Aqua-Grade Linear



Colour coded modular sections

Easily click together to form the matrix

Drain tops available in 400mm, 600mm or 800mm

Fill with screed, reducing installation time by up to 50%

Install against a wall, in a corner, in an alcove or in centre of the room

Full Technical and Product support available, please call 01460 256080

For details on Impey's Lifetime Watertight Guarantee, please visit our website.



## Aqua-Dec Linear 1<sup>™</sup>

Features one gradient to assist flow to the linear drain

With having a single fall for the water to drain, the Aqua-Dec Linear 1 wetroom floor former brings the modern look to your bathroom. Sleek design and functionality, requiring the minimal amount of grout lines and tile cuts. Integrating your showering area into your bathroom floor seamlessly. The Aqua-Dec Linear 1 is 22mm thick and can be installed on timber or concrete floors, providing flow rates of 40l/min. The Aqua-Dec Linear 1 is supplied with a gravity waste.

### Key Features of Agua-Dec Linear 1



1 gradient leading to the drain

No diagonal tile cuts

800mm linear drain tops


Ideal for corner or open installations

Linear drain 50mm from the wall

3 sizes available

Not trimmable

Made in the UK





## Aqua-Dec Linear 2<sup>™</sup>

Features two gradients to assist flow to the linear drain

The construction of the Agua-Dec Linear 2 wetroom floor former means there is no need to mitre the tiles in the corners. The Aqua-Dec Linear 2 is 22mm thick and can be installed on timber or concrete floors, providing flow rates of 40l/min.

The Aqua-Dec Linear 2 is supplied with a gravity waste.

### Key Features of Agua-Dec Linear 2



2 gradients leading to the drain

No diagonal tile cuts

600mm linear drain top

Ideal for alcove installations

Linear drain 244mm from the wall


4 sizes available

Trimmable\*

Made in the UK

\*Please refer to linear trimming guide available on the Impey website





## Aqua-Dec Linear 3<sup>™</sup>

Features three gradients to assist flow to the linear drain

Unlike the Aqua-Dec Linear 1, 2 and 4, the Aqua-Dec Linear 3 can be cut to length within 75mm each side of the drain edge to assist with alcove spaces. Ideal for a minimal 'barely there' look with a compatible walk-through screen. The Aqua-Dec Linear 3 is 22mm thick and can be installed on timber or concrete floors, providing flow rates of 40l/min. The Aqua-Dec Linear 3 is supplied with a gravity waste.

### Key Features of Agua-Dec Linear 3



3 gradients leading to the drain

2 diagonal tile cuts

800mm linear drain top

Ideal for walk-through installations

Linear drain 50mm from the wall


6 sizes available

Trimmable\*

Made in the UK

\*Please refer to linear trimming guide available on the Impey website





## Aqua-Dec Linear 4<sup>™</sup>

Features four gradients to assist flow to the linear drain

The style of the floor former, with 4 gradients leading down to the drain, draws your eye to the Linear Drain Top and provides a real statement. The broad range of sizes, 2 drainage widths of 600mm and 800mm and balanced design makes this the most versatile Linear floor former. The Aqua-Dec Linear 4 is 22mm thick and can be installed on timber or concrete floors, providing flow rates of 40l/min. The Aqua-Dec Linear 4 is supplied with a gravity waste.

### Key Features of Aqua-Dec Linear 4



4 gradients leading to the drain

4 diagonal tile cuts

600 or 800mm linear drain tops

The most versatile Linear option, compatible with walkthrough, walk-in, corner and alcove spaces

Linear drain 194mm from the wall


9 sizes available

Trimmable\*

Made in the UK

\*Please refer to linear trimming guide available on the Impey website





Full Technical and Product support available, please call 01460 256080

For details on Impey's Lifetime Watertight Guarantee, please visit our website www.impeyshowers.com.

# Tiled and Vinyl Drainage

## **Tiled Drainage options**

### **Gravity Tiled**

### Features:

100% WaterGuard compatible

Laser cut high grade stainless steel

Removable components for easy cleaning

Patented telescopic height adjustment technology (6 - 26mm or 14 - 24mm depending on drain top)

Easily handles high flow rates from power showers

50mm water seal

43mm solvent weld pipe connection

Available with horizontal or vertical outlet





## **Alternative Tiled Drainage**

Drainage solutions for various wetroom spaces and installation scenarios are available to purchase. In some situations, a certain drain type will be required due to the setting it is being placed in.

Slim+ and Pumped Drainage are compatible with Aqua-Dec EasyFit and Aqua-Grade at an additional charge.

### Tiled Slim+ Drain

The Slim+ Drain is designed for when the floor structure below is restricted in depth.



### Features:

Ideal solution when the floor structure below is restricted in depth

100% WaterGuard compatible

Patented 6-26mm height adjustment technology

Flow rate of up to 32l/min

Removable components for easy cleaning

### **Tiled Pumped Drain**

The Pumped Drain is the ideal solution for unbreachable floors as it evades any limitations that a floor structure may bring.



### Features:

100% WaterGuard compatible

Patented 6-26mm height adjustment technology

The Pumped Drain must be used with a shower waste pump to discharge showering water in areas gravity drainage is not an option, and is fully compatible with Whale pumps

Removable components for easy cleaning

## **Vinyl Flooring Drainage options**

Gravity Drain for Vinyl flooring is available with grey or chrome cover and clamping ring. This Vinyl trap provides the same features as the standard Tiled Gravity except for the height adjustment. There is no height adjustment within this product. This product is compatible with Aqua-Dec EasyFit.

### Features:

Removable components for easy cleaning

Easily handles high flow rates from power showers

50mm water seal

43mm solvent weld pipe connection

Available with horizontal or vertical outlet







Available in Horizontal and Vertical versions.

Grey or chrome cover cap available

11

### Vinyl Slim+ Drain

The Slim+ Drain is designed for when the floor structure below is restricted in depth.



### Vinyl Pumped Drain

The Pumped Drain is the ideal solution for unbreachable floors as it evades any limitations that a floor structure may bring.





### Features:

Ideal solution when the floor structure below is restricted in depth

Flow rate of up to 32l/min

Removable components for easy cleaning

Available with grey or chrome cover cap

### eatures:

The Pumped Drain must be used with a shower waste pump to discharge showering water in areas gravity drainage is not an option, and is fully compatible with Whale pumps

Removable components for easy cleaning

Available with grey or chrome cover cap

## Whale Shower Waste Pumps

Whale Shower Waste Pumps are wall mounted systems and can easily be concealed within a vanity unit, or cupboard up to 2m away from the shower drain. Whale shower waste pumps are fully compatible with Impey's Pumped Waste.

Both options are fully automated with shower control and have been designed to minimise suction noise at drain.



### Instant Match Premium


The choice of shower waste pump for showers with flow rates not exceeding, or regulated up to 12l/min. Whale's quietest shower drainage pump to date built on 20 years of experience with over 300,000 kits installed throughout the UK.



### Ory Deck 20

When you want a shower waste pump that can handle a bit more volume, the Dry Deck 20 is suitable for showers with a flow rate of up to 20l/min. Designed to minimise drainage suction noise by precisely matching the pump flow rate to the shower flow rate.

For support and advice on Whale Shower Waste Pumps, please contact our Technical Team.



## Impey WaterGuard™

Essential requirement for the wetroom



INSTALLATION VIDEO GUIDE

**SCAN BELOW TO WATCH** 

WaterGuard is a 1mm thick, flexible waterproofing membrane. The complete wetroom sealing solution

- not just for floors but also for walls. When correctly

installed across the entirety of a wetroom floor, it provides an impenetrable barrier against leaks, guaranteed for life. WaterGuard is the perfect application for waterproofing walls, tested for use on Plasterboard, Cementboard and Plyboard. WaterGuard can safely support vertical loads of 30kg/m<sup>2</sup>.

This unique system provides the ultimate watertight wetroom with its marketleading membrane design. WaterGuard is fully compatible with all Impey products and is fully compatible to use with Aqua-Mat underfloor heating. Adding WaterGuard to your wetroom gives you the peace of mind with Impey's Lifetime Watertight Guarantee.

Image shows 5m<sup>2</sup> WaterGuard Kit for floors 5m<sup>2</sup> of Impey WaterGuard membrane Butyl sealant 500ml of BAL Primer jointing tape 5 x internal corners

### Features:

## Complete waterproof solution for floors

1 x external corner

and walls including pre-made corners

Butyl rubber backed self-adhesive sealing membrane supplied on a roll

Can tile directly after laying

Polypropylene fleece

Can be used with epoxy and solvent based sealers

Highly elastic de-coupling properties

Maximum wall load bearing 30kg/m<sup>2</sup>

Can withstand temperatures of 60°C

### Benefits:

Everything you will need to tank your wetroom, saving time and cost

A clean material which is easy to handle and very quick to apply with no curing time

Reduces installation time dramatically

Provides an excellent bond with tile adhesive

A reliable membrane to use in all situations


No need to buy an additional decoupler

Works well with heavy wall tiles

Compatible with Impey Aqua-Mat underfloor heating



Install our WaterGuard™ system with any Aqua-Dec floor former and receive our Lifetime Watertight Guarantee. For details please visit our website.



## Aqua-Mat<sup>™</sup>

### Increased comfort and faster drying time in the wetroom

Impey's Aqua-Mat underfloor heating is the finishing touch to make the most of your wetroom. Aqua-Mat offers unrivalled warmth, exceptionally fast drying times, and complete comfort underfoot. Aqua-Mat is 100% compatible with all Impey wetroom products.



### Features:

- Strong self-adhesive mesh
- Only 4mm in depth
- 100% aluminium earth sheath
- 100% compatible with Impey floor formers
- Twin Conductor
- 12 year warranty
- Available in:
- 100W for concrete and timber flooring 150W for concrete subfloors

## **Thermostats**

Now with touch screen technology

### **DEVIreg Touch**



### Features:

- 2" Backlit touch screen
- 7 day programmable
- Simple 7 step set up wizard
- Both floor and air sensor
- Reduce energy waste by up to 12%
- 5 year warranty

### **Devi Smart**



### Features:

- WIFI Connectivity
- Simple and intuitive touch screen design
- Remote controllable using the DEVIsmart App
- Able to control an unlimited number of locations
- Can be paired with up to 10 mobile devices
- Variety of Smart features including frost protection, weekly schedule, holiday mode and economy mode

15

- Smart app features allow you to schedule your requirements, and adapt to climatic conditions, reducing your energy costs
- 5 year warranty

### **Amber DT-TWO**



### Features:

- Large colour touch screen front
- 7 day, 6 period programme
- Floor temperature limiting function
- Sensor offset
- Frost protection
- Holiday mode
- 2 year warranty



## Soho®

The Soho wetroom screen marries high-specification functionality with on-trend aesthetics to offer a unique, design-led option for wetrooms and shower areas.

Inspired by urban industrial partitioning, the high-quality aluminium-framed screen is powder coated in jet black boasting 8mm toughened safety glass; exposed frames on the outside of the unit, and visible screws to enhance the screen's authentic appeal. As part of Impey's complete wetroom solutions portfolio, 'Soho' is available in a variety of sizes and configurations to create your perfect showering situation. A wetroom system combined with Soho offers the ideal opportunity to add style and appeal to your bathroom.

Height: 2100mm to top of screens

The Soho range is designed to be installed on an Impey wetroom floor former and cannot be installed on a traditional shower tray.













Stay clean

| Example applications and the required product types (right hand configurations shown) |                                                  |                                                   |                                                        |                                             |                                           |
|---------------------------------------------------------------------------------------|--------------------------------------------------|---------------------------------------------------|--------------------------------------------------------|---------------------------------------------|-------------------------------------------|
|                                                                                       | Hinged                                           |                                                   | Sliding                                                | Walk-in / Walk-through                      |                                           |
| Alcove<br>3 walls                                                                     |                                                  |                                                   |                                                        |                                             |                                           |
|                                                                                       | Hinged door                                      | Hinged door     with in-line panel                | Sliding door                                           | Horizontal panel                            |                                           |
| Corner<br>2 walls                                                                     | 1 Higgs of dear                                  | Niewad do s                                       |                                                        | Line in the larger of                       | Next and asset                            |
|                                                                                       | <ul><li>Hinged door</li><li>Side panel</li></ul> | Hinged door     with in-line panel     Side panel | Sliding door     Side panel     Additional profile*    | Horizontal panel                            | Vertical panel                            |
| 1 wall                                                                                | N/A                                              | N/A                                               | Sliding door Side panels (x2) Additional profile* (x2) | Horizontal panel     Additional bracing bar | Vertical panel     Additional bracing bar |

## Premier 8 Wetroom Screen

Always seen as an impressive feature, this design draws the eye to boast an expansive room whilst also fashioning the spacious shower enclosure itself. Standing at 2000mm high, this semi-frameless design comes in a variety of widths and configurations.

Bottom chrome trim provided as standard.



Toughened






Stay clean glass


Guarantee

10 YEAR

### Configurations







### Single panel


| А | Fixing bracket depth: 1200mm max     |
|---|--------------------------------------|
| В | Panel size options:<br>700, 800, 900 |

### Single panel with angled **Bracing Bar**


| А | 1200mm max                                                         |
|---|--------------------------------------------------------------------|
| В | Panel size options:<br>700**, 800**, 900**,<br>1000, 1100 and 1200 |

### Single panel with straight Bracing Bar

| Α | Fixing bracket depth:                    |
|---|------------------------------------------|
|   | 120011111 IIIdX                          |
| В | Panel size options: 700**, 800**, 900**, |
|   | 1000, 1100 and 1200                      |







### Two fixed panels

| А     | Fixing bracket depth:<br>1200mm max      |
|-------|------------------------------------------|
| B + C | Panel size options: 700**, 800**, 900**, |

1000, 1100 and 1200



|       | 1200mm max                                                         |
|-------|--------------------------------------------------------------------|
| B + C | Panel size options:<br>700**, 800**, 900**,<br>1000, 1100 and 1200 |

Fixing bracket depth:

### Walk-through

| А | Fixing bracket depth: 1200mm max    |
|---|-------------------------------------|
| В | Panel size options:<br>1000*, 1100* |
|   | and 1200*                           |

Please note for walk-through panel sizes of 1000, 1100 or 1200 you will need an additional Bracing Bar. Other formats are available to suit your specific requirements. These are just a few of the possible configurations. "Please note 700, 800 and 900mm Glass Screens are not sold with a Bracing Bar. T-Bar to be purchased separately.

## Supreme Wetroom Screen

The 8mm glass panel is supported by a floor-to-ceiling chrome column using our Tigerfix fitting. The top section of the column is telescopic, which means it can be adjusted in height from 2027mm to 2700mm. This panel can be configured as a walk-in or walk-through, to suit your needs.

TigerFix is included.







Toughened


Stay clean glass


Guarantee




### Configurations









Requires purchase of additional pole. Recommended 500mm for ease of access.





## What is TigerFix?

Included with the Column wetroom screen, TigerFix is an innovative adhesive solution that allows you to easily install Glass Screens without the need for drilling or fixing.

# Specifications

### Wetroom Floor Formers

| Aqua-Dec Linear 1™ | 22  |
|--------------------|-----|
| Aqua-Dec Linear 2™ | 22  |
| Aqua-Dec Linear 3™ | 23  |
| Aqua-Dec Linear 4™ | 23  |
| Aqua-Dec EasyFit™  | 24  |
| Aqua-Grade™        | 25  |
| Aqua-Grade Linear™ | 2.5 |

### Drainage

| Tiled Floor Drain – Gravity | 26 |
|-----------------------------|----|
| Vinyl Floor Drain – Gravity | 26 |
| Tiled Floor Drain – Pumped  | 26 |
| Tiled Floor Drain – Slim+   | 26 |

Waterproofing
WaterGuard™ Tanking Kits 28

### **Underfloor Heating**

Aqua-Mat™ 28 Thermostats 28

### Wetroom screens

29 Soho® 30 Premier 8 30 Supreme



### Specifications | Aqua-Dec Linear™

£1102.57 Exc. VAT

£1323.08 Inc. VAT

Price:

## Aqua-Dec Linear™

All Aqua-Dec Linear floor formers are supplied with linear drain as shown, horizontal outlet and brushed stainless steel top.

All Aqua-Dec Linear floor formers are 22mm thick at the outer rim to be the same depth as  $\,$ most commonly used flooring materials.

Linear drain requires a minimum 95mm clearance below the Aqua-Dec.

Vertical waste available upon request.

Element Stainless Steel drain top comes as standard.

600mm and 800mm alternative drain top options available upon request.




Aqua-Dec Linear 2, 3 and 4 now feature trimmable properties. Speak to our Technical team to discuss more or download the . Trimming Guide available on the Impey website.

TRIMMABLE


High flow rates of up to 40 litres per minute depending on the room layout and the size of Aqua-Dec Linear 1, 2, 3 and 4. Under boarding required.


 $\textbf{Note:} \ Gravity \ Drain \ supplied \ as \ standard \ with \ choice \ of \ Horizontal \ (G/H) \ or \ Vertical \ (G/V) \ outlet.$ Please use relevant Code to select right drainage for the situation.



Aqua-Dec Linear

Aqua-Dec Linear





1200mm x 800mm AD1L1280G/H (Horizontal) AD1L1280G/V (Vertical) £821.60 Exc. VAT £985.92 Inc. VAT\*

NEW

1200mm x 1000mm AD1L1210G/H (Horizontal) AD1L1210G/V (Vertical) £842.40 Exc. VAT £1010.88 Inc. VAT\*

NEW

NEW

1200mm x 1200mm

AD1L1212G/H

AD1L1212G/V


£873.60 Exc. VAT

£1048.32 Inc. VAT


(Horizontal)

(Vertical)


TRIMMABLE




900mm x 900mm Code: AD2L9090G/H AD2L9090G/V (Vertical) Price £842 92 Fxc VAT £1011.50 Inc. VAT\*



1000mm x 1000mm AD2L1010G/V (Vertical) £872 76 Exc VAT £1047.31 Inc. VAT\*



1200mm x 900mm AD2L1290G/H AD2L1290G/V £887.67 Fxc. VAT



1400mm x 900mm AD2L1490G/H (Horizontal) AD2L1490G/V F912.66 Fxc. VAT

Price:

Note: Gravity Drain supplied as standard with choice of Horizontal (G/H) or Vertical (G/V) outlet. Please use relevant Code to select right drainage for the situation.

NEW

## \*VAT at 20%, correct at time of going to print.

### -667---Aqua-Dec Linear TRIMMABLE 1200mm x 900mm 1500mm x 800mm Max Shower Area: 1200mm x 900mm Max Shower Area: 1500mm x 800mm Max Shower Area: 1500mm x 900mm AD3L1290G/H AD3L1580G/H AD3L1590G/H (Horizontal) (Horizontal) (Horizontal) AD3L1590G/V AD3L1290G/V AD3L1580G/V (Vertical) £927.88 Exc. VAT (Vertical) £996.32 Exc. VAT (Vertical) £1007.41 Exc. VAT Price: £1113.46 Inc. VAT\* £1195.58 Inc. VAT £1208.89 Inc. VAT 1600-(800) 1800mm x 800mm 1800mm x 900mm 1600mm x 750mm Max Shower Area: 1800mm x 800mm Max Shower Area: 1800mm x 900mm Max Shower Area: 1600mm x 750mm AD3L1880G/H AD3L1890G/H AD3L1675G/H (Horizontal) (Horizontal) (Horizontal) AD3L1880G/V AD3L1890G/V AD3L1675G/V (Vertical) £1128.04 Exc. VAT (Vertical) £1044.42 Exc. VAT (Vertical)

£1353.65 Inc. VAT

£1253.30 Inc. VAT

23

### Note: Gravity Drain supplied as standard with choice of Horizontal (G/H) or Vertical (G/V) outlet. Please use relevant Code to select right drainage for the situation. ----367----166 ----367----Linear TRIMMABLE Aqua-Dec Note: Gravity Drain supplied as standard with choice of Horizontal (G/H) or Vertical 900mm x 900mm 1000mm x 1000mm 1200mm x 900mm (G/V) outlet. Please use Code: AD4L9090G/H Code: AD4L1010G/H Code: AD4L1290G/H relevant Code to select right (Horizontal) AD4L1290G/V drainage for the situation. AD4L9090G/V AD4L1010G/V (Vertical) (Vertical) £815.20 Fxc. VAT £842.92 Fxc. VAT Price: £872.76 Exc. VAT £1011.50 Inc. VAT £978.24 Inc. VAT\* £1047.31 Inc. VAT **—** 1200 **—** Fig. 166 Fig. 167 Fig. 166 Fig. 167 Fi ——717 ———166 ———717 — — 617—— 166 —— 617—— 1200mm x 1200mm Code AD4L1212G/H Code: AD4L1490G/H AD4L1690G/H (Horizontal) (Horizontal) (Horizontal) AD4L1212G/V AD4L1490G/V AD4I 1690G/V (Vertical) (Vertical) (Vertical) £910.055 Exc. VAT £901.36 Exc. VAT £914.62 Exc. VAT £1092 06 Inc VAT\* £1081.63 Inc. VAT £1097.54 Inc. VAT

Code:

## Aqua-Dec EasyFit™


All Aqua-Dec EasyFit floor formers are supplied with brushed stainless steel grate as shown and a UTT01/H Tiled Floor Gully horizontal outlet as standard. No under boarding required.

Alternative drainage solutions and drain top available on request.

Slot drain top supplied as standard. Tiled Insert option available on request.




 $\textbf{Note:} \ Gravity \ Drain \ supplied \ as \ standard \ with \ choice \ of \ Horizontal \ (G/H) \ or \ Vertical \ (G/V) \ outlet.$ Please use relevant Code to select right drainage for the situation.




ADE8080G/H (Horizontal) ADE8080G/V (Vertical) £541.12 Exc. VAT


£649.34 Inc. VAT




ADE9090G/V (Vertical) £585.70 Exc. VAT £702.84 Inc. VAT




ADE1010G/H ADE1010G/V (Vertical) £630.25 Exc. VAT £756.30 Inc. VAT\*




1200mm x 750mm ADE1275G/H ADE1275G/V (Vertical) £630.25 Exc. VAT £756.30 Inc. VAT\*




ADE1290G/H ADF1290G/V £654 12 Exc VAT




ADE1212G/H (Horizontal) ADE1212G/V (Vertical) £707.82 Exc. VAT




ADE1380G/H ADF1380G/V f654 12 Fxc VAT




ADE1490G/H ADE1490G/V f676.01 Fxc VAT £811.21 Inc. VAT




Size: Code: 1500mmm x 800mm ADE1580G/H (Horizontal) ADE1580G/V £676.01 Exc. VAT £811.21 Inc. VAT



1500mm x 1200mm ADE1512G/H ADE1512G/V £979.78 Inc. VAT



1700mm x 750mm ADE1775G/H ADE1775G/V £816.48 Exc. VAT £979.78 Inc. VAT\*



1850mm x 900mm ADE18590G/H ADE18590G/V (Vertical) £816.52 Exc. VAT £979.82 Inc. VAT

## Aqua-Grade<sup>™</sup> System

### Aqua-Grade



All Aqua-Grades are supplied with brushed stainless steel grate as shown and a UTT01/H Tiled Floor Gully horizontal outlet as standard.

For alternative drainage and grate options for tiled and vinyl floors see page 30.

Foot mounting plates for mounting on insulation are available (if required).

Code: SCR/IMP/25 Price: £16.81 Exc. VAT £20.17 Inc. VAT\*






| Product Type            | Size:           | Code:       | Price (Exc. VAT) | Price (Inc. VAT) |
|-------------------------|-----------------|-------------|------------------|------------------|
| Aqua-Grade Square - One | 1500mm x 1050mm | AG150105/3F | £436.06          | £523.27*         |
| Wall - Three Falls      | 1200mm x 900mm  | AG12090/3F  | £335.69          | £402.83*         |
|                         | 1800mm x 1200mm | AG180120/3F | £563.71          | £676.45*         |
| Aqua-Grade Square - Two | 1050mm x 1050mm | AG105105/2F | £341.28          | £409.54*         |
| Walls - Two Falls       | 1200mm x 1200mm | AG120120/2F | £385.28          | £462.34*         |
|                         | 1350mm x 1350mm | AG135135/2F | £501.51          | £601.81*         |
|                         | 1500mm x 1500mm | AG150150/2F | £596.04          | £715.25*         |
| Aqua-Grade Square - No  | 900mm x 900mm   | AG9090/4F   | £277.94          | £333.53*         |
| Wall - Four Falls       | 1200mm x 1200mm | AG120120/4F | £406.55          | £487.86*         |
|                         | 1500mm x 1500mm | AG150150/4F | £571.53          | £685.84*         |


### Aqua-Grade Linear

| Product Type |             | Size:           | Code:          | Price (Exc. VAT) | Price (Inc. VAT) |
|--------------|-------------|-----------------|----------------|------------------|------------------|
| 400mm        | Two Falls   | 1200mm x 900mm  | AG40L12090/2F  | £568.93          | £682.72*         |
| Linear       |             | 1350mm x 1050mm | AG40L135105/2F | £478.49          | £574.19*         |
|              |             | 1500mm x 1200mm | AG40L150120/2F | £562.48          | £674.98*         |
|              | Three Falls | 1500mm x 750mm  | AG40L15075/3F  | £643.16          | £771.79*         |
|              |             | 1800mm x 900mm  | AG40L18090/3F  | £660.17          | £792.20*         |
|              | Four Falls  | 1200mm x 900mm  | AG40L12090/4F  | £557.34          | £668.81*         |
|              |             | 1500mm x 1200mm | AG40L150120/4F | £700.13          | £840.16*         |
| 600mm        | One Fall    | 900mm x 900mm   | AG60L9090/1F   | £533.58          | £640.30*         |
| Linear       |             | 1200mm x 900mm  | AG60L12090/1F  | £592.79          | £711.35*         |
|              |             | 1350mm x 900mm  | AG60L13590/1F  | £584.55          | £701.46*         |
|              |             | 1500mm x 900mm  | AG60L15090/1F  | £554.93          | £665.92*         |
|              | Two Falls   | 1350mm x 750mm  | AG60L13575/2F  | £569.08          | £682.90*         |
|              |             | 1500mm x 900mm  | AG60L15090/2F  | £572.84          | £687.41*         |
|              |             | 1650mm x 1050mm | AG60L165105/2F | £718.59          | £862.31*         |
|              | Three Falls | 1800mm x 750mm  | AG60L18075/3F  | £648.72          | £778.46*         |
|              | Four Falls  | 1500mm x 900mm  | AG60L15090/4F  | £632.64          | £759.17*         |
|              |             | 1800mm x 1200mm | AG60L180120/4F | £805.16          | £966.19*         |
| 800mm        | One Fall    | 1050mm x 1050mm | AG80L105105/1F | £714.33          | £857.20*         |
| Linear       |             | 1200mm x 1050mm | AG80L120105/1F | £664.25          | £797.10*         |
|              |             | 1350mm x 1050mm | AG80L135105/1F | £675.12          | £810.14*         |
|              |             | 1500mm x 1050mm | AG80L150105/1F | £751.37          | £901.64*         |
|              | Two Falls   | 1500mm x 750mm  | AG80L15075/2F  | £730.53          | £876.64*         |
|              | Three Falls | 1950mm x 750mm  | AG80L19575/3F  | £741.43          | £889.72*         |
|              | Four Falls  | 1650mm x 900mm  | AG80L16590/4F  | £669.71          | £803.65*         |


No Walls - Four Falls Available as 400mm, 600mm and 800mm




One Wall - Three Falls Available as 400mm, 600mm and 800mm



Two Walls - Two Falls Available as 400mm, 600mm and 800mm



Three Walls - One Fall Available as 600mm and 800mm



Can be installed directly onto floor joists at 415mm centres with no additional support or bedded into screeded floors. \*VAT at 20%, correct at time of going to print. † For joists under 415mm - centre to centre spacing.

## Drainage

### Impey Universal system

The Impey Universal Trap comprises a set of interchangeable components which are combined to make a range of drain products. The range includes both linear and wet floor drains for use in corresponding Impey floor former systems, as well as standalone linear drains for use in a concrete screeded floor.


The term 'Universal Trap' is used in reference to the trap and sump components which are shared across all drain configurations.

## Square Tiled and Circular Vinyl Drainage


All Aqua-Dec EasyFit and Aqua-Grade floor formers are supplied with a UTT01/H tiled floor gully or UTVG01/H grey vinyl floor gully with a horizontal outlet - a high quality water tray featuring a 50mm water seal and fixed 43mm outlet\*\*. A vertical outlet, or alternative drainage solutions are available on request. All drainage solutions come complete with a stainless steel drain top.

\*\*As a 1:40 fall

### Tiled Floor Drain - Gravity



Quad Gravity Drain Slot - Horizontal Outlet Code: UTT01/H Price: £183.84 Exc. VAT £220.61 Inc. VAT\*





Quad Gravity Drain Tiled Insert 14mm - Horizontal Outlet

### When purchased separately as a standalone drain:

| Price: £264.18 exc. VAT        | Price: £317.02 inc. VAT*       |
|--------------------------------|--------------------------------|
| Available as an upgrade ONLY w | hen purchasing a floor former: |
| Price: £75.00 exc. VAT         | Price: £90.00 inc. VAT*        |
|                                |                                |

Quad Gravity Drain Slot - Vertical Outlet Code: UTT01/V Price: £183.84 Exc. VAT £220.61 Inc. VAT






Quad Gravity Drain Tiled Insert 14mm - Vertical Outlet

### When purchased separately as a standalone drain:

| Price: £264.18 exc. VAT      | Price: £317.02 inc. VAT*        |
|------------------------------|---------------------------------|
| Available as an upgrade ONLY | when purchasing a floor former: |
| Price: £75.00 exc. VAT       | Price: £90.00 inc. VAT*         |

## Alternative drainage options for tiled or vinyl floors


### Vinyl Floor Drain - Gravity



Vinyl Floor Gully - Horizontal Outlet Code: UTVC01/H (CHROME) Price: £126.95 Exc. VAT £152.34 Inc. VAT\* Code: UTVG01/H (GREY) Price: £0.00 Exc. VAT £0.00 Inc. VAT\*

Vinyl Floor Gully - Vertical Outlet Code: UTVC01/V (CHROME) Price: £126.95 Exc. VAT £152.34 Inc. VAT\* Code: UTVG01/V (GREY) Price: £0.00 Exc. VAT £0.00 Inc. VAT\*


### Tiled or Vinyl Floor Drain - Slim+



Tiled Drain Slim+ Horizonal Slot Price: £267.80 Exc. VAT £321.36 Inc. VAT\*

Vinyl Drain Slim+ Horizonal Code: SLW2VG/H Price: £175.10 Exc. VAT £210.12 Inc. VAT\*

### Tiled or Vinyl Floor Drain - Pumped




Tiled Floor Gully - For Pumped Waste Price: £174.46 Exc. VAT £209.35 Inc. VAT\*

Vinyl Floor Gully - For Pumped Waste Price: £130.12 exc VAT £156.14 inc VAT\*

### Whale Shower Waste Pumps

Instant Match Premium Code: SWP/IMPR Price: £813.28 Exc. VAT £975.94 Inc. VAT\*








Pump Cove

Dry Deck 20 Code: SWP/IMPR Price: £1,093.61 Exc. VAT £1,312.33 Inc. VAT\*





Surge Damper

For support and advice on Whale Shower Waste Pumps, please contact our Technical Team.

## Linear Floor Drain - Gravity

All Aqua-Dec Linear and Aqua-Grade Linear come with a Gravity drain with horizontal outlet and Element Drain Top as standard. These drains feature a 50mm water seal and 43mm outlet.

\*\*As a 1:40 fall

### **Element Brushed Stainless Steel**

Drains with the Element drain top include a WaterGuard clamp, for guaranteed watertightness, and a removable diptube and bucket alongside a lifter tool for ease of cleaning. The Element drain top is height adjustable from 6mm - 26mm, to suit varying tile depths and use with underfloor heating.

### When bought separately as a standalone linear drain:

| 400mm LNR40 | S/H or V | Price: £315.58 Exc. VAT | £378.70 Inc. VAT* |
|-------------|----------|-------------------------|-------------------|
| 600mm LNR60 | S/H or V | Price: £343.42 Exc. VAT | £412.10 Inc. VAT* |
| 800mm LNR80 | S/H or V | Price: £371.26Exc. VAT  | £445.51 Inc. VAT* |

### PLEASE NOTE: Upgrade costs are fixed and therefore are non-discountable

### Tiled Insert 13mm

Drains with the Tiled Insert 13mm drain top include a WaterGuard clamp, for guaranteed watertightness, and a removable diptube and bucket alongside a lifter tool for ease of cleaning. The Tiled Insert 13mm Drain top has a fixed height of 13mm from the floor former to the top of the tiling frame.

### When purchased separately as a standalone linear drain:

| 400mm LNR40T8/H or V | Price: £382.43 exc. VAT | £458.92 inc. VAT* |
|----------------------|-------------------------|-------------------|
| 600mm LNR60T8/H or V | Price: £413.72 exc. VAT | £496.46 inc. VAT* |
| 800mm LNR80T8/H or V | Price: £441.56 exc. VAT | £529.87 inc. VAT* |

| Available as an upgrade ONLY when purchasing a Linear floor f |                      |                        |      |  |
|---------------------------------------------------------------|----------------------|------------------------|------|--|
|                                                               | 400mm LNR40T8/H or V | Price: £24.52 exc. VAT | £29. |  |
|                                                               |                      | D: 6///0 1/4T          |      |  |

42 inc. VAT £63.70 inc. VAT 800mm LNR80T8/H or V Price: £53.08 exc. VAT

### Tiled Insert 24mm


Drains with the Tiled Insert 24mm drain top include a WaterGuard clamp, for guaranteed watertightness, and a removable diptube and bucket alongside a lifter tool for ease of cleaning. The Tiled Insert 24mm Drain top has a fixed height of 24mm from the floor former to the top of the tiling frame.

### When purchased separately as a standalone linear drain:

| 600mm LNR60T24/H or V | Price: £424.77 exc. VAT | £509.72 inc. VAT |
|-----------------------|-------------------------|------------------|
| 800mm LNR80T24/H or V | Price: £473.53 exc. VAT | £568.24 inc. VAT |

### Available as an upgrade ONLY when purchasing a Linear floor former:

| PLEASE NOTE: Upgrade costs are fixed and therefore are non-discountable |                       |                        | ountable          |
|-------------------------------------------------------------------------|-----------------------|------------------------|-------------------|
|                                                                         | 800mm LNR80T24/H or V | Price: £96.48 exc. VAT | £115.78 inc. VAT* |
|                                                                         | 600mm LNR60T24/H or V | Price: £76.95 exc. VAT | £92.34 inc. VAT*  |



\*VAT at 20%, correct at time of going to print. 27

## WaterGuard<sup>™</sup> Tanking Kit

WaterGuard provides the complete leak-proof sealing solution - not just for floors but also to walls thanks to Impey's unique and market-leading design.

| Floor Kit Contents                                                                                                                                                                                                                          | Product<br>Code                          | Retail Price<br>(Exc. VAT)                     | Retail Price<br>(Inc. VAT)*                    |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|------------------------------------------------|------------------------------------------------|
| <b>5m' of Impey WaterGuard membrane</b> with 500ml BAL primer, 15m jointing tape, 5 x internal corners, 1 x external corner, Butyl sealant                                                                                                  | WG5.                                     | £341.59                                        | £409.91                                        |
| <b>10m</b> ' <b>of Impey WaterGuard membrane</b> with 500ml BAL primer, 20m jointing tape, 5 x internal corners, 1 x external corner, Butyl sealant                                                                                         | WG10.                                    | £525.96                                        | £631.15                                        |
| Wall Kit Contents                                                                                                                                                                                                                           |                                          |                                                |                                                |
| 10m' of Impey WaterGuardwall<br>membrane with 500ml BAL primer, 10m<br>jointing tape, Butyl sealant                                                                                                                                         | WG10W.                                   | £428.34                                        | £514.01                                        |
| Floor & Wall Kit Contents                                                                                                                                                                                                                   |                                          |                                                |                                                |
| 5m' of Impey WaterGuard floor<br>membrane and 10m² Impey<br>WaterGuard wall membrane<br>with 15m jointing floor tape, 10m<br>jointing wall tape, 5 x internal corners, 1<br>x external corner, 2 x Butyl sealant, 2 x<br>500ml BAL primer   | WG15WF                                   | £750.76                                        | £900.91                                        |
| 10m' of Impey WaterGuard floor<br>membrane and 10m² Impey<br>WaterGuard wall membrane<br>with 20m jointing floor tape, 10m<br>jointing wall tape, 5 x internal corners, 1<br>x external, corner, 2 x Butyl sealant, 2 x<br>500ml BAL primer | WG20WF                                   | £909.81                                        | £1091.77                                       |
| Additional components if required                                                                                                                                                                                                           |                                          |                                                |                                                |
| 10m jointing tape<br>Internal corner<br>External corner<br>Butyl sealant<br>500ml BAL primer                                                                                                                                                | WGJT10<br>WGIPC<br>WGEPC<br>WGJS<br>WGPR | £70.60<br>£13.00<br>£13.00<br>£13.74<br>£30.00 | £84.72<br>£15.60<br>£15.60<br>£16.49<br>£36.00 |

Install our WaterGuard™ system with any Aqua-Dec floor former and receive our Lifetime Watertight Guarantee. For further details please visit our website: www.impeyshowers.com

INSTALLATION VIDEO GUIDE SCAN THE QR CODE TO WATCH



## | Aqua-Mat<sup>™</sup>

### **Aqua-Mat 100W Size Options** suitable for wooden and concrete floors

| Area to be<br>warmed m2 | Heating Load<br>Watts | Product<br>Code | Retail Price<br>(Exc. VAT) | Retail Price<br>(Inc. VAT)* |
|-------------------------|-----------------------|-----------------|----------------------------|-----------------------------|
| 1.0                     | 100                   | AM1.0/V2        | £97.09                     | £116.51                     |
| 1.5                     | 150                   | AM1.5/V2        | £111.02                    | £133.22                     |
| 2.0                     | 200                   | AM2.0/V2        | £129.17                    | £155.00                     |
| 2.5                     | 250                   | AM2.5/V2        | £152.12                    | £182.54                     |
| 3.0                     | 300                   | AM3.0/V2        | £170.26                    | £204.31                     |
| 3.5                     | 350                   | AM3.5/V2        | £190.37                    | £228.44                     |
| 4.0                     | 400                   | AM4.0/V2        | £209.57                    | £251.48                     |
| 5.0                     | 500                   | AM5.0/V2        | £237.21                    | £284.65                     |
| 6.0                     | 600                   | AM6.0/V2        | £271.09                    | £325.31                     |
| 7.0                     | 700                   | AM7.0/V2        | £303.16                    | v363.79                     |
| 8.0                     | 800                   | AM8.0/V2        | £331.64                    | v397.97                     |
| 9.0                     | 900                   | AM9.0/V2        | £348.75                    | £418.50                     |
| 10.0                    | 1000                  | AM10.0/V2       | £360.40                    | £432.48                     |
| 12.0                    | 1200                  | AM12.0/V2       | £447.76                    | £537.31                     |

### **Aqua-Mat 150W Size Options** suitable for concrete floors

| Area to be<br>warmed m2 | Heating Load<br>Watts | Product<br>Code | Retail Price<br>(Exc. VAT) | Retail Price<br>(Inc. VAT)* |
|-------------------------|-----------------------|-----------------|----------------------------|-----------------------------|
| 1.5                     | 225                   | AM1.5/150V2     | 125.60                     | 150.72                      |
| 2.0                     | 300                   | AM2.0/150V2     | 152.91                     | 183.49                      |
| 3.0                     | 450                   | AM3.0/150V2     | 218.44                     | 262.13                      |
| 3.5                     | 525                   | AM3.5/150V2     | 230.44                     | 276.53                      |
| 4.0                     | 600                   | AM4.0/150V2     | 240.29                     | 288.35                      |
| 5.0                     | 750                   | AM5.0/150V2     | 294.89                     | 353.87                      |
| 6.0                     | 900                   | AM6.0/150V2     | 338.58                     | 406.30                      |
| 9.0                     | 1350                  | AM9.0/150V2     | 469.64                     | 563.57                      |

### **Thermostat**

| Product Code | Retail Price<br>(Exc. VAT) | Retail Price<br>(Inc. VAT)* |
|--------------|----------------------------|-----------------------------|
| DMTBLACK     | £165.02                    | £198.02                     |
| DMTWHITE     | £165.02                    | £198.02                     |
| DT2          | £122.76                    | £147.31                     |
| DVSBLACK     | £226.73                    | £272.08                     |
| DVSWHITE     | £226.73                    | £272.08                     |

### **WATERPROOF ZONING GUIDE**

### Mandatory requirement

> Red zone coverage - The entire wetroom floor MUST be tanked with WaterGuard to qualify for our lifetime guarantee.

### Recommended

 $\verb>$  Red and Blue zone coverage - The entire floor and walls immediately inside the wet area and extending 600mm beyond should be tanked to stop any water ingress into walls.

### Highly recommended

**> Complete coverage** - WaterGuard tanking throughout the entire wetroom (floors and walls) will create a seamless impenetrable wetroom, providing heat and sound insulation and decoupling throughout.

| Area to be<br>warmed m2 | Heating Load<br>Watts | Product<br>Code | Retail Price<br>(Exc. VAT) | Retail Price<br>(Inc. VAT)* |
|-------------------------|-----------------------|-----------------|----------------------------|-----------------------------|
| 1.0                     | 100                   | AM1.0/V2        | £97.09                     | £116.51                     |
| 1.5                     | 150                   | AM1.5/V2        | £111.02                    | £133.22                     |
| 2.0                     | 200                   | AM2.0/V2        | £129.17                    | £155.00                     |
| 2.5                     | 250                   | AM2.5/V2        | £152.12                    | £182.54                     |
| 3.0                     | 300                   | AM3.0/V2        | £170.26                    | £204.31                     |
| 3.5                     | 350                   | AM3.5/V2        | £190.37                    | £228.44                     |
| 4.0                     | 400                   | AM4.0/V2        | £209.57                    | £251.48                     |
| 5.0                     | 500                   | AM5.0/V2        | £237.21                    | £284.65                     |
| 6.0                     | 600                   | AM6.0/V2        | £271.09                    | £325.31                     |
| 7.0                     | 700                   | AM7.0/V2        | £303.16                    | v363.79                     |
| 8.0                     | 800                   | AM8.0/V2        | £331.64                    | v397.97                     |
| 9.0                     | 900                   | AM9.0/V2        | £348.75                    | £418.50                     |
| 10.0                    | 1000                  | AM10.0/V2       | £360.40                    | £432.48                     |
| 120                     | 1200                  | ∧M12 ∩ /\/2     | C1.1.776                   | CE 77 71                    |

| warmed m2 | Watts | Code        | (Exc. VAT) | (Inc. VAT)* |
|-----------|-------|-------------|------------|-------------|
| 1.5       | 225   | AM1.5/150V2 | 125.60     | 150.72      |
| 2.0       | 300   | AM2.0/150V2 | 152.91     | 183.49      |
| 3.0       | 450   | AM3.0/150V2 | 218.44     | 262.13      |
| 3.5       | 525   | AM3.5/150V2 | 230.44     | 276.53      |
| 4.0       | 600   | AM4.0/150V2 | 240.29     | 288.35      |
| 5.0       | 750   | AM5.0/150V2 | 294.89     | 353.87      |
| 6.0       | 900   | AM6.0/150V2 | 338.58     | 406.30      |
| 9.0       | 1350  | AM9.0/150V2 | 469.64     | 563.57      |

## Soho® Wetroom Screen


Soho by Impey is a specialist wetroom product especially designed to be installed on our market leading wetroom floor formers.

Note: Soho cannot be installed on a shower tray.

### **PANEL COMBINATIONS**

| Product Type                          | Size (mm)              | Handing | Product Code       | exc VAT  | inc VAT* |
|---------------------------------------|------------------------|---------|--------------------|----------|----------|
| Hinged door                           | 800                    | Left    | AH24SC01-80 LEFT   | £921.13  | £1105.36 |
|                                       | 800                    | Right   | AH24SC01-80 RIGHT  | £921.13  | £1105.36 |
|                                       | 900                    | Left    | AH24SC01-90 LEFT   | £961.31  | £1153.57 |
|                                       | 900                    | Right   | AH24SC01-90 RIGHT  | £961.31  | £1153.57 |
| Hinged door with in-line panel        | 1200                   | Left    | AH24SC01-120 LEFT  | £1138.48 | £1366.18 |
|                                       | 1200                   | Right   | AH24SC01-120 RIGHT | £1138.48 | £1366.18 |
|                                       | 1400                   | Left    | AH24SC01-140 LEFT  | £1196.69 | £1436.03 |
|                                       | 1400                   | Right   | AH24SC01-140 RIGHT | £1196.69 | £1436.03 |
| Side panel                            | 800                    | N/A     | AH24SP02-80        | £626.58  | £751.91  |
|                                       | 900                    | N/A     | AH24SP02-90        | £655.64  | £786.76  |
| Walk-in/walk-through horizontal panel | 900                    | N/A     | AW24SC01-N1-90     | £746.49  | £895.79  |
|                                       | 1000                   | N/A     | AW24SC01-N1-100    | £769.19  | £923.03  |
| Walk-in/walk-through vertical panel   | 1200                   | N/A     | AW24SC01-N1-120    | £865.78  | £1038.94 |
|                                       | 1400                   | N/A     | AW24SC01-N1-140    | £934.65  | £1121.58 |
| Additional accessories                | Additional bracing bar | N/A     | AH24-BAR100        | £84.77   | £101.72  |
|                                       | Angled bracing bar kit | N/A     | AH24-BA01-KIT      | £48.19   | £57.83   |
|                                       | Ceiling bracing bar    | N/A     | AH24-BC01-KIT      | 87.32    | 104.78   |
|                                       | Additional profile     | N/A     | AH24-SP-KIT        | £26.44   | £31.73   |
| Sliding door                          | 1200                   | Left    | AH24SL01-120 LEFT  | £970.25  | £1164.30 |
|                                       | 1200                   | Right   | AH24SL01-120 RIGHT | £970.25  | £1164.30 |
|                                       | 1400                   | Left    | AH24SL01-140 LEFT  | £1077.49 | £1292.99 |
|                                       | 1400                   | Right   | AH24SL01-140 RIGHT | £1077.49 | £1292.99 |





## Premier 8 Screen



| Width (mm) | Height (mm) | Adjustment per profile (mm) | Adjustment range<br>(mm) | Retail price (exc<br>VAT) | Retail price (inc<br>VAT) | Product code |
|------------|-------------|-----------------------------|--------------------------|---------------------------|---------------------------|--------------|
| 700        | 2000        | 20                          | 680 - 700                | £321.71                   | £386.05                   | SP70C        |
| 800        | 2000        | 20                          | 780 - 800                | £350.10                   | £420.12                   | SP80C        |
| 900        | 2000        | 20                          | 880 - 900                | £369.03                   | £442.84                   | SP90C        |
| 1000       | 2000        | 20                          | 980 - 1000               | £397.42                   | £476.90                   | SP10C        |
| 1100       | 2000        | 20                          | 1080 - 1100              | £406.87                   | £488.24                   | SP11C        |
| 1200       | 2000        | 20                          | 1180 - 1200              | £425.80                   | £510.96                   | SP12C        |

| Add on product                                           | Retail price (exc. VAT) | Retail price (inc. VAT) | Product code |
|----------------------------------------------------------|-------------------------|-------------------------|--------------|
| 200mm - Return Panel pack / chrome / plain glass         | £169.02                 | £202.82                 | SP02C        |
| 300mm - Return Panel pack / chrome / plain glass         | £214.68                 | £257.62                 | SP03C        |
| Additional 1.2m Bracing Bar for Premier 8 range / chrome | £99.25                  | £119.10                 | SPAB         |
| Additional T Bar chrome                                  | £71.78                  | £86.14                  | SPTB         |

## Supreme Screen



| Width (mm) | Height (mm) | Adjustment per profile (mm) | Adjustment range (mm) | Retail price (exc<br>VAT) | Retail price (inc VAT) | Product code |
|------------|-------------|-----------------------------|-----------------------|---------------------------|------------------------|--------------|
| 700        | 2000        | 20                          | 716 - 736             | £529.58                   | £636.50                | ISS70CUC.    |
| 800        | 2000        | 20                          | 816 - 836             | £529.58                   | £635.50                | ISS80CUC.    |
| 900        | 2000        | 20                          | 916 - 936             | £529.58                   | £635.50                | ISS90CUC.    |
| 1000       | 2000        | 20                          | 1016 - 1036           | £553.66                   | £664.39                | ISS10CUC.    |
| 1200       | 2000        | 20                          | 1216 - 1236           | £553.66                   | £664.39                | ISS12CUC.    |

| Add on product                                                    | Retail price (exc. VAT) | Retail price (inc. VAT) | Product code |
|-------------------------------------------------------------------|-------------------------|-------------------------|--------------|
| Additional floor to Ceiling Pole - for walk-through configuration | £159.51                 | £191.41                 | IASCT2000    |
| Coving extension profile (for coved vinyl floor)                  | £56.99                  | £68.39                  | ICEP2000     |

## impey

### **Contact Us**

We have a dedicated Customer Services and Technical team who are on hand to offer a personalised solution to any queries regarding the Impey product range or installations.

Our opening hours are: 8:00am to 4:30pm Monday - Friday

Tel: 01460 256080

General enquiries or sales: salesorders@impeyshowers.com

Technical Support: technical.support@impeyshowers.com

Website: www.impeyshowers.com

Head Office: Impey, Conquest House, Conquest Business Park, Cad Road, Ilton, Somerset TA19 9EA

Impey is part of Coram UK Holding Ltd

### CORAM

### The Coram International bathroom group

A Dutch family-owned business with offices in the Netherlands, Belgium, United Kingdom, Poland & Norway. Exporting to more than 70 countries worldwide.



Coram Showers: A leading brand of shower enclosures, bath screens and shower trays with over 70 years of operation in the UK with very strong presence in plumbers merchant and bathroom retail sectors. Coram enclosures are designed to meet the highest aesthetic and functional standards expected whilst maintaining the reputation as a stylish and hassle-free range to install and maintain. Style with Standards.



**Tiger:** Founded in 1950, Tiger specialised in a manufacturing a wide range of plastic products for different applications. From bicycle handles to soap dishes. Tiger quickly became very successful in the Netherlands and in 1957 a start was made on exploring the international market. The Tiger brand grew quickly into international playing field with a wide range of bathroom accessories. The brand is recognised for it's design and innovation.

### Displays

For new or replacement wetroom display needs, please email our team via

displays@impeyshowers.com who can offer advice and support on displaying wetrooms.

## Training Opportunities

Training available both online and in person. Visit www.impeyshowers.com/for-installers/wet-room-installer-training for details and to book your place.

### **Quick Access**

For instant navigation for Technical Datasheets, Installation Guides and Installation Videos, simply scan one of the below to be directed to the relevant webpage on our Impey website.

**GUIDES** 



CHNICAL IMPEY INSTALLA



MPEY TECHNICAL IN DATASHEETS

MPEY INSTALLATION VIDEOS

7.0









01460 256080 impeyshowers.com

- Printed with biodegradable laminate:
  ✓ protecting the environment from single use plastics
  ✓ reducing negative impact on the environment.

Whilst every care has been taken to ensure that the information included in this document was accurate at the time of printing, we reserve the right to change product specifications at any time without prior notice. The photographs reproduced in this document publication are within the constraints of the printing process and are not to be used for matching purposes. All photographs are used for approximate representation only and may not show the actual products on offer. Errors and Omissions Excepted.

Full terms and conditions available at www.impeyshowers.com

@impeyshowers







