

AQUANOMIC AQUAPLAY SINGLE LEVER TAP MATT BLACK

TAQPLAYSLMB/-AN



Targeting, the growing popularity, entry level contemporary styling. Available also as standard monobloc.

Bright chrome, satin bronze or matte black finish gives a contemporary look that flexes with a range of interior colour schemes. It is fitted with a Neoperl aerator that ensures a non-splash, creamy flow while the flexible tails are supplied to ease installation.

- Easy Fit Fixing Kit
- Flexi Tails for ease of installation with NRV
- Money saving Cold Start valve
- Side lever with modern single flow spout with integrated aerator
- WRAS approved



| | |
|---|--------------------------|
| Overall Height (mm) | 334 |
| Spout Reach (mm) | 181 |
| Spout Height (mm) | 235 |
| Spout Rotation Range | |
| Handle Type | Single Lever |
| Colour | Matt Black |
| Bar Pressure Suitability | Medium Pressure |
| Min. Bar Pressure | 0.5 |
| Max. Bar Pressure | 5 |
| Mixed Flow Rate at 3 Bar Pressure (l/min) | 5.09 |
| Flow Type | |
| Recommended Hot Water Temperature | 46 |
| Maximum Hot Water Temperature | 70 |
| Handle Control | Half Turn |
| Centre Distance (mm) | |
| Cartridge Type | Ceramic Disc Cartridge |
| Aerator Type | Honeycomb Aerator |
| Inlet Pipes | Stainless Flexible Hoses |
| Anti-Splash Spout | Yes |
| Pull Out Spray | No |
| WRAS Approved | Yes |
| Product Code | TAQPLAYSLMB/-AN |
| Barcode | 5015834056197 |


AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up to date resources, the information included here is intended as a guide. Always refer to the installation instructions when fitting, installation work should be completed by a professional tradesman.

AQUANOMIC AQUAPLAY SINGLE LEVER TAP MATT BLACK

TAQPLAYSLMB/-AN



Technical Drawing



AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up to date resources, the information included here is intended as a guide. Always refer to the installation instructions when fitting, installation work should be completed by a professional tradesman.