

## Exposed valve Doc M shower pack with stainless steel luxury concealed fixing grab rails and slimline shower seat



### Product details

<b>Warranty:</b>	See individual products
<b>Max rated load:</b>	See individual products
<b>Doc M compliant:</b>	Yes
<b>Suitable for wet areas:</b>	Yes

### Features

- Complies with Part M of the Building Regulations
- Reg 4 Certified (WRAS, NSF, Kiwa, etc.) & TMV3 approved thermostatic mixer shower with extended lever
- Non-corrosive concealed fixings stainless steel grab rails & hinged support rails
- Simple one box solution

### Finish options



**Matt black**  
RAL 9005



**Satin**  
Stainless Steel



**Polished**  
Stainless Steel

### Product description

Exposed valve Doc M shower pack, stainless steel, luxury grab rails, slimline shower seat, matt black  
 Exposed valve Doc M shower pack, stainless steel, luxury grab rails, slimline shower seat, polished  
 Exposed valve Doc M shower pack, stainless steel, luxury grab rails, slimline shower seat, satin

### Product code

321105/MB  
 321105/SP  
 321105/SS


### Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

## Pack contents

- 1 x Slimline shower seat
- 1 x Exposed TMV3 Doc M shower valve
- 1 x Exposed Doc M shower diverter
- 1 x Shower head and hose
- 1 x Antivandal overhead shower head
- 3 x 600mm stainless steel grab rails with concealed fixings
- 1 x 450mm stainless steel grab rail with concealed fixings
- 1 x 900mm stainless steel grab rail with concealed fixings
- 2 x 800mm stainless steel hinged support rails
- 1 x 1200mm x 1200mm stainless steel shower curtain rail
- 2 x Weighted shower curtains
- 1 x Sliding Shower head bracket
- 2 x Single robe hooks

## Dimensions (mm)



## Exposed TMV3 shower valve and diverter kit



### Product details

**Warranty:** 5 years

**Max rated load:** n/a

**Doc M compliant:** Yes

**Suitable for wet areas:** Yes

### Features

- Complies with Part M of the Building Regulations
- Single sequential control for both temperature and flow
- Automatic shut off in the event of hot or cold water supply failure
- Brass construction
- TMV3 Approved & Reg 4 Certified (WRAS, NSF, Kiwa, etc.)

### Finish options



Polished  
chrome

### Product description

Exposed TMV3 shower valve and diverter kit

### Product code

COM-NYTS3650TOELCKIT

### Pack contents

- 1x Inline diverter
- 1x Exposed valve
- 1x Fixed shower head

### Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

## Flow rates (l/min)

System pressure (bar)	0.2	0.5	1	2	3	5
Open outlet (mixed)	3.9	6.3	6	7	7.5	8

## Specification

Maximum hot water supply temperature: 65 degrees Celsius


Maximum static pressure: 10 bar

Minimum dynamic pressure: 0.2 bar MIN, 5 bar MAX

Connection inlet: 15mm compression

Connection outlet: G 1/2"

## Dimensions (mm)



## Contemporary slimline wall mounted shower seat with back rest



### Product details

Warranty:	5 years
Max rated load:	100 kg
Doc M compliant:	No
Suitable for wet areas:	Yes

### Features

- Minimalist contemporary design
- Brushed aluminium wall mounting system
- Drainage hole in seat
- Back rest for optimum comfort
- Lift and lock hinge mechanism

### Finish options



Black  
RAL 9005



White  
RAL 9016

### Product description

Contemporary slimline shower seat, back rest, black  
Contemporary slimline shower seat, back rest, white





### Product code

331003/BL  
331003/WH

### Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

## Dimensions (mm)



## Luxury straight stainless steel grab rail with concealed fixings



### Product details

<b>Warranty:</b>	5 years
<b>Max rated load:</b>	200 kg
<b>Doc M compliant:</b>	Yes
<b>Suitable for wet areas:</b>	Yes

### Features

- High quality stainless steel construction
- Concealed fixings
- Stylish T-bar design
- Complies with Part M of the Building Regulations

### Finish options



Satin  
Stainless Steel



Polished  
Stainless Steel



Matt black  
RAL 9005

### Product description

Luxury grab rail, straight, stainless steel, concealed fixings, 355mm
Luxury grab rail, straight, stainless steel, concealed fixings, 480mm
Luxury grab rail, straight, stainless steel, concealed fixings, 620mm
Luxury grab rail, straight, stainless steel, concealed fixings, 900mm

### Product code


311435/**
311448/**
311462/**
311490/**

Replace \*\* with finish option code above e.g., 311435/SP

### Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

## Dimensions (mm)



PRODUCT CODE	311435/**	311448/**	311462/**	311490/**
DIM 'A'	355	480	620	900



## Contemporary stainless steel single arm friction hinged rail with concealed fixing



### Product details

Warranty: 5 years

Max rated load: 90 kg

Doc M compliant: Yes

Suitable for wet areas: Yes

### Features

- Contemporary single arm design
- Premium friction folding mechanism
- High quality stainless steel construction
- Complies with Part M of the Building Regulations

### Finish options



Satin  
Stainless Steel



Polished  
Stainless Steel



Matt black  
RAL 9005

### Product description

Contemporary single arm friction rail, stainless steel, concealed fixings

### Product code


310480C/\*\*

Replace \*\* with finish option code above e.g., 310480C/SP

### Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



## Single aluminium robe hook



### Product details

Warranty:	2 years
Max rated load:	n/a
Doc M compliant:	Yes
Suitable for wet areas:	Yes

### Features

- Aluminium construction
- Colour options available for visually impaired
- Complies with Part M of the Building Regulations

### Finish options

**WH**

White  
RAL 9016

**DB**

Dark blue  
RAL 5011

**DG**

Dark grey  
RAL 7016

**GY**

Grey  
RAL 7005

### Product description

- Single robe hook, aluminium, dark blue (RAL 5011)
- Single robe hook, aluminium, dark grey (RAL 7016)
- Single robe hook, aluminium, grey (RAL 7005)
- Single robe hook, aluminium, white (RAL 9016)


### Product code

- 141701/DB
- 141701/DG
- 141701/GY
- 141701/WH

### Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



## Shower handset



### Product details

Warranty:	5 years
Max rated load:	n/a
Doc M compliant:	Yes
Suitable for wet areas:	Yes

### Features

- Robust plastic construction
- 3/4" threaded connection
- 3 stage flow style adjustment paddle

## Finish options



Polished  
chrome

## Product description

Shower handset, chrome plated



## Product code

COM-BO30009CP

## Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



## Sliding shower head bracket



### Product details

Warranty:	5 years
Max rated load:	n/a
Doc M compliant:	Yes
Suitable for wet areas:	Yes

### Features

- Complies with Part M of the Building Regulations
- Large button for easy operation for users with limited dexterity
- Suitable for use with 32mm diameter rails

## Finish options



Polished  
chrome

## Product description

Sliding shower head bracket, for 32mm rail, chrome polished



## Product code

250401/CP

## Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

**Dimensions (mm)**





## Stainless steel L-shaped shower curtain rail, 1200mm x 1200mm



### Product details

<b>Warranty:</b>	5 years
<b>Max rated load:</b>	n/a
<b>Doc M compliant:</b>	Yes
<b>Suitable for wet areas:</b>	Yes

### Features

- Tubular stainless steel construction
- Supplied with ceiling stay
- Concealed wall fixings
- Can be cut to measure on site if necessary

### Finish options



**WH**

White  
RAL 9016



**SS**

Satin  
Stainless Steel



**SP**

Polished  
Stainless Steel

### Product description


### Product code

Shower curtain rail, stainless steel, L-shaped, 1200x1200mm, polished	250502/SP
Shower curtain rail, stainless steel, L-shaped, 1200x1200mm, satin	250502/SS
Shower curtain rail, stainless steel, L-shaped, 1200x1200mm, white (RAL 9016)	250502/WH

### Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Dimensions (mm)



## Weighted polyester shower curtain



### Product details

Warranty: 5 years

Doc M compliant: Yes

Suitable for wet areas: Yes

### Features

- Easy clean polyester material
- Weighted curtain
- Contains 12x hooks
- Reinforced Eyelets
- Durable

## Finish options

**WH**

White  
RAL 9016

### Product description

Weighted shower curtain, polyester, 1800mm x 2000mm, white (RAL 9016)

### Product code

250603/WH

### Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

