

Concealed valve Doc M shower pack with stainless steel concealed fixing grab rails



Product details

Warranty: See individual products

Max load: N/A

Doc M compliant: Yes

Suitable for wet areas: Yes

Features

- Complies with Part M of the Building Regulations
- Reg 4 Certified (WRAS, NSF, Kiwa, etc.) & TMV3 approved valve & diverter
- Concealed valve and diverter with extended levers
- Extended projection shower seat to allow easier side transfer from wheelchair
- Non-corrosive concealed fixing stainless steel grab rails & hinged support rails
- Simple one box solution

Finish options

Powder Coated



DB
Dark Blue (RAL 5011)



DG
Dark Grey (RAL 7016)



GY
Grey (RAL 7005)



WH
White (RAL 9016)

Mechanical



SP
Polished Stainless Steel



SS
Satin Stainless Steel

Product description

Product code

Concealed Doc M shower pack, stainless steel, concealed fixings

230403/**


Replace ** with 2-character code for chosen finish (Powder Coated / Mechanical).
e.g., 230403/DB

Pack contents

- 1 x Doc M shower seat
- 1 x Concealed TMV3 Doc M shower valve
- 1 x Concealed Doc M shower diverter
- 1 x Antivandal overhead shower head
- 1 x Shower head and hose
- 3 x 600mm Stainless steel grab rails with concealed fixings
- 1 x 450mm Stainless steel grab rail with concealed fixings
- 1 x 900mm Stainless steel grab rail with concealed fixings *(always SP finish)**
- 2 x 800mm Stainless steel hinged support rails
- 1 x 1200mm x 1200mm Stainless steel shower curtain rail *(always WH finish)**
- 2 x Weighted shower curtains
- 1 x Sliding Shower head bracket
- 2 x Single robe hook

**Refer to pack items for details of finishes*

Dimensions (mm)



Concealed TMV3 shower valve and diverter kit



Product details

Warranty: 5 years

Max load: N/A

Doc M compliant: Yes

Suitable for wet areas: Yes

Features

- Complies with Part M of the Building Regulations
- Single sequential control for both temperature and flow
- High performance even at low pressure
- Automatic shut off in the event of hot or cold water supply failure
- Easy isolation and filter removal
- Integral thermal flushing for infection control
- Brass construction
- TMV3 approved & Reg 4 Certified (WRAS, NSF, Kiwa, etc.)

Finish options

Electroplated



CP
Polished Chrome

Product description

Concealed TMV3 shower valve and diverter kit

Product code

COM-NYOPTS3650CLCKIT

Pack contents

- 1 x Concealed diverter
- 1 x Concealed valve
- 1 x Fixed shower head

Flo rates (l/min)

System pressure (bar)	0.2	0.5	1	2	3	5
Open outlet (mixed)	3.9	6.3	6	7	7.5	8

Specification

Maximum hot water supply temperature: 65 degrees Celsius


Maximum static pressure: 10 bar

Minimum dynamic pressure: 0.2 bar MIN, 5 bar MAX

Connection inlet: 15mm compression

Connection outlet: G 1/2"

Dimensions (mm)



Sliding shower head bracket



Product details

Warranty:	5 years
Max load:	N/A
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- Complies with Part M of the Building Regulations
- Large button for easy operation for users with limited dexterity
- Suitable for use with 32mm diameter rails

Finish options



CP
Polished Chrome


Product description

Sliding shower head bracket, for 32mm rail, chrome polished

Product code

250401

Dimensions (mm)



Wall mounted padded Doc M shower seat



Product details

Warranty: 5 years

Max load: 250 kg

Doc M compliant: Yes

Suitable for wet areas: Yes

Features

- Complies with Part M of the Building Regulations
- Extended projection to allow easier side transfer from wheelchair
- Aluminium and stainless frame
- Durable clip on plastic seat
- Adjustable height
- Drainage holes for easy-drain
- Back support for optimum comfort
- Closed cell polyurethane pad for maximum hygiene and comfort
- Foldable design

Finish options



DB
Dark Blue (RAL 5011)



GY
Grey (RAL 7005)

Product description





Doc M shower seat, 650mm projection, polished frame

Product code

SB-085/**

Replace ** with 2-character short code for chosen finish.
e.g., SB-085/DB

Dimensions (mm)



Stainless steel L-shaped shower curtain rail, 1200mm x 1200mm



Product details

Warranty: 5 years

Max load: N/A

Doc M compliant: Yes

Suitable for wet areas: Yes

Features

- Tubular stainless steel construction
- Supplied with ceiling stay
- Concealed wall fixings
- Can be cut to measure on site if necessary

Finish options

Powder Coated



WH
White (RAL 9016)

Mechanical



SP
Polished Stainless Steel



SS
Satin Stainless Steel

Product description


Product code

Shower curtain rail, stainless steel, L-shaped, 1200mm x 1200mm

250502/**

Replace ** with 2-character short code for chosen finish (Powder Coated / Mechanical).
e.g., 250502/WH

Dimensions (mm)



Weighted polyester shower curtain



Product details

Warranty: 5 years

Max load: N/A

Doc M compliant: Yes

Suitable for wet areas: Yes

Features

- Easy clean polyester material
- Weighted curtain
- Eyelet hanging
- Durable




Product description

Product code

Weighted shower curtain, polyester, 1800mm x 2000mm, white (RAL 9016)

250603-WH

Dimensions (mm)



Stainless steel grab rail with concealed fixings, 35mm diameter tube



Product details

Warranty:	5 Years
Max load:	185 kg
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features


- Stainless steel construction
- Durable powder coated finish
- Concealed fixing

Finish options


Powder coated




WH
White (RAL 9016)



DB
Dark Blue (RAL 5011)



DG
Dark Grey (RAL 7016)



GY
Grey (RAL 7005)


Product description

Product code

Grab rail, stainless steel, concealed fixings, 35mm diameter, 300mm	210130/**
Grab rail, stainless steel, concealed fixings, 35mm diameter, 450mm	210145/**
Grab rail, stainless steel, concealed fixings, 35mm diameter, 600mm	210160/**
Grab rail, stainless steel, concealed fixings, 35mm diameter, 900mm	210190/**

Replace ** with 2-character short code for chosen finish.
e.g., 210130/WH

Dimensions (mm)



PRODUCT CODE	210130/**	210145/**	210160/**	210190/**
DIM 'A'	300	450	600	900

Single aluminium robe hook



Product details

Warranty: 2 years

Max load: N/A

Doc M compliant: Yes

Suitable for wet areas: Yes

Features


- Aluminium construction
- Colour options available for visually impaired
- Complies with Part M of the Building Regulations

Finish options

Powder Coated



DB
Dark Blue (RAL 5011)



DG
Dark Grey (RAL 7016)



GY
Grey (RAL 7005)



MB
Matt Black (RAL 9005)



WH
White (RAL 9016)

Product description

Single robe hook, aluminium

Product code

141701/**

Replace ** with 2-character short code for chosen finish (Powder Coated).
e.g., 141701/DB

Dimensions (mm)

