Rail only Doc M shower pack with stainless steel luxury concealed fixing grab rails



Product details

Warranty:	See individual products
Max rated load:	See individual products
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- Complies with Part M of the Building Regulations
- Concealed fixing stainless steel grab rails
- Stainless steel hinged support rail with concealed fixings
- Simple one box solution

Finish options





Stainless Steel

SP Polished Stainless Steel


Product description	Product code
Rail only Doc M shower pack, stainless steel, luxury rails, matt black (RAL 9005)	321101/MB
Rail only Doc M shower pack, stainless steel, luxury rails, polished	321101/SP
Rail only Doc M shower pack, stainless steel, luxury rails, satin	321101/SS

Disclaimer

Pack contents

- 1 x Doc M shower seat
- 1 x 450mm stainless steel luxury grab rail with concealed fixings
- 3 x 600mm stainless steel luxury grab rails with concealed fixings
- 1 x 900mm stainless steel luxury grab rail with concealed fixings
- 2 x 800mm stainless steel contemporary hinged support rails with concealed fixings
- 1 x 1200mm x 1200mm stainless steel shower curtain rail
- 2 x Weighted shower curtains
- 1 x Sliding shower head bracket
- 2 x Single robe hooks

Dimensions (mm)



Wall mounted polished aluminium Doc M shower seat



Product details

Warranty:	5 years
Max rated load:	250 kg
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- Complies with Part M of the Building Regulations
- Extended projection to allow easier side transfer from wheelchair
- Non-corrosive Aluminium and stainless frame
- Durable clip on plastic seat
- Adjustable height
- Drainage holes for easy-drain
- Back support for optimum comfort
- Closed cell polyurethane pad for maximum hygiene and comfort

Finish options



Product description


Doc M shower seat, 650mm projection, polished frame, black pads


Product code

SB-085/BL

Disclaimer

Dimensions (mm)





NYMAS <u>GROUP</u>

Luxury straight stainless steel grab rail with concealed fixings



Product details

Warranty:	5 years
Max rated load:	200 kg
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- High quality stainless steel construction
- Concealed fixings
- Stylish T-bar design
- Complies with Part M of the Building Regulations

Product code

Finish options



Satin Stainless Steel

SP Polished

Stainless Steel




Product description

Luxury grab rail, straight, stainless steel, concealed fixings, 355mm	311435/**
Luxury grab rail, straight, stainless steel, concealed fixings, 480mm	311448/**
Luxury grab rail, straight, stainless steel, concealed fixings, 620mm	311462/**
Luxury grab rail, straight, stainless steel, concealed fixings, 900mm	311490/**

Replace ** with finish option code above e.g., 311435/SP

Disclaimer

Dimensions (mm)



PRODUCT CODE	311435/**	311448/**	311462/**	311490/**
DIM 'A'	355	480	620	900

Contemporary stainless steel single arm friction hinged rail with concealed fixing



Product details

Warranty:	5 years
Max rated load:	90 kg
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- Contemporary single arm design
- Premium friction folding mechanism
- High quality stainless steel construction
- Complies with Part M of the Building Regulations

Finish options



Satin Stainless Steel

Polished Stainless Steel



Product description

Contemporary single arm friction rail, stainless steel, concealed fixings

310480C/**


Product code


Disclaimer

NYMAS Group makes every effort to ensure that the information provided on this data sheet is correct. However, we cannot guarantee this, and accept no liability for any information or advice given on this data sheet.

Replace ** with finish option code above e.g., 310480C/SP

Dimensions (mm)





Stainless steel L-shaped shower curtain rail, 1200mm x 1200mm

	Product details	
	Warranty:	5 years
	Max rated load:	n/a
e25.)	Doc M compliant:	Yes
	Suitable for wet areas:	Yes
	Features	
	 Tubular staiploss 	s stool cons

- Tubular stainless steel construction
- Supplied with ceiling stay
- Concealed wall fixings
- Can be cut to measure on site if necessary

Finish options





White RAL 9016 St

Satin Stainless Steel




Stainless Steel

Product description	Product code
Shower curtain rail, stainless steel, L-shaped, 1200x1200mm, polished	250502/SP
Shower curtain rail, stainless steel, L-shaped, 1200x1200mm, satin	250502/SS
Shower curtain rail, stainless steel, L-shaped, 1200x1200mm, white (RAL 9016)	250502/WH

Disclaimer

Dimensions (mm)



NYMA PRO

Single aluminium robe hook



Product details	
Warranty:	2 years
Max rated load:	n/a
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- Aluminium construction
- Colour options available for visually impaired
- Complies with Part M of the Building Regulations

Finish options



DB Dark blue RAL 5011







Product description	Product code
Single robe hook, aluminium, dark blue (RAL 5011)	141701/DB
Single robe hook, aluminium, dark grey (RAL 7016)	141701/DG
Single robe hook, aluminium, grey (RAL 7005)	141701/GY
Single robe hook, aluminium, white (RAL 9016)	141701/WH

Disclaimer

NYMA PRO

Dimensions (mm)





Sliding shower head bracket



Product details

Warranty:	5 years
Max rated load:	n/a
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- Complies with Part M of the Building Regulations
- Large button for easy operation for users with limited dexterity
- Suitable for use with 32mm diameter rails

Finish options



Polished chrome

Product description

Sliding shower head bracket, for 32mm rail, chrome polished


Product code


250401/CP

Disclaimer



Dimensions (mm)





Weighted polyester shower curtain



Product details

Warranty:	5 years
Doc M compliant:	Yes
Suitable for wet areas:	Yes

Features

- Easy clean polyester material
- Weighted curtain
- Eyelet hanging
- Durable

Finish options



White RAL 9016

Product description	Product code
Weighted shower curtain, polyester, 1800mm x 2000mm, white (RAL 9016)	250603/WH

Disclaimer



Dimensions (mm)

