



## **A8 OFFSET SINGLE DOOR QUADRANT**

PRODUCT DATA SHEETS

# A8 OFFSET SINGLE DOOR QUADRANT

## 900 x 760mm





Product Code A8SHOWER09

### Features

- 1900mm in height
- 8mm toughened safety glass
- Protective coating applied for easy cleaning
- Lifetime guarantee
- Smooth sliding action
- Soft open buffers
- Large adjustment for out of true walls and easy installation
- 550mm radius

### Product Certification

- Finish: Silver Anodize per EN12373-1
- Glass: Toughened to EN12150-1
- Rails: Aluminium Alloy 6063



**Dimensions**  
(measurements in mm)

# A8 OFFSET SINGLE DOOR QUADRANT

## 1000 x 800mm





Product Code A8SHOWER010

### Features

- 1900mm in height
- 8mm toughened safety glass
- Protective coating applied for easy cleaning
- Lifetime guarantee
- Smooth sliding action
- Soft open buffers
- Large adjustment for out of true walls and easy installation
- 550mm radius

### Product Certification

- Finish: Silver Anodize per EN12373-1
- Glass: Toughened to EN12150-1
- Rails: Aluminium Alloy 6063



### Dimensions (measurements in mm)

# A8 OFFSET SINGLE DOOR QUADRANT

## 1200 x 800mm




Product Code A8SHOWER011

### Features

- 1900mm in height
- 8mm toughened safety glass
- Protective coating applied for easy cleaning
- Lifetime guarantee
- Smooth sliding action
- Soft open buffers
- Large adjustment for out of true walls and easy installation
- 550mm radius

### Product Certification

- Finish: Silver Anodize per EN12373-1
- Glass: Toughened to EN12150-1
- Rails: Aluminium Alloy 6063



**Dimensions**  
(measurements in mm)

# A8 OFFSET SINGLE DOOR QUADRANT

## 1200 x 900mm




Product Code A8SHOWER12

### Features

- 1900mm in height
- 8mm toughened safety glass
- Protective coating applied for easy cleaning
- Lifetime guarantee
- Smooth sliding action
- Soft open buffers
- Large adjustment for out of true walls and easy installation
- 550mm radius

### Product Certification

- Finish: Silver Anodize per EN12373-1
- Glass: Toughened to EN12150-1
- Rails: Aluminium Alloy 6063



**Dimensions**  
(measurements in mm)