

RUSTIQUE FIRE CLAY CERAMIC INSET OR UNDERMOUNT SINK
CRUB4329WH/



Size: 796 x 462 mm

RANGEMASTER
SINKS & TAPS

Material	Fire clay Ceramic
Material Gauge	
Material Finish Bowl	
Material Finish Drainer	
Drainer Position	
Overall Length (mm)	796
Overall Width (mm)	462
Main Bowl Length (mm)	431
Main Bowl Width (mm)	401
Main Bowl Depth (mm)	196
Second Bowl Length (mm)	286
Second Bowl Width (mm)	401
Second Bowl Depth (mm)	196
Tap hole Size (mm)	
Waste Size (mm)	2 x 90
Waste Kit	Included with sink (2 x 90m BSW & overflow kit)
Min. Base Unit (mm)	900
Cutout Size Length (mm)	
Cutout Size Width (mm)	
Warranty Sinks (years)	25
Product Code	CRUB4329WH/
Barcode	


Date of download: July 17, 2025

AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to date resources, the information included here is intended as a guide. Always refer to the product's installation instructions when fitting, installation work should be completed a professional tradesman.

RUSTIQUE FIRE CLAY CERAMIC INSET OR UNDERMOUNT SINK

CRUB4329WH/

Technical Drawing



NB: Due to manufacturing processes this sink may have a +/- 5mm tolerance on the measurements.

Date of download: July 17, 2025




AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to date resources, the information included here is intended as a guide. Always refer to the product's installation instructions when fitting, installation work should be completed a professional tradesman.

RUSTIQUE FIRE CLAY CERAMIC INSET OR UNDERMOUNT SINK

CRUB4329WH/

Cut Out Template

Dimensions in mm. Not to scale.



NB: Due to manufacturing processes this sink may have a +/- 5mm tolerance on the measurements.

Date of download: July 17, 2025

AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to date resources, the information included here is intended as a guide. Always refer to the product's installation instructions when fitting, installation work should be completed a professional tradesman.