

GLENDALE 18/10 STAINLESS STEEL INSET SINK

GL9501/

RANGEmaster
sinks & taps



Size: 950 x 508 mm

The Glendale kitchen sink features a bold drainer framed with a distinct subtle ground-edge trim which provides a unique finished look incorporating two-toned stainless steel.

- Reversible drainer
- Micro-sheen™ soft brushed finish
- Manufactured from 18/10 stainless steel
- Waste kit included
- 25 year warranty



Material	18/10 Stainless Steel
Material Gauge	0.7
Material Finish Bowl	Micro-Sheen™ Soft Brushed Finish
Material Finish Drainer	Micro-Sheen™ Soft Brushed Finish
Drainer Position	Reversible
Overall Length (mm)	950
Overall Width (mm)	508
Main Bowl Length (mm)	360
Main Bowl Width (mm)	424
Main Bowl Depth (mm)	155
Second Bowl Length (mm)	-
Second Bowl Width (mm)	-
Second Bowl Depth (mm)	-
Tap hole Size (mm)	1 x 35
Waste Size (mm)	1 x 89
Waste Kit	Included with sink (1 x 89mm BSW & overflow kit)
Min. Base Unit (mm)	500
Cutout Size Length (mm)	930
Cutout Size Width (mm)	488
Warranty Sinks (years)	25
Product Code	GL9501/
Barcode	5015834046082

Date of download: July 19, 2023

GLENDALE 18/10 STAINLESS STEEL INSET SINK

GL9501/

Technical Drawing



Date of download: July 19, 2023


AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to date resources, the information included here is intended as a guide. Always refer to the product's installation instructions when fitting, installation work should be completed a professional tradesman.

GLENDALE 18/10 STAINLESS STEEL INSET SINK

GL9501/

Cut Out Template

Dimensions in mm. Not to scale.



Date of download: July 19, 2023

AGA Rangemaster continuously seeks improvements in specification, design and production of products and thus, alterations take place periodically. Whilst every effort is made to produce up-to date resources, the information included here is intended as a guide. Always refer to the product's installation instructions when fitting, installation work should be completed a professional tradesman.