

AFFORDABLE LUXURY WITH PRECISION ENGINEERING

Why buy a Redroom radiator?

- 5 year guarantee
- 2 year guarantee on electric radiators
- Steel made radiators
- Competitive prices
- Available in the most popular styles and sizes
- All outputs tested to European standard EN442
- High quality material and engineering
- All products are CE approved
- Dual Energy options

Range Overview

Redroom provide reliability and precision with every radiator. All Redroom radiators are manufactured in industry leading facilities using the highest quality materials and processes.



CONTENTS

- **04** Elite
- **06** Elite Electric
- 08 Omnia
- **12** TT
- **14** TT Lux
- **22** Azor
- **26** Baxx
- **30** Supernovar
- **34** Elan
- 40 Elan Electric
- 44 Accessories
- **46** Radiator Valves
- **50** Dual Energy Packs
- 51 How to specify your Radiator
- **52** Underfloor Heating
- **56** Thermostat Controls




























EliteAnthracite



Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ∆T50	Price
ELT080040346	800	400	283	200	966	£114.01
ELT080050346	800	500	338	200	1153	£119.42
ELT080060346	800	600	394	200	1344	£130.30
ELT120040346	1200	400	402	300	1372	£155.60
ELT120050346	1200	500	480	300	1638	£161.05
ELT120060346	1200	600	557	400	1900	£170.09
ELT160050346	1600	500	644	400	2197	£220.78
ELT160060346	1600	600	755	500	2576	£230.03
ELT180050346	1800	500	735	500	2508	£242.62
ELT180060346	1800	600	854	600	2914	£252.08

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.

Pipe centres from wall: 75-85mm | Pipe centres: 400mm Wide: 356mm, 500mm Wide: 456mm, 600mm Wide: 556mm | Finish: Anthrocite











Elite Electric

Adjustable Thermostatic Controller Matt Black

Code	Height (mm)	Width (mm)	Watts	Price
ELTE08040MF9205	800	400	300	£306.42
ELTE12050MF9205	1200	500	750	£360.59
ELTE12060MF9205	1200	600	750	£370.54

For electric only. Not connected to hot water central heating systems.

All Redroom electric radiators are IPX4 rated.

OPERATING MODES



Comfort
Set ambient
temperature
for daytime




Night
Set the
temperature
lower for
night



2 Hour Boost
Heat bathroom
rapidly or to
quickly dry
towels



Programmer
Set a daily or
weekly heat
program











Omnia

Titane / Quartz Beige / Anthracite



SEE PAGE 46 FOR A CHOICE OF CO-ORDINATING RADIATOR VALVES


		_				
Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ∆T50	Price
Omnia - Left Hand						
OML120050	1161	496	547	400	1867	£360.58
OML120060	1161	596	628	400	2143	£384.18
OML170050	1681	496	778	500	2655	£433.32
OML170060	1681	596	894	600	3051	£469.34
Omnia - Right Har	nd					
OMR120050	1161	496	547	400	1867	£360.58
OMR120060	1161	596	628	400	2143	£384.18
OMR170050	1681	496	778	500	2655	£433.32
OMR170060	1681	596	894	600	3051	£469.34

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.

Pipe centres from wall: 41mm | Pipe centres: 50mm

Add 3 digits to the end of the product code to specify colour: Titane 335 | Quartz Beige 523 | Anthracite 3







Omnia



Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ΔT50	Price
Omnia - Left Hand						
OML120050	1161	496	547	400	1867	£324.52
OML120060	1161	596	628	400	2143	£345.76
OML170050	1681	496	778	500	2655	£390.00
OML170060	1681	596	894	600	3051	£422.41
Omnia - Right Har	nd					
OMR120050	1161	496	547	400	1867	£324.52
OMR120060	1161	596	628	400	2143	£345.76
OMR170050	1681	496	778	500	2655	£390.00
OMR170060	1681	596	894	600	3051	£422.41


Matt Black

Dual Energy Code Height (mm) Width (mm) Price ΔΤ50 ΔT50 (optional)

WANT TO WARM YOUR TOWELS EVEN WHEN THE **CENTRAL HEATING IS OFF?** Add a dual energy pack to your radiator. See page 50 for details.

Omnia - Left Hanc						
OML1200500557	1161	496	547	400	1867	£360.58
OML1200600557	1161	596	628	400	2143	£384.18
OML1700500557	1681	496	778	500	2655	£433.32
OML1700600557	1681	596	894	600	3051	£469.34
Omnia - Right Han	nd					
OMR1200500557	1161	496	547	400	1867	£360.58
OMR1200600557	1161	596	628	400	2143	£384.18
OMR1700500557	1681	496	778	500	2655	£433.32
OMR1700600557	1681	596	894	600	3051	£469.34
Suitable for a	dual energy installa	tions, see DEPAC	K immersion h	neaters for pricing		









Titane / Quartz Beige / Anthracite

Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ∆T50	Price
TT07005005	675	496	347	200	1183	£181.30
TT10005005	1035	496	518	300	1766	£214.49
TT14005005	1355	496	666	500	2271	£245.39
TT14006005	1355	596	786	500	2680	£268.51
TT16005005	1635	496	795	500	2710	£269.15
TT16006005	1635	596	938	600	3198	£297.32


Suitable for dual energy installations, see DEPACK immersion heaters for pricing.

Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm, 596mm Wide: 558mm

 $\textbf{Add 3 digits} \ \textbf{to the end of the product code to specify colour: } \textbf{Titane } 335 \ \mid \ \textbf{Quartz Beige } 523 \ \mid \ \textbf{Anthracite } 346$











TT LUX Quartz White / Matt Black




Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ∆T50	Price
TTL07005005	675	496	347	200	1184	£195.79
TTL10005005	1035	496	518	300	1767	£231.65
TTL14005005	1355	496	666	500	2272	£265.01
TTL14006005	1355	596	786	500	2682	£289.98
TTL16005005	1635	496	795	500	2713	£290.70
TTL16006005	1635	596	938	600	3200	£321.12


Suitable for dual energy installations, see DEFACK infinitesion floaters for prioring.


Pipe centres from wall: 37mm | Pipe centres: 496mm Wide: 458mm, 590mm Wide: 558mm

Add **3 digits** to the end of the product code to specify colour: **Quartz White** 521 | **Matt Black** 557













TT LUX Hammered Silver / Gold Look

Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ΔT50	Price
TTL14005005	1355	496	666	500	2272	£265.01
TTL16005005	1635	496	795	600	2713	£290.70





WANT TO WARM YOUR TOWELS EVEN WHEN THE CENTRAL HEATING IS OFF? Add a dual energy pack to your radiator. See page 50









TT LUX Pacific Blue

Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ΔT50	Price
1355	496	666	500	2272	£265.01
1635	496	795	600	2713	£290.70
	1355	1355 496	Height (mm) Width (mm) ΔT50 1355 496 666	Height (mm) Width (mm) ΔT50 (optional) 1355 496 666 500	Height (mm) Width (mm) ΔT50 (optional) ΔT50 1355 496 666 500 2272









TT LUX Blush Pink

Code	Height (mm)	Width (mm)	Watts ΔT50	Dual Energy (optional)	BTU ∆T50	Price
TTL14005005168	1355	496	666	500	2272	£265.01
TTL16005005168	1635	496	795	600	2713	£290.70

Suitable for dual energy installations, see DEPACK immersion heaters for pricin

Pine centres from wall: 37mm | Pine centres: 494mm Wide: 458mm





Add a dual energy pack to your radiator. See page 50 for details.



Azor Chrome



Code	Height (mm)	Width (mm)	Watts	Dual Energy (optional)	BTU △ T50	Price
AZOC08050	800	500	203	100	689	£318.00
AZOC120050	1200	500	302	150	1034	£416.23
AZOC160050	1600	500	395	300	1344	£561.18

Suitable for dual energy installations, see DEPACK immersion heaters for pricing


Pine centres from wall: 65mm | Pine centres: 468mm | Finish: Chrome

White


Code	Height (mm)	Width (mm)	Watts	Dual Energy (optional)	BTU Δ T50	Price
AZO080050	800	500	324	200	1105	£259.22
AZO120050	1200	500	476	300	1624	£332.23
AZO160050	1600	500	647	400	2208	£452.21

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.

Pipe centres from wall: 65mm | Pipe centres: 468mm | Finish: White












Azor Anthracite



Code	Height (mm)	Width (mm)	Watts	Dual Energy (optional)	BTU Δ T50	Price
AZO080050346	800	500	324	200	1105	£266.57
AZO120050346	1200	500	476	300	1624	£350.76
AZO160050346	1600	500	647	500	2208	£481.68

Suitable for dual energy installations, see DEPACK immersion heaters for pricing Pipe centres from wall: 65mm | Pipe centres: 468mm | Finish: Anthracite
















Code	Height (mm)	Width (mm)	Watts	Dual Energy (optional)	BTU Δ T50	Price
BAXC080050	800	500	197	100	672	£304.00
BAXC100050	1000	500	249	150	850	£355.43
BAXC120050	1200	500	301	200	1027	£411.55
BAXC140050	1400	500	346	200	1181	£481.68
BAXC160050	1600	500	391	200	1334	£551.81













Angled Square Valve Pack Straight Square Valve Pack Corner Square Valve Pack



RRV4C Chrome £50.62 RRV5C Chrome £50.62 RRV6C Chrome £64.90




Baxx Anthracite



Code	Height (mm)	Width (mm)	Watts Δ T50	Dual Energy (optional)	BTU Δ T50	Price
BAX080050346	800	500	306	200	1044	£271.50
BAX100050346	1000	500	384	200	1310	£322.57
BAX120050346	1200	500	461	300	1573	£375.46
BAX140050346	1400	500	537	300	1832	£446.90
BAX160050346	1600	500	612	400	2088	£502.66

Pipe centres from wall: 65-90mm | Pipe centres: 470mm | Finish: Anthracite








SEE PAGE 46
FOR A
CHOICE OF
CO-ORDINATING
RADIATOR
VALVES



SuperNovar Vertical White




Code	Height (mm)	Width (mm)	Watts	BTU Δ T50	Price
Single Panel					
SNV180029	1800	296	568	1938	£323.00
SNV180044	1800	444	852	2907	£432.12
SNV180059	1800	592	1136	3876	£541.22
Double Panel					
SNVD180029	1800	296	836	2852	£522.55
SNVD180044	1800	444	1254	4279	£720.67
SNVD180059	1800	592	1672	5705	£918.77


Suitable for dual energy installations, see DEPACK immersion heaters for pricing.

Pipe centres from wall: Single 42mm, Double 66mm Pipe centres: 296mm Wide: 247mm / 444mm Wide: 395mm / 592mm Wide: 543mm | Finish: White










SuperNovar Horizontal White

Code	Height (mm)	Width (mm)	Watts	BTU Δ T50	Price			
Single Panel	Single Panel							
SNH059080	592	800	532	1815	£331.62			
SNH059100	592	1000	665	2269	£368.94			
SNH059120	592	1200	798	2723	£406.27			
Double Panel								
SNHD059060	592	600	641	2187	£482.36			
SNHD059080	592	800	855	2917	£545.52			
SNHD059100	592	1000	1069	3647	£610.12			
SNHD059120	592	1200	1283	4378	£674.71			










Elan Straight



Code	Height (mm)	Width (mm)	Watts	Dual Energy (optional)	BTU Δ T50	Price
ELNC060040	600	400	151	100	515	£169.81
ELNC060080	600	800	280	100	955	£273.17
ELNC060100	600	1000	345	100	1177	£292.37
ELNC080040	800	400	177	100	604	£148.04
ELNC080050	800	500	218	150	744	£155.93
ELNC080060	800	600	258	150	880	£165.83
ELNC100050	1000	500	287	150	979	£209.68
ELNC120040	1200	400	260	200	887	£213.19
ELNC120050	1200	500	315	200	1075	£221.08
ELNC120060	1200	600	370	300	1262	£230.94
ELNC160030	1600	300	300	200	1024	£256.93
ELNC160050	1600	500	427	300	1457	£315.85
ELNC160060	1600	600	506	300	1726	£323.76
ELNC180030	1800	300	320	200	1092	£283.51
ELNC180050	1800	500	484	300	1651	£351.37
ELNC180060	1800	600	574	400	1958	£361.24
ELNC180075	1800	750	741	400	2527	£388.34

Suitable for dual energy installations, see DEPACK immersion heaters for pricing. **Pipe centres from wall:** 75-85mm **Pipe centres:** 400mm Wide: 356mm / 500mm Wide: 456mm / 600mm Wide: 556mm | **Finish:** Chrome

ALSO AVAILABLE IN ELECTRIC - SEE PAGE 40










Elan Straight White

	Code	Height (mm)	Width (mm)	Watts	Dual Energy (optional)	BTU Δ T50	Price
E	ELN080040	800	400	283	200	966	£124.35
E	ELN080050	800	500	338	200	1153	£130.30
E	ELN080060	800	600	394	200	1344	£142.14
	ELN120040	1200	400	402	300	1372	£169.74
E	ELN120050	1200	500	480	300	1638	£175.69
[ELN120060	1200	600	557	400	1900	£185.56
	ELN160050	1600	500	644	400	2197	£240.84
E	ELN160060	1600	600	755	500	2576	£250.93
	FLN11000E0	1900	F00	725	F00	2500	00/4/7
- 1	ELN180050	1800	500	735	500	2508	£264.67
- 1	ELN180060	1800	600	854	600	2914	£275.00









Elan Curved

Chrome

Code	Height (mm)	Width (mm)	Watts	Dual Energy (optional)	BTU Δ T50	Price
ELNTC080050	800	500	218	150	744	£161.86
ELNTC080060	800	600	258	150	880	£171.73
			I			
ELNTC120050	1200	500	315	200	1075	£227.02
ELNTC120060	1200	600	370	200	1262	£236.87
					Υ	
ELNTC180050	1800	500	484	300	1651	£357.31
ELNTC180060	1800	600	574	400	1958	£369.12

Suitable for dual energy installations, see DEPACK immersion heaters for pricing.

Pipe centres from wall: 60-75mm Pipe centres: 500mm Wide: 456mm / 600mm Wide: 556mm


Finish: Chrome

White

Code	Height (mm)	Width (mm)	Watts ∆ T50	Dual Energy (optional)	BTU Δ T50	Price
ELNT080050	800	500	338	200	1153	£138.18
ELNT080060	800	600	394	200	1344	£148.04
ELNT120050	1200	500	490	300	1672	£183.58
ELNT120060	1200	600	557	400	1900	£193.46
ELNT180050	1800	500	725	500	2474	£272.40
ELNT180060	1800	600	854	600	2914	£282.30


Suitable for dual energy installations, see DEPACK immersion heaters for pricing.

Pipe centres from wall: 60-75mm Pipe centres: 500mm Wide: 456mm / 600mm Wide: 556mm |











Elan Electric

Adjustable Thermostatic Controller Chrome

Code	Height (mm)	Width (mm)	Watts	Price
ELNEC12050MF	1200	500	300	£544.86
ELNEC12060MF	1200	600	400	£559.63
_				

For electric only. Not connected to hot water central heating systems. All Redroom electric radiators are IPX4 rated.

OPERATING MODES Night Set the temperature lower for night Comfort Set ambient temperature for daytime 7 Day Programmer Set a daily or weekly heat 2 Hour Boost Heat bathroom rapidly or to quickly dry



Adjustable thermostatic controller






Elan Electric Simple Immersion Heater Chrome

Code	Height (mm)	Width (mm)	Watts	Price
ELNEC08040F	821	400	150	£390.73
ELNEC09050F	941	500	200	£399.77
ELNEC12050F	1261	500	200	£470.33
ELNEC12060F	1261	600	300	£475.79
ELNEC18050F	1901	500	400	£586.09
ELNEC18060F	1901	600	500	£594.18











Accessories



Hangy Magnetic Towel Hook
HAG2C Magnetic Fixing Chrome £36.19
Max weight capacity 3KG



Handy Magnetic Towel Rail

HDY1C 380mm (Overall length 440mm) Chrome £119.81

Max weight capacity 5KG



Hangy Towel Hook
HAG1C Clamp Fixing Chrome £13.73



HOO3C Suitable for Elite and Elan Chrome £16.22

Valves

Match your valves to your radiator. The Redroom radiator valves are available in a variety of styles and finishes for you to choose from and come with a 2 year guarantee.



CHOOSE FROM A VARIETY OF **FINISHES AND STYLES**

Manual Radiator Valves 15mm



Angled Round Valve Pack RRV1C Chrome

£28.56



Straight Round Valve Pack RRV2C Chrome



Corner Round Valve Pack £28.56 RRV3C Chrome






Angled Round Valve Pack

RRV1A Anthracite







Corner Round Valve Pack £31.15 RRV3A Anthracite



Anthracite



Angled Round Valve Pack





Straight Round Valve Pack

RRV2B Black

£31.15 RRV3B Black



Corner Round Valve Pack



Black



Angled Round Valve Pack

RRV1V Volcanic



Straight Round Valve Pack

RRV2V Volcanic



Corner Round Valve Pack £31.15 RRV3V Volcanic



Volcanic



Angled Round Valve Pack

Angled Round Valve Pack

RRV1N Brushed Nickel £43.04







Straight Round Valve Pack

RRV2W White





£31.15 RRV3W White



Straight Round Valve Pack





Corner Round Valve Pack RRV2N Brushed Nickel £43.04 RRV3N Brushed Nickel £60.52





Colour keys are for guidance

Square Manual Radiator Valves 15mm



Angled Square Valve Pack RRV4C Chrome



Straight Square Valve Pack £50.62 RRV5C Chrome




Corner Square Valve Pack RRV6C Chrome £50.62

Period Style Thermostatic Radiator Valves 15mm



Classic Angled Thermostatic Valve Pack

Chrome



RRT1C



Valve Pack

Classic Angled Thermostatic





Traditional Straight Thermostatic Valve Pack







Valve Pack

Thermostatic Valve Pack £102.95 RRT1B

Classic Angled Thermostatic



Valve Pack

Classic Angled Thermostatic

MATCH

YOUR

VALVES

TO YOUR

RADIATOR

Traditional Straight Thermostatic Valve Pack Antique Brass £102.95 RRT1CO Copper





Thermostatic Radiator Valves 15mm



Angled Thermostatic Valve Pack





£75.28

£75.28

Straight Thermostatic Valve Pack £72.68 RRV8C Chrome



Corner Thermostatic Valve Pack £72.68 RRV9C Chrome



£72.68





Angled Thermostatic Valve Pack RRV7B Black



Straight Thermostatic Valve Pack RRV8B Black



Corner Thermostatic Valve Pack **£75.28** RRV9B Black £77.88



Black



Angled Thermostatic Valve Pack RRV7V Volcanic



Straight Thermostatic Valve Pack RRV8V Volcanic



Corner Thermostatic Valve Pack £77.88 RRV9V Volcanic

£77.88

£77.88



Volcanic



Angled Thermostatic Valve Pack RRV7W White



Straight Thermostatic Valve Pack RRV8W White



Valve Pack £77.88 RRV9W White £77.88



White



Angled Thermostatic Valve Pack

Accessories

300mm 15mm Pipe

and Rosettes

RRP1 Chrome





Corner Thermostatic Valve Pack £80.48 RRV9W Nickel



Colour keys are for guidance only and are not representative of the actual colour.




£75.28

Valve Pack RRV7W Nickel £80.48

£19.46



180mm Black 15mm







Dual Energy Packs

Do you still want to warm your towels even when the central heating is turned off?

You can add one of these great dual energy packs to your radiator to allow you to control it electrically when the central heating is off.

Code		Price	
DEPACK100	100W	Element Length 300mm	£184.80
DEPACK150	150W	Element Length 300mm	£184.80
DEPACK200	200W	Element Length 340mm	£184.80
DEPACK300	300W	Element Length 400mm	£184.80
DEPACK400	400W	Element Length 500mm	£184.80
DEPACK500	500W	Element Length 580mm	£184.80
DEPACK600	600W	Element Length 650mm	£184.80



THE DEPACK IS BARELY VISIBLE WHEN FITTED

All Redroom radiators have the CE mark, having been independently tested in accredited laboratories to EN442 in accordance with CE requirements. This means our published heat output figures are fully in line with the testing criteria. You can therefore specify the size of your radiator with the assurance that your choice will perform as stated, making Redroom radiators the obvious choice.



- 1. Turn off connection to central heating, so the water within the radiator is isolated.
- 2. Switch on Depack, so your radiator will be heated electrically.
- 3. Enjoy warm towels all year long even when the central heating is off.

How to specify your Radiator



step 1

To start with, you need to find out the heat requirement of the room in Watts. To calculate this as a rough guide, allow 50 watts per cubic metre of the room. You should also consult with a heating engineer for the exact requirement. If you would like to change the watts into BTUs, multiply the watt amount by 3.412.



Step 2

Choose the location of the radiator and figure out any restrictions that could occur, for example height if the radiator is going to be fitted under a window.



Step 3

Browse through this catalogue and choose the perfect radiator for your dream bathroom. For more information speak to your local retailer or heating



Secondary heat source

Does your radiator meet the room's heat requirement?

Depending on the size of your bathroom and type of radiator you want, you may need a secondary

If necessary you can add an extra radiator or underfloor heating to make sure your room is sufficiently heated.

Underfloor Heating

Add luxurious comfort to your home with Redroom underfloor heating. Perfect for heating all areas of your house, but particularly suited to kitchens and bathrooms.

All mats are installed with a choice of three stylish digital thermostats that have energy saving functions to help reduce heating costs.

Available in a range of sizes, the self-adhesive mesh can easily and quickly be fitted directly onto concrete or insulation boards to provide an even spread of heat.

Energy Efficiency



Radiators generate warmth around and above the radiator.



Underfloor heating provides the ultimate comfort with heat rising up from the floor where you need it the most.



Underfloor Heating Mats







Code	Description	Price
UHF1	1.0m ² 100W	£81.36
UHF15	1.5m ² 150W	£88.48
UHF2	2.0m ² 200W	£104.92
UHF25	2.5m ² 250W	£124.93
UHF3	3.0m ² 300W	£157.37
UHF35	3.5m ² 350W	£169.10
UHF4	4.0m ² 400W	£190.50
UHF5	5.0m ² 500W	£238.14
UHF6	6.0m ² 600W	£285.77
UHF7	7.0m ² 700W	£333.38
UHF8	8.0m ² 800W	£381.02
UHF9	9.0m ² 900W	£403.67
UHF10	10m² 1000W	£440.89
UHF12	12m² 1200W	£498.84

100W Underfloor Heating Mats 150W Underfloor Heating Mats

Code	Description	Price
HHF1	1.0m ² 150W	£83.69
HHF15	1.5m ² 225W	£91.00
HHF2	2.0m ² 300W	£113.30
HHF25	2.5m ² 375W	£134.94
HHF3	3.0m ² 450W	£169.98
HHF35	3.5m ² 525W	£182.65
HHF4	4.0m ² 600W	£205.78
HHF5	5.0m ² 750W	£257.20
HHF6	6.0m ² 900W	£308.63
HHF7	7.0m ² 1050W	£360.07
HHF8	8.0m ² 1200W	£411.55
HHF9	9.0m² 1350W	£456.23
HHF10	10m² 1500W	£506.92
HHF12	12m² 1800W	£576.47

Heating Mats

- Suitable for tiled, laminate and wood floors
- Energy efficient
- Produces around 80% less dust
- Self-adhesive
- Saves on space and no exposed pipes
- Quick and easy to install
- Suitable for small and large areas
- 12 year guarantee on mats





As easy as 1,2,3

Combining underfloor heating and antifracture mat, this brilliant new product from Redroom could save you significant money and time in fitting. It really is as easy as 1,2,3.



Time saving is a key benefit with this product, but what's more, the membrane offers a high level of protection against accidental damage plus it gives the installer a template for very accurate and consistent spacing. If you use underfloor heating, this is the product you need in your life.





Decoupling Membrane Rolls

Code	Description	Price		
UFMEM1	5m² Membrane Roll	£139.72		
UFMEM2	15m² Membrane Roll	£419.14		
Polypropylene membrane with rounded sauare shaped studs that				

form channels specifically designed to embed and fasten electric heating cables. Suitable to go directly onto a concrete subfloor or timber covering insulating boards.



Heating Cable for Membrane

Code	Description	Price
UFW1	10m Cable	£134.94
UFW2	20m Cable	£147.55
UFW3	28m Cable	£175.50
UFW4	41m Cable	£216.70
UFW5	50m Cable	£264.41
UFW6	57m Cable	£313.90
UFW7	70m Cable	£319.72
UFW8	81m Cable	£342.80
UFW9	90m Cable	£385.24
UFW10	100m Cable	£397.58
UFW11	129m Cable	£454.06
UFW12	142m Cable	£462.14
UFW13	165m Cable	£519.71

IPX7, 230V, cable thickness 4mm. Cold tail length 2.3m. 12 year guarantee. Each installation requires a thermostat controller.

Primary Heat = 150W/m² at 2 studs apart Secondary Heat = 100W/m² at 3 studs apart

0.5m² area needs 10m linear cable

Thermostat Controls





Touch Thermostat Control

Code	Description	Price
HFT1	Large LED backlit display with air and floor sensor. 7 day, 6 period programme, Frost protection mode, Screen lock, 2 Year Warranty	£115.16



TouchPlus Thermostat Control

Code	Description	Price
HFT2	Sleek black design, LED display with air and floor sensor. 7 day, 6 period programme, Frost protection, Screen lock, 2 Year Warranty	£165.23




Wifi Enabled Thermostat Control


Code	Description	Price
HFT3	Large LED backlit display with air and floor sensor. 7 day, 6 period programme, Wifi enabled, Frost protection, Screen lock, 2 Year Warranty, Controlled via App	£213.42

Technical Data				
Supply Voltage	220-240V ~			
Power Output	100W/m ² @230V ~ / 150W/m ² @230V ~			
Width	500mm			
Construction	Round, twin conductor with 360° screen, one cold tail			
Max Ambient Temp	65°C			
Cable Thickness	4mm			
Deformation Strength	600N			
Pulling Strength	120N			
Conductor Insulation	FEP			
Outer Sheath	PVC			
Screen	100% coverage, alu-foil, 0.5mm² tinned copper drain wire			
Cold Lead	4m DTWB, 2x1.0mm ^{2,} earthed			
Min Installation Temp	-5°C			
Bending Radius	6 x Ø			
IP Class	IPX7			









		2		

Your Local Supplier



www.redroomheating.co.uk

Distributed by Barwick Bathroom Distribution LLPWe reserve the right to alter or amend product details without prior notice.
All dimensions are nominal. Errors and omissions excepted. All prices are inclusive of VAT at 20%