

CAPO CURVED

Mild Steel Towel Rail



REINA
DESIGNER RADIATOR



chrome

REINA
DESIGNER RADIATOR



CAPO CURVED

Mild Steel Towel Rail



REINA
DESIGNER RADIATOR



5 Years Guarantee



Material: Mild Steel

The Reina Capo Curved Towel Radiator merges contemporary design with practicality, showcasing gracefully arched tubes in a polished chrome finish. Made from robust steel, it offers remarkable heat output and even warmth distribution via its 22mm horizontal tubes. Experience stylish efficiency with a 5-year warranty for added assurance.



CAPO CURVED

Mild Steel Towel Rail



REINA
DESIGNER RADIATOR

Available Sizes

800 x 400	800 x 500	800 x 600	1000 x 400	1000 x 500	1000 x 600	1200 x 400	1200 x 500
1200 x 600	1600 x 400	1600 x 500	1600 x 600	1800 x 400	1800 x 500	1800 x 600	

Available Colours



chrome

CAPO CURVED

Mild Steel Towel Rail



REINA
DESIGNER RADIATOR

Dimensions & Technical Data

Height (mm)	Width (mm)	Pipe Centres (mm)	Wall to Pipe Centres (mm)	Wall Distance (mm)	Dry Weight	No. Bars	Fuel Type
800	400	355	70-85	85-100	-	12	C/E/D
800	500	455	70-85	85-100	-	12	C/E/D
800	600	555	70-85	85-100	-	12	C/E/D
1000	400	355	70-85	85-100	-	16	C/E/D
1000	500	455	70-85	85-100	-	16	C/E/D
1000	600	555	70-85	85-100	-	16	C/E/D
1200	400	355	70-85	85-100	-	18	C/E/D
1200	500	455	70-85	85-100	-	18	C/E/D
1200	600	555	70-85	85-100	-	18	C/E/D
1600	400	355	70-85	85-100	-	24	C/E/D
1600	500	455	70-85	85-100	-	24	C/E/D
1600	600	555	70-85	85-100	-	24	C/E/D
1800	400	355	70-85	85-100	-	27	C/E/D
1800	500	455	70-85	85-100	-	27	C/E/D
1800	600	555	70-85	85-100	-	27	C/E/D

C: Central Heating / E: Electric / D: Dual Fuel

CAPO CURVED

Mild Steel Towel Rail



REINA
DESIGNER RADIATOR

Central Heating Heat Outputs

Model/SKU	Height (mm)	Width (mm)	Colour	Heat Outputs $\Delta T 50^{\circ}\text{C}$		Heat Outputs $\Delta T 60^{\circ}\text{C}$	
				BTU	Watts	BTU	Watts
CPO0840CC	800	400	 Chrome	585	172	749	220
CPO0850CC	800	500	 Chrome	692	203	886	260
CPO0860CC	800	600	 Chrome	802	235	1027	301
CPO1040CC	1000	400	 Chrome	750	220	960	282
CPO1050CC	1000	500	 Chrome	860	252	1101	323
CPO1060CC	1000	600	 Chrome	971	285	1243	365
CPO1240CC	1200	400	 Chrome	840	246	1075	315
CPO1250CC	1200	500	 Chrome	991	291	1269	372
CPO1260CC	1200	600	 Chrome	1149	337	1471	431
CPO1640CC	1600	400	 Chrome	1110	326	1421	417
CPO1650CC	1600	500	 Chrome	1309	384	1675	491
CPO1660CC	1600	600	 Chrome	1518	445	1943	570
CPO1840CC	1800	400	 Chrome	1140	334	1459	428
CPO1850CC	1800	500	 Chrome	1393	409	1783	523
CPO1860CC	1800	600	 Chrome	1646	483	2107	618