## SAGITTARIUS

## **TAPS & SHOWERING**

ConstructionBrass Body (CuZn38Pb18)FinishesChrome plated to BS EN 248

Product Type Contemporary

Water Pressure Min 0.2bar and Max 7.0bar

Plumbing Systems Suitable for high water pressure 15 bar

Certification -

**Size** 200 x 200mm

Fitting G1/2"


Packaging 45.5 x 44 x 24.5cm / carton (10 boxes / carton)

Guarantee 1 year against manufacturing faults (excluding serviceable parts).

Additional Information 1. Rub-clean rubber nozzle

2. 100% Chromed3. Swivel connector







200

SH/358/C

							+						
	•	▣	▣	•	•	•	+	⊡	•	•	•	•	•
	•	•	•	•	•	▣	į.	•	•	•	•	•	•
	•	•	▣	▣	•	▣	þ	•	•	•	•	•	•
	•	•	•	•	•	•	+	•	•	•	•	•	•
	•	•	•	•	•	•	•	•	•	•	•	•	•
_	•	•	•	•	•				•	•	•	•	•
200	<del></del>	<b>-</b>	-0-	-0-	-0-	) —	-	-(	-0-	-	-0-	-0-	-
~	•	•	•	•	•		$\frac{\cdot}{-}$	,	•	•	•	•	•
	•	•	•	•	•	•	4	•	•	•	•	•	•
	•	•	•	•	•	•	4	•	•	•	•	•	•
	•	▣	▣	•	•	•	4	•	•	•	•	•	•
	•	•	•	•	•	•	4	•	•	•	•	•	•
	•	•	•	•	•	•	4	•	•	•	•	•	•

G1/2	
	8
200	<u> </u>

System Pressure	0.1 Bar	0.2 Bar	0.3 Bar	0.5 Bar	1.0 Bar	1.5 Bar	2.0 Bar	3.0 Bar	4.0 Bar	5.0 Bar
SH/358/C	6.5	8.5	12.0	18.0	20.0	22.3	24.6	29.0	32.3	35.5

The information contained on this page was correct at the date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances.

We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice

ConstructionBrass Body (CuZn38Pb18)FinishesChrome plated to BS EN 248

Product Type Contemporary

Plumbing Systems Suitable for all plumbing systems


Certification \_


Fitting G1/2" BSP

Packaging 73 x 48 x 37cm / carton (50 boxes / carton)

Guarantee 5 years against manufacturing faults (excluding serviceable parts).







10	SHOWER CONNECTOR	1
9	O-RING	1
8	BUDY	1
7	SCREW	2
6	SCREW	2
5	BASE PLATE	1
4	O-RING	2
3	CONNECTOR	1
2	WASHER	1
1	BACK NUT	1
No.	DESCRIPTION	QTY

The information contained on this page was correct at the date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances.

We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice