


SIAMP

INTRASLIM

CONCEALED CISTERN DRY WALL
RESERVOIR ENCASTRE CLOISON SECHE
INSTALLATION & MAINTENANCE



SIAMP



90mm Slim
Concealed Cistern



Silent
Function



Anti
Condensation



Water
Saving




Enjoy
Installation



Easy
Installation



Easy Access
Maintenance

**Tools required:****Advice:**

- Keep this notice for any future maintenance

⚠ Read the instructions supplied with the bowl, the seat cover, the cistern and the pressurised water supply system before starting installation work.

⚠ Before fitting the cistern, the supply pipe should be flushed clear.

1 / The internal Equilibrium valve was designed to be used with clear, non aggressive water supplied under a pressure from 1 bar (15 p.s.i) to 10 bars (150 p.s.i). It is fitted with a filter to prevent foreign bodies from impeding the flow. This filter may require occasional cleaning. Proceed as described page 16.

2 / The internal stop valve should be regularly turned off and on to ensure that it remains serviceable.

⚠ Siamp shall not be responsible or liable for improper installation of the product or of any cistern fitting damage caused by the use of cleaners containing chlorine.

Conseils :

- Gardez cette notice pour de futures interventions.


⚠ Lire les notices de la cuvette de WC et de l'abattant avant d'installer ce réservoir. Renseignez-vous sur les caractéristiques de votre réseau d'alimentation en eau.


⚠ Purger le réseau d'alimentation en eau avant d'y connecter le réservoir.


1 / le robinet flotteur inclus fonctionne avec de l'eau potable. La pression de fonctionnement doit être comprise entre 1 et 10 bars. Il est équipé d'un filtre pour empêcher les corps étrangers de l'endommager. Ce filtre peut exiger le nettoyage occasionnel. Procédez comme décrit en page 16.


2 / le robinet d'arrêt doit être occasionnellement actionné pour prévenir tout blocage.


⚠ Siamp garantit ses produits s'ils sont installés selon ses préconisations. L'emploi de produits d'entretien chlorés est à proscrire.


























1




2

























3





GB: Except rubber parts
FRA: Hors pièces en caoutchouc.
CZ: Nevztahuje se na gumové části.
DAN: Gummidele ikke inkluderet.
DEU: Gilt nicht für Teile aus Gummi.
ESP: No incluye las partes de goma.
GRE: Δεν περιλαμβάνονται τα εξαρτήματα από καουτσούκ.
H: A gumi alkatrészekre nem vonatkozik.
LT: Netaikoma dalims iš kaučiuko.
NER: Rubberen onderdelen niet inbegrepen.
NOR: Gummideler ikke inkludert.
PL: Gwarancja nie dotyczy elementów gumowych.
ROM: Nu include piesele din cauciuc.
RUS: Гарантия не распространяется на резиновые части.
SK: Nevztahuje sa na gumené časti.

SIAMP

Siamp Ltd, Unit C2, Meadowbank Business Park, Tweedale Way
Hollinwood, Oldham, Greater Manchester, OL9 8EH
T : 0161 681 2120 F : 0161 681 2130 E : info@siamp.co.uk
Technical support : aftersales@siamp.co.uk W : www.siamp.co.uk