



TELFORD COPPER CYLINDERS LTD

THERMAL STORE PRICING GUIDE

T: 01952 257961

F: 01952 253452

Unit 22, Furrows Business Park, Haybridge Road, Telford, TF1 2DF

Contents

- Page 1 - Combination Section**
- Page 2 - Open vented combination**
- Page 3 - Open vented combination with solar coil**
- Page 4 - Open vented combination with boiler coil**
- Page 5 - Open vented combination with boiler and solar coil**
- Page 6 - Open vented combination electric only**
- Page 7 - Cylinder type section**
- Page 8 - Cylinder type open vented**
- Page 9 - Cylinder type open vented with solar coil**
- Page 10 - Cylinder type open vented with boiler coil**
- Page 11 - Cylinder type open vented with boiler and solar coil**
- Page 12 - Cylinder type open vented electric only**
- Page 13 - Sealed system section**
- Page 14 - Sealed system only**
- Page 15 - Sealed system with solar coil**
- Page 16 - Header tank section**
- Page 17 - Header tank sizing/selector**

T: 01952 257961

F: 01952 253452

Unit 22, Furrows Business Park, Haybridge Road, Telford, TF1 2DF




COMBINATION TYPE STORE

TSC

Combination Open-Vented Thermal Store Range


The Telford Combination open-vented is designed for installations with vented heat sources and vented heating systems only, all stores come with a blend valve/shock arrestor factory fitted and a 3kw immersion as backup.



Capacity	Dimensions	Blue Foam Code	White Cased Code
115litre	1050x450	TSC115/1010	TSC115/1010C
135litre	1200x450	TSC135/1011	TSC135/1011C
144litre	1400x450	TSC144/1012	TSC144/1012C
160litre	1550x450	TSC160/1013	TSC160/1013C
200litre	1850x450	TSC200/1014	TSC200/1014C
250litre	1800x500	TSC250/1015	TSC250/1015C
300litre	2000x500	TSC300/1016	TSC300/1016C

Combination Open-Vented Thermal Store Range With Solar Thermal Coil


The Telford Combination Open-Vented Solar is designed for installations with vented heat sources and vented heating systems as well as a Solar Coil. All stores come with a blend valve/shock arrestor factory fitted and a 3kw immersion as



Capacity	Dimensions	Blue Foam Code	White Cased Code
115litre	1050x450	N/A	N/A
135litre	1200x450	N/A	N/A
144litre	1400x450	TSC144/2012	TSC144/2012C
160litre	1550x450	TSC160/2013	TSC160/2013C
200litre	1850x450	TSC200/2014	TSC200/2014C
250litre	1800x500	TSC250/2015	TSC250/2015C
300litre	2000x500	TSC300/2016	TSC300/2016C

Combination Open-Vented Thermal Store Range With Sealed Boiler


The Telford Combination Open-Vented is designed for installations with vented solid fuel and heating systems as well as a Sealed System Boiler. All stores come with a blend valve/shock arrestor factory fitted and a 3kw immersion as backup.



Capacity	Dimensions	Blue Foam Code	White Cased Code
115litre	1050x450	N/A	N/A
135litre	1200x450	N/A	N/A
144litre	1400x450	TSC144/4012	TSC144/4012C
160litre	1550x450	TSC160/4013	TSC160/4013C
200litre	1850x450	TSC200/4014	TSC200/4014C
250litre	1800x500	TSC250/4015	TSC250/4015C
300litre	2000x500	TSC300/4016	TSC300/4016C

Combination Open-Vented Thermal Store Range With Solar Thermal Coil and Sealed Boiler


The Telford Combination Open-Vented Solar is designed for installations with vented solid fuel and heating systems as well as a Sealed System Boiler and Solar. All stores come with a blend valve/shock arrestor factory fitted and a 3kw immersion as backup.



Capacity	Dimensions	Blue Foam Code	White Cased Code
115litre	1050x450	N/A	N/A
135litre	1200x450	N/A	N/A
144litre	1400x450	N/A	N/A
160litre	1550x450	N/A	N/A
200litre	1850x450	TSC200/3014	TSC200/3014C
250litre	1800x500	TSC250/3015	TSC250/3015C
300litre	2000x500	TSC300/3016	TSC300/3016C

Combination Open-Vented Direct Thermal Store Range

The Telford Combination open-vented direct is designed for installations where electric is the only heat source available. All stores come with a blend valve/shock arrestor factory fitted and two 3kw immersion heaters.



Capacity	Dimensions	Blue Foam Code	White Cased Code
115litre	1050x450	TSC115/5010	TSC115/5010C
135litre	1200x450	TSC135/5011	TSC135/5011C
144litre	1400x450	TSC144/5012	TSC144/5012C
160litre	1550x450	TSC160/5013	TSC160/5013C
200litre	1850x450	TSC200/5014	TSC200/5014C
250litre	1800x500	TSC250/5015	TSC250/5015C
300litre	2000x500	TSC300/5016	TSC300/5016C




CYLINDER TYPE STORE

TSV

Cylinder Type, Open-Vented, Thermal Store Range


The Telford Cylinder Type, Open-Vented is designed for installations with vented heat sources and vented heating systems only. All stores come with a blend valve/shock arrestor factory fitted and a 3kw immersion as backup.



Capacity	Dimensions	Blue Foam Code	White Cased Code
115litre	900x450	TSV115/1110	TSV115/1110C
135litre	1000x450	TSV135/1211	TSV135/1211C
144litre	1050x450	TSV144/1312	TSV144/1312C
160litre	1200x450	TSV160/1413	TSV160/1413C
200litre	1500x450	TSV200/1514	TSV200/1514C
250litre	1800x450	TSV250/1615	TSV250/1615C
300litre	1800x500	TSV300/1716	TSV300/1716C

Cylinder Type, Open-Vented, Thermal Store Range With Solar Thermal Coil


The Telford Cylinder Type, Open-Vented is designed for installations with vented heat sources and vented heating systems only but with the addition of a Solar Thermal Coil. All stores come with a blend valve/shock arrestor factory fitted and a 3kw immersion as backup.



Capacity	Dimensions	Blue Foam Code	White Cased Code
115litre	900x450	N/A	N/A
135litre	1000x450	N/A	N/A
144litre	1050x450	TSV144/2312	TSV144/2312C
160litre	1200x450	TSV160/2413	TSV160/2413C
200litre	1500x450	TSV200/2514	TSV200/2514C
250litre	1800x450	TSV250/2615	TSV250/2615C
300litre	1800x500	TSV300/2716	TSV300/2716C

Cylinder Type, Open-Vented, Thermal Store Range With Sealed Boiler


The Telford Cylinder Type, Open-Vented is designed for installations with vented solid fuel and heating systems as well as a Sealed System Boiler. All stores come with a blend valve/shock arrestor factory fitted and a 3kw immersion as backup.



Capacity	Dimensions	Blue Foam Code	White Cased Code
115litre	900x450	N/A	N/A
135litre	1000x450	N/A	N/A
144litre	1050x450	TSV144/4112	TSV144/4112C
160litre	1200x450	TSV160/4213	TSV160/4213C
200litre	1500x450	TSV200/4314	TSV200/4314C
250litre	1800x450	TSV250/4415	TSV250/4415C
300litre	1800x500	TSV300/4516	TSV300/4516C

Cylinder Type, Open-Vented, Thermal Store Range With Solar Thermal Coil and Sealed Boiler


The Telford Cylinder Type, Open-Vented Solar is designed for installations with vented solid fuel and heating systems as well as a Sealed System Boiler and Solar. All stores come with a blend valve/shock arrestor factory fitted and a 3kw immersion as backup.



Capacity	Dimensions	Blue Foam Code	White Cased Code
115litre	900x450	N/A	N/A
135litre	1000x450	N/A	N/A
144litre	1050x450	N/A	N/A
160litre	1200x450	N/A	N/A
200litre	1500x450	TSV200/3114	TSV200/3114C
250litre	1800x450	TSV250/3215	TSV250/3215C
300litre	1800x500	TSV300/3316	TSV300/3316C

Cylinder Type, Open-Vented, Direct, Thermal Store Range

The Telford Cylinder Type, Open-Vented is designed for installations where electric is the only heat source available. All stores come with a blend valve/ shock arrestor factory fitted and two 3kw immersion heaters.



Capacity	Dimensions	Blue Foam Code	White Cased Code
115litre	900x450	TSV115/5110	TSV115/5110C
135litre	1000x450	TSV135/5211	TSV135/5211C
144litre	1050x450	TSV144/5312	TSV144/5312C
160litre	1200x450	TSV160/5413	TSV160/5413C
200litre	1500x450	TSV200/5514	TSV200/5514C
250litre	1800x450	TSV250/5615	TSV250/5615C
300litre	1800x500	TSV300/5716	TSV300/5716C




SEALED SYSTEM STORE

TSS

Sealed System, Thermal Store Range


The Telford Sealed System is designed for installations where there are no open-vented heat sources. All stores come with a blend valve/shock arrestor factory fitted and a 3kw immersion as backup.



Capacity	Dimensions	Blue Foam Code	White Cased Code
115litre	900x450	TSS115/1120	TSS115/1120C
135litre	1000x450	TSS135/1231	TSS135/1231C
144litre	1050x450	TSS144/1342	TSS144/1342C
160litre	1200x450	TSS160/1453	TSS160/1453C
200litre	1500x450	TSS200/1564	TSS200/1564C
250litre	1800x450	TSS250/1675	TSS250/1675C
300litre	1800x500	TSS300/1786	TSS300/1786C

Sealed System Solar, Thermal Store Range

The Telford Sealed System is designed for installations where there are no open-vented heat sources and Solar Thermal is available. All stores come with a blend valve/shock arrestor factory fitted and a 3kw immersion as backup.




Capacity	Dimensions	Blue Foam Code	White Cased Code
115litre	900x450	N/A	N/A
135litre	1000x450	N/A	N/A
144litre	1050x450	TSS144/2322	TSS144/2322C
160litre	1200x450	TSS160/2433	TSS160/2433C
200litre	1500x450	TSS200/2544	TSS200/2544C
250litre	1800x450	TSS250/2655	TSS250/2655C
300litre	1800x500	TSS300/2766	TSS300/2766C



COPPER HEADER TANKS

Copper Header Tanks

When using high temperature heat sources such as solid fuel applications, a high temperature header tank is required to prevent the tank melting.



Capacity	Dimensions (height x diameter)	To suit store size:	Product Code
16litre	300x450	115-160litre	CF+E300X450
35litre	310x500	200-300litre	CF+E310X500
55litre	390x500	301-500litre	CF+E390X500
70litre	550x600	501-800litre	CF+E550X600
100litre	670x600	801-1000litre	CF+E670X600