



FRAMELESS 4 FOLD BATH SCREEN 1500 X 965




OBBSFL4F



Aqua Brands.Green Lane,Green Lane Industrial Park,Featherstone WF7 6TA T:0845 470 2424 F:0845 470 2425 W:www.aquabrands.co.uk









St3. 9X9. 5




[13] X5

[14] X4

[15] X4

[16] X4









[17]X1

[18]X1

[19]X1

[20] X1





M3



[21]X1

[22] X1

[23]X1

[24]X1

Ø2.8

[25] X1

You will need

To assemble your product (Tools not provided).




















1 helper for some tasks







When you are ready to start, make sure you have the right tools to hand, plenty of space and a dry area for assembly.

Ensure that the mounting surface is sound, clean and dry before the enclosure is installed.

Ensure that the enclosure is fitted to a level tray or floor and vertical walls.

The enclosure is designed to allow for 20mm adjustment when ftted to 'out of true walls'.

The thickness of the tiles used will affect the overall position of the enclosure on the tray.

When drilling through ceramic tiles use a specialist drill bit.

Where possible drill between tiles in the grout.

When working near a tray or bath, ensure that the waste is covered so that small parts do not fall down it.

Please note: The wall plugs included with this product are suitable for solid walls only. Other wall types may require specialist fixings or wall plugs (not provided). Always ensure that wall plugs or fittings are correct for the wall type. If in doubt seek professional advice.

Please note that although these instructions are comprehensive, it is always recommended that a technically competent installer should undertake the installation.

Safety

For domestic use only.

Care should be taken when drilling into walls to avoid any hidden pipes or wires.

CAUTION: Fragile - please handle all glass with care. This product may cause personal injury, property damage or break easily if not handled, positioned and installed with care. Any damage to the edges, or scratches to the surface that occur during assembly or normal use can cause the glass to break suddenly. Tempered glass will shatter into very small pieces that will still have sharp edges.

Do not strike the glass with hard or pointed items.

Do not attempt to cut the glass.


CAUTION: Always ensure the product is securely installed before use.

CAUTION: DO NOT overtighten the fxings otherwise it may damage the product.

 Λ


WARNING: Failure to follow these instructions may result in personal injury, damage to the product and property damage.





- 2. Clean with warm soapy water and a soft damp cloth to keep the glass clean. Wipe dry with a clean cloth. Glass cleaner can be used if required. Scourers, abrasives and chemical cleaners can damage the glass and pattern, and should not be used.
- 3. In hard water areas, insoluble lime salts may be deposited on the glass. If this is allowed to build up it becomes increasingly difficult to remove and looks unsightly. Regular cleaning will minimize this effect.





A:Moving Panel


B:Fixed Panel


E:Mounting dimension Y:Radius of swing


The door swings outwards 180°


Recommended shower head position


Size	Α	В	Е	Υ
965	200	312	965-985	620













<u>(01)</u>





[01]X1



[15] X4



[16] X4


Ø2.8


[26] X1





[12] X2


b



































07




[20] X1




[19]X1





[21]X1




[08] X1















[18] X1




[17] X1











14



















10 St3. 9X40 [22] X1 M2 [24] X1











16

