

A modern bathroom interior with a light-colored tiled wall. A wall-mounted towel warmer with multiple horizontal bars is installed on the wall. To the left, there is a round mirror with a wooden frame above a white sink. The sink is mounted on a vanity unit with a curved, ribbed front. A pink soap dispenser is on the counter next to the sink. The floor is made of large, light-colored tiles.

VOGUE UK

TOWEL WARMERS & RADIATORS





VOGUE UK

EST | 1990

Welcome to Vogue UK Ltd – the country's leading manufacturer of heated towel rails, designer radiators and accessories. Established in 1990 within the heart of the West Midlands. Vogue UK continues to design and create more products than any other company in this field, constantly leading the trend by combining fashion with functionality.

Everyone has their own sense of style and that's why Vogue UK has created a range of quintessential products that meet the needs of every interior design style. If you require something unique then our craftsmen can create a design to your exact brief. As Vogue UK have been creating towel warmers and designer radiators since 1990, the company has built an extensive portfolio of designs and can offer a bespoke service, ideal if you're looking to create an authentic period look or simply match an existing design.

The products designed for you in this brochure and on our website are sure to encompass the perfect design for you... no matter what shape, format, style, size, or finish you're looking for.





CONTEMPORARY THROUGH TO TRADITIONAL

We've been at the forefront of towel rail and radiator design for 36 years. It's easy to see why.

We work with some of Britain's leading interior designers who create a portfolio that's unlike anything else. Full of inspiration and innovative design in stunning colours and finishes, we turn heating your room into a style statement.

We know every interior is unique in so many ways and we've created ranges that reflects the style and personality of our homes today. From timeless classics, engineered for modern life, to leading contemporary design that gives you a glimpse of the future - whatever your style, you'll find what's right for you.

Fashion & functionality, beautifully manufactured.

CONTENTS

Contemporary	7 - 54
Ladder Rails	55 - 72
Traditional & Transitional	73 - 106
Designer Radiators	107 - 132
Electric	133 - 138
Accessories & Valves	139 - 152
Colours & Finishes	153 - 154
Additional Information	155 - 158



36 Years of designing and crafting towel rails in the UK

For 2026/27, our ranges continue to evolve with a strong focus on style, performance and contemporary finishes. Metallic tones, including Satin Brushed Nickel and Brushed Brass, continue to grow in popularity and now feature across more of our collections, offering a sophisticated finish to suit a wide variety of interiors.

Our products combine excellent thermal performance with durability and lasting quality, delivering both practicality and style across our towel warmer and radiator ranges.

The evolution of the heated towel warmer stretches way back into the 1800's. In 1834 a man named Denison Olmstead of New Haven, Connecticut created a heat exchanger for his stove which he described as a 'peculiar kind of apparatus, which I call a radiator'. However, it wasn't until 1855, Franz San Galli of St. Petersburg invented the heating radiator.

So the journey began... the radiator became more popular and spread to every room in the home. Once heating reached the bathroom it became unrealistic for towels to dry and pile-up on the radiator and so, the inevitable arrival of the towel warmer came to pass.

The 1920's saw the first of the Cast Iron water heated towel warmers, commonly referred to as a 'bath radiator'. Here in the UK, drying racks, heated towel warmers and heated towel bars were seen as luxury items and would only ever be found in homes and hotels of high upstanding social status.

As time passed, new materials became available and our abilities to manipulate and manufacture these materials grew. Materials such as Copper, Brass, Mild Steel and Stainless Steel helped to propel the industry forward.

Arriving in the present day and now we have yet more advancement brought to you by Vogue UK, who for 36 years has been manufacturing and innovating many towel warmer styles and designs for bathroom interior design.

SYMBOLS GUIDE

Page Symbols

BRASS MANUFACTURE

The highest quality Brass available in a finish of your choice. Corrosion resistant and provides a superior plated finish. Suitable for all heating and hot water systems.



Brass



All Heating Systems



30 Years Guarantee

STAINLESS STEEL MANUFACTURE

Giving an easy to clean finish that is resistant to corrosion and has a high heat output. Suitable for all heating and hot water systems.



Stainless Steel



All Heating Systems



30 Years Guarantee

MILD STEEL MANUFACTURE

Quality Mild Steel available in Chrome and painted finishes. Suitable for closed indirect heating systems.



Mild Steel



Closed Heating Systems



15 Years Guarantee

ALUMINIUM MANUFACTURE

Lightweight Aluminium provides a quick heat up time, thus allowing for greater efficiency with a low water content. Suitable for all heating and hot water systems.



Aluminium



All Heating Systems



10 Years Guarantee

BRASS & MILD STEEL CONSTRUCTION

A combination of handcrafted Brass framework combining a Mild Steel inset radiator.



Brass & Mild Steel



Closed Heating Systems



30 Years Guarantee

MILD STEEL & ALUMINIUM CONSTRUCTION

A combination of Mild Steel framework and Aluminium radiator.



Mild Steel & Aluminium



Closed Heating Systems



15 Years Guarantee

ADDITIONAL OPTIONS SYMBOLS



Next Day Delivery

Next day delivery option available on heating only models ordered by 2pm. (UK Mainland Only)



RAL Colours

Available in RAL colour Chart options. Please see page 154 for colour options and price supplement.



Electric Only

Can be specified where this symbol is displayed. Please see page 141 for full range and price supplements.



Stocked Item

The 'Tick' symbol in the product specification tables denotes a stocked item.



Heating and Electric

Can be specified where this symbol is displayed. Please see page 141 for full range and price supplements.



Made-to-order

The 'Hand print' symbol in the product specification tables denotes a made to order product.



Electric Dryline

Can be specified where this symbol is displayed. Dryline technology, heating via a heater cable. POA



Additional Production Process

The 'Stopwatch' denotes a stocked item that under goes additional production processes to achieve chosen finish.





VOGUE UK

EST | 1990

CONTEMPORARY

Clean lines, stunning finishes, and amazingly practical too. Make a statement with our range of contemporary designs that are leading the way in modern towel rail and radiator innovation.

The best of contemporary designs are often hard to achieve, yet effortless to look at. At Vogue UK we aim to offer modernity that is less about hype and more about ingrained qualities. The best of finishes on designs that suit contemporary living.



NEW
SIZE



LUSS BRUSHED BRASS CN097

The Luss towel warmer is a sophisticated statement in Brushed Brass, combining current style with timeless elegance. Featuring horizontal cylindrical bars set between twin vertical supports, its open design provides generous space for hanging towels. The flexible design can be mounted left or right hand, making it ideal for a variety of bathroom layouts.

Tube Ø 42mm	Dimensions (mm)			No. of Crossbars	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Brushed Brass	£ inc VAT Brushed Brass	Stock Info
	H	W	D								
CN097 MS1150500FBB	1150	500	127	8	50	200	283 / 967	1226	461.00	553.20	✓
CN097 MS1750500FBB	1750	500	127	12	50	300	451 / 1539	1951	577.00	692.40	✓

NEW



MS C E D 15

LUSS CHROME CN097

A refined and versatile addition to the modern bathroom, the Luss towel warmer finished in Chrome plating, as shown, with streamlined cylindrical bars. Designed with a clean, contemporary look, it can be mounted left or right hand to suit your bathroom.

MILD STEEL

SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:



+ £233.00 ex VAT
+ £279.60 inc VAT

Tube Ø 42mm	Dimensions (mm)			No. of Crossbars	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
CN097 MS1150500CP	1150	500	127	8	50	200	255 / 871	1104	367.00	440.40	✓
CN097 MS1750500CP	1750	500	127	12	50	300	407 / 1389	1761	482.00	578.40	✓

NEW



MS C E D 15

LUSS MATT BLACK CN097

The Luss towel warmer makes a bold statement in a striking Matt Black finish. Its distinctive design adds a stylish focal point to the bathroom and pairs beautifully with fluted furniture detailing. The option to mount left or right hand provides added flexibility.

Tube Ø 42mm	Dimensions (mm)			No. of Crossbars	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Matt Black	£ inc VAT Matt Black	Stock Info
	H	W	D								
CN097 MS1150500ZMB	1150	500	127	8	50	200	426 / 1453	1842	335.00	402.00	✓
CN097 MS1750500ZMB	1750	500	127	12	50	300	610 / 2081	2638	451.00	541.20	✓

NEW



LUSS SATIN BRUSHED NICKEL CN097

With its elegant Satin Brushed Nickel finish, the Luss towel warmer brings a subtle touch of luxury to the bathroom. The slim cylindrical bars create a streamlined profile, while the option to mount left or right hand provides added flexibility when positioning.

Tube Ø 42mm	Dimensions (mm)			No. of Crossbars	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Satin Brushed Nickel	£ inc VAT Satin Brushed Nickel	Stock Info
	H	W	D								
CN097 MS1150500FSBRN	1150	500	127	8	50	200	283 / 967	1226	461.00	553.20	✓
CN097 MS1750500FSBRN	1750	500	127	12	50	300	451 / 1539	1951	577.00	692.40	✓



VEGO MATT BLACK CN096

A sleek and modern aesthetic with defined lines. Vego offers a bold architectural presence, combining sleek minimalism with striking geometric form. Its open design allows easy access for effectively hanging towels. Finished in Matt Black or Brushed Brass giving a refined, luxurious feel.

Tube □ 30mm sq	Dimensions (mm)			No. of Crossbars	Pipe Centres	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Matt Black	£ inc VAT Matt Black	Stock Info
	H	W	D							
CN096 MS1380600MB (Matt Black)	1380	600	80	10	570	445 / 1518	1914	304.00	364.80	✓



MS C E D 15

VEGO BRUSHED BRASS CN096

A sleek and modern aesthetic with defined lines. Vego offers a bold architectural presence, combining sleek minimalism with striking geometric form. Its open design allows easy access for effectively hanging towels. Finished in Matt Black or Brushed Brass giving a refined, luxurious feel.

Tube □ 30mm sq	Dimensions (mm)			No. of Crossbars	Pipe Centres	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Brushed Brass	£ inc VAT Brushed Brass	Stock Info
	H	W	D							
CN096 MS1380600FBB (Brushed Brass)	1380	600	80	10	570	445 / 1518	1914	524.00	628.80	✓



SIERRA DR040

Unique design and bold tubes, the Sierra provides a statement product and increased towel drying capacity. Available in an Anthracite finish, manufactured in high quality Mild Steel. Prices shown are for central heating models.

Tube □ 35 x 35 + 60 x 12mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Anthracite	£ inc VAT Anthracite	Stock Info
	H	W	D								
DR040 MS0850500AT	850	500	125	2+3+3	300	150	524 / 1788	2260	379.00	454.80	✓
DR040 MS1200500AT	1200	500	125	2+3+3+3	300	200	683 / 2330	2946	492.00	590.40	✓
DR040 MS1550500AT	1550	500	125	3+3+4+6	300	300	966 / 3296	4166	649.00	778.80	✓



FLETCHER DR043

A radiator less ordinary, where sculptural design meets smart functionality. The Fletcher offers a truly distinctive aesthetic that breaks from convention. Spacious looping bars not only provide generous towel hanging space but also deliver efficient, even heat distribution. Finished in Anthracite.

Tube Ø 35 + 60 x 12mm	Dimensions (mm)			No. of Crossbars	Pipe Centres (mm)	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Anthracite	£ inc VAT Anthracite	Stock Info
	H	W	D								
DR043 MS0800500AT	800	500	141	4	350	150	406 / 2066	2597	209.00	250.80	✓



Showing 1200 X 600
Please Note: Colour option only applies to the inset radiator, not the frame.

HARMONIQUE MATT BLACK MD060

Harmonique Matt Black is a perfect combination for heating and drying. This versatile product will suit any contemporary bathroom. With a White double panelled radiator as standard and 25mm Matt Black horizontal tubes. Other radiator colours can be specified, please see page 154 for colour options.

Tube Ø 25 + 30 x 40mm D Section	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Matt Black	£ inc VAT Matt Black	Stock Info
	H	W	D								
MD060 (R2) MS1200500MB	1200	500	102	3-3-3	450	200	723 / 2468	3134	556.00	667.20	✓
MD060 (R2) MS1200600MB	1200	600	102	3-3-3	550	300	952 / 3248	4124	629.00	754.80	✓
MD060 (R2) MS1500500MB	1500	500	102	3-3-3-3	450	300	882 / 3010	3822	682.00	818.40	✓
MD060 (R2) MS1500600MB	1500	600	102	3-3-3-3	550	300	1128 / 3850	4888	745.00	894.00	✓



Showing 1500 X 600
Please Note: Colour option only applies to the inset radiator, not the frame.



- MS
- AL
- C
- E
- D
-
- 15

HARMONIQUE BRUSHED BRASS MD060

Harmonique Brushed Brass is a perfect combination for heating and drying. This versatile product will suit in both contemporary and classical bathrooms. With a White double panelled radiator as standard and 25mm Brushed Brass horizontal tubes. Other radiator colours can be specified, please see page 154 for colour options.

Tube Ø 25 + 30 x 40mm D Section	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Brushed Brass	£ inc VAT Brushed Brass	Stock Info
	H	W	D								
MD060 (R2) MS1200500FBB	1200	500	102	3-3-3	450	200	730 / 2493	3737	661.00	793.20	✓
MD060 (R2) MS1200600FBB	1200	600	102	3-3-3	550	300	961 / 3281	4166	734.00	880.80	✓
MD060 (R2) MS1500500FBB	1500	500	102	3-3-3-3	450	300	891 / 3040	3860	787.00	944.40	✓
MD060 (R2) MS1500600FBB	1500	600	102	3-3-3-3	550	300	1139 / 3889	4938	850.00	1020.00	✓

Showing 1200 X 500

Please Note: Colour option only applies to the inset radiator, not the frame



MS AL C E D 15

HARMONIQUE CHROME MD060

A perfect combination for heating and drying. This versatile product will suit any modern bathroom. With a White double panelled radiator as standard and 25mm Chrome horizontal tubes. Other radiator colours can be specified, see page 154 for colour options.

MILD STEEL
SUPPLEMENTS £ = Chrome + >

Gold Pricing POA

Bright Nickel:

Brushed Nickel:



+ £233.00 ex VAT
+ £279.60 inc VAT

+ £325.00 ex VAT
+ £390.00 inc VAT

Tube Ø 25 + 30 x 40mm D Section	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
MD060 (R2) MS1200500CP	1200	500	102	3-3-3	450	200	548 / 1870	2374	608.00	729.60	✓
MD060 (R2) MS1200600CP	1200	600	102	3-3-3	550	300	721 / 2461	3125	682.00	818.40	✓
MD060 (R2) MS1500500CP	1500	500	102	3-3-3-3	450	300	668 / 2280	2895	734.00	880.80	✓
MD060 (R2) MS1500600CP	1500	600	102	3-3-3-3	550	300	855 / 2917	3704	797.00	956.40	✓



QUADRATE HARMONIQUE MD078

A striking, functional product with high heat output. The square tubing gives a contemporary look for a clean profile. Manufactured from high quality Mild Steel. Prices are Chrome framed with a white radiator to suit central heating models.

* Note: Mild Steel Supplement only applies to the frame, not the radiator.

Please also Note: Colour option only applies to the inset radiator, not the frame.

Tube □ 50sq + 30mm sq	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
MD078 MS12050CP	1200	500	105 - 120	7	450	400	1003 / 3422	4326	759.00	910.80	✓



- MS C E D 15

QUADRATE MD074

Quadrade has 50mm vertical tubes and crisp, sleek edges, which would suit any modern bathroom setting. Available in a range of heights and widths. Manufactured from high quality Mild Steel. Prices are for Chrome central heating models.

**MILD STEEL
SUPPLEMENTS** £ = Chrome + >



Bright Nickel:
+ £233.00 ex VAT
+ £279.60 inc VAT



Brushed Nickel:
+ £325.00 ex VAT
+ £390.00 inc VAT

Tube □ 50sq + 30mm sq	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
MD074 MS08050CP	800	500	105	3-3-3	450	150	271 / 925	1169	356.00	427.20	✓
MD074 MS08060CP	800	600	105	3-3-3	550	200	310 / 1058	1337	377.00	452.40	✓
MD074 MS12050CP	1200	500	105	3-4-7	450	300	416 / 1419	1794	398.00	477.60	✓
MD074 MS12060CP	1200	600	105	3-4-7	550	300	477 / 1628	2057	524.00	628.80	✓
MD074 MS16050CP	1600	500	105	3-3-3-5-5	450	400	561 / 1914	2419	608.00	729.60	✓
MD074 MS16060CP	1600	600	105	3-3-3-5-5	550	600	645 / 2201	2782	661.00	793.20	✓



MS C E D 15

MATUS DR042

A contemporary designed towel radiator in a Matt Black finish, giving a modern and minimalist look. Matus has dual towel rails integrated toward the middle and bottom sections, offering high heat output and also allowing for easy hanging and warming of towels.


Tube Ø 35mm + □ 68 x 12 + Ø 22mm	Dimensions (mm)			No. of Crossbars	Pipe Centres (mm)	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Matt Black	£ inc VAT Matt Black	Stock Info
	H	W	D							
DR042 MS1288500MB	1288	500	189	18	450	606 / 2066	2597	419.00	502.80	✓




ARC MATT BLACK MD065

A Matt Black statement piece available in three size options. Manufactured from high quality Mild Steel. Prices shown are for central heating models in the Matt Black finish.


Tube Ø 32mm □ 40 x 18mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Matt Black	£ inc VAT Matt Black	Stock Info
	H	W	D								
MD065 (R2) MS0828500MB	828	500	94	3-3-4	430	150	290 / 989	1254	237.00	284.40	✓
MD065 (R2) MS1200500MB	1200	500	94	3-4-4-4	430	300	432 / 1474	1868	310.00	372.00	✓
MD065 (R2) MS1800500MB	1800	500	94	3-3-3-4-4-4	430	400	614/ 2095	2654	405.00	486.00	✓



828mm



1200mm



1800mm



Curved Bars

MS C E D 15

ARC CHROME MD065

Arc has it all, ample towel hanging space and good heat output. Manufactured from high quality Mild Steel. Prices shown are for central heating models in a Chrome finish, please see pages 153 & 154 for finishes & colour options.

MILD STEEL

SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:

+ £233.00 ex VAT
+ £279.60 inc VAT



Brushed Nickel:

+ £325.00 ex VAT
+ £390.00 inc VAT



Tube Ø 32mm □ 40 x 18mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
MD065 (R2) MS0828500CP	828	500	94	3-3-4	430	150	232 / 792	1001	289.00	346.80	✓
MD065 (R2) MS1200500CP	1200	500	94	3-4-4-4	430	300	346 / 1181	1492	388.00	465.60	✓
MD065 (R2) MS1800500CP	1800	500	94	3-3-3-4-4-4	430	400	491 / 1675	2118	503.00	603.60	✓



AMIE CN065

A contemporary Chrome oval tube towel warmer that can be left or right hand mounted. Manufactured from high quality Mild Steel. Prices shown are for Chrome finished central heating models.

MILD STEEL

SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:



+ £233.00 ex VAT
+ £279.60 inc VAT

Brushed Nickel:



+ £325.00 ex VAT
+ £390.00 inc VAT

Tube Ø 25 x 50mm oval
□ 30 x 30 sq

Dimensions (mm)

H

W

D

Bar
Config

Pipe
Centres

Element
Wattage

ΔT 50°C
Watts/BTUs

ΔT 60°C
BTUs

£ ex VAT
Chrome

£ inc VAT
Chrome

Stock
Info

CN065 (R2) MS1200500CP	1200	500	94	3-3-3	80	200	237 / 809	1022	346.00	415.20	✓
CN065 (R2) MS1500500CP	1500	500	94	3-3-3-3	80	400	309 / 1054	1333	388.00	465.60	✓



Keys II is available in any of the Prestige Finishes. See page 153.

KEYS II CN030

A contemporary, minimalist design with crisp clean lines. Keys II allows towels to be effortlessly hung onto the rails from the left or right hand side. Manufactured from high quality Mild Steel, chromed to a mirror finish. Stainless Steel version available on request.

MILD STEEL

SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:



+ £233.00 ex VAT
+ £279.60 inc VAT

Brushed Nickel:



+ £325.00 ex VAT
+ £390.00 inc VAT


Tube □ 30 + 40 sq	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
CN030 MS108050CP	1080	500	141	6	50	150	392 / 1338	1691	419.00	502.80	✓
CN030 MS146050CP	1460	500	141	8	50	200	524 / 1788	2260	489.00	586.80	✓
CN030 MS184050CP	1840	500	141	10	50	300	656 / 2237	2830	545.00	654.00	✓



AQUILA CHROME DR016

Rectangular tube towel rail provides ample space and heat for warming or drying towels. The design allows you to slide them into place from either the left or right. Manufactured from high quality Mild Steel and finished in Chrome.

Tube □ 40 x 10 + 30 x 30mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
DR016 (R2) MS1200500CP	1200	500	118	3-3-3-3-3	60	150	354 / 1208	1527	406.00	487.20	✓
DR016 (R2) MS1400600CP	1400	600	118	3-3-3-3-3-3	60	200	436 / 1488	1880	477.00	572.40	✓



VL014

SUGGESTED VALVES

MS C E D I5

AQUILA MATT BLACK DR016

This towel rail can be installed either left or right handed. The open ended rail allows towels to be hung effortlessly from both sides providing you with flexible convenience to suit your room. For a contemporary feel, Aquila is presented here in Matt Black.

Tube □ 40 x 10 + 30 x 30mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Matt Black	£ inc VAT Matt Black	Stock Info
	H	W	D								
DR016 (R2) MS1200500MB	1200	500	118	3-3-3-3-3	60	150	442 / 1508	1911	331.00	397.20	✓
DR016 (R2) MS1400600MB	1400	600	118	3-3-3-3-3-3	60	200	545 / 1859	2355	398.00	477.60	✓



SMOOTH CHROME CN035

Smooth combines excellent towel hanging space with high heat output and eye catching design. Manufactured from high quality Mild Steel. Prices shown are Chrome finished for central heating systems.

MILD STEEL

SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:



+ £233.00 ex VAT
+ £279.60 inc VAT

Brushed Nickel:



+ £325.00 ex VAT
+ £390.00 inc VAT

Tube Ø 32mm + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
CN035 (R2) MS0800400CP	800	400	78	9	368	100	163 / 556	703	325.00	390.00	✓
CN035 (R2) MS0800500CP	800	500	78	9	468	125	189 / 645	815	335.00	402.00	✓
CN035 (R2) MS1200400CP	1200	400	78	13	368	150	235 / 802	1014	405.00	486.00	✓
CN035 (R2) MS1200500CP	1200	500	78	13	468	150	271 / 925	1169	415.00	498.00	✓



SMOOTH BRUSHED BRASS CN035

Timeless symmetry, Smooth in Brushed Brass radiates sophistication while offering generous towel drying capacity across its multiple evenly spaced horizontal bars.

Tube Ø 32mm + 22mm	Dimensions (mm)			No. of Cross Bars	Pipe Centres (mm)	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Brushed Brass	£ inc VAT Brushed Brass	Stock Info
	H	W	D							
CN035 (R2) MS1200500FBB	1200	500	80	13	468	274 / 935	1187	524.00	628.80	✓



BR H E D 30



Image showing Antique Bronze finish.

PURE MD037

Pure high quality elegance. This handcrafted towel rail is manufactured in Brass and chromed to a mirror finish as standard. Bespoke finishes are available at an additional cost, see pages 153 & 154 for finishes & colour options. A perfect size for smaller areas where space is at a premium and quality a must.

Tube Ø 25.4 + 19mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
MD037 BR0700425CP	700	425	75	4	400	75	106 / 362	457	782.00	938.40	



GRACE MD067

Understated with great towel hanging functionality, Grace is the epitome of simple chic design. Manufactured from large diameter high quality Mild Steel. Prices shown are Chrome finished for central heating models.

Grace is available in any of the Prestige Finishes. See page 153.

MILD STEEL
SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:

+ £233.00 ex VAT
+ £279.60 inc VAT



Brushed Nickel:

+ £325.00 ex VAT
+ £390.00 inc VAT



Tube Ø 38mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
MD067 MS08050CP	800	500	100	3	462	100	140 / 478	604	216.00	259.20	✓
MD067 MS12050CP	1200	500	100	4	462	125	199 / 679	858	247.00	296.40	✓



RUBIK MD038

Simple and beautiful, the rectangular Stainless Steel tube is built to last. The Rubik comes in Polished Stainless Steel as standard. Stainless Steel construction is suitable for all hot water systems. Please see page 154 for other finish & colour options.

Tube □ 30 x 20mm sq	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Polished	£ inc VAT Polished	Stock Info
	H	W	D								
MD038 SS0800500PS	800	500	80	3-6-3	470	200	404 / 1378	1742	1132.00	1358.40	👤
MD038 SS1200500PS	1200	500	80	4-10-4	470	300	607 / 2071	2618	1456.00	1747.20	👤
MD038 SS1500500PS	1500	500	80	4-7-7-4	470	300	747 / 2549	3222	1717.00	2060.40	👤



SS H E D 30

IDEAL MD055

A contemporary, minimalist design with crisp edges and clean lines. The Ideal is manufactured in high quality Stainless Steel, which is polished to perfection. Stainless Steel construction is suitable for all hot water systems.

Tube □ 30 + 20mm sq	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Polished	£ inc VAT Polished	Stock Info
	H	W	D								
MD055 SS0900500PS	900	500	100	3-3	470	100	281 / 959	1212	629.00	754.80	✓
MD055 SS1200500PS	1200	500	100	4-4	470	125	375 / 1280	1617	734.00	880.80	✓
MD055 SS1500500PS	1500	500	100	5-5	470	150	469 / 1600	2023	839.00	1006.80	✓



- SS
- H
- E
- D
-
- 30

ZENITH IN007

Zenith is beautifully handcrafted in high quality Stainless Steel and is available in a brushed or polished finish. Stainless Steel is suitable for all heating & hot water systems.

Tube 40mm sq + 30mm sq	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Brushed or Polished	£ inc VAT Brushed or Polished	Stock Info
	H	W	D								
IN007 SS120040	1200	400	90	6	360	125	421 / 1436	1816	1661.00	1993.20	



MS C E D 15

CONTRAST MD079

Contrasting design with square mitred outer tubes and round cross bars. A hybrid product with 50mm or 450mm centres and the option for an electric element to go up the vertical square tube without the need for a conversion tee for dual fuel models.

White
Sparkle
Textured
WS

Matt
Black
MB

Tube Ø 38mm □ 50mm sq	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Matt Black or White Sparkle	£ inc VAT Matt Black or White Sparkle	Stock Info
	H	W	D								
MD079 MS0800500	800	500	105 - 120	3-7	50 / 450	300	447 / 1525	1928	293.00	351.60	✓
MD079 MS1200500	1200	500	105 - 120	3-5-7	50 / 450	400	628 / 2143	2708	377.00	452.40	✓
MD079 MS1500500	1500	500	105 - 120	3-4-5-7	50 / 450	600	770 / 2627	3321	472.00	566.40	✓



Contemporary Colour Finishes

Grey Sparkle Textured ZGS	
White Sparkle Textured ZWS	
Matt Black ZMB	
Satin Black ZSB	
Anthracite Textured ZAT	
Espresso Gloss ZEX	
Mocha Textured ZMC	
Cappuccino Textured ZCA	
Latte Textured ZLT	
Steel Blue ZSBLU	
Moss Green ZMGNN	

Colours are an additional production process.



Image showing Anthracite finish

MD049 MS1700600 available in Matt Black & Colours - not White

SERENE MD049

The Serene is just that. A well balanced design which maximises hanging space. A perfect towel warmer for contemporary kitchens and bathrooms. Square tubes finished with a choice of Chrome or contemporary finishes. Prices are for central heating models.

MILD STEEL

SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:

+ £233.00 ex VAT
+ £279.60 inc VAT




Brushed Nickel:


+ £325.00 ex VAT
+ £390.00 inc VAT



Tube □ 25mm sq + 30mm sq	Dimensions H W D	Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs Chrome Painted	ΔT 60°C BTUs Chrome Painted	£ ex VAT Chrome	£ inc VAT Chrome	£ ex VAT White/MB	£ inc VAT White/MB	£ ex VAT Colours	£ inc VAT Colours	Stock Info
MD049 MS1000500	1000 500 80	12	470	150	257 / 877	409 / 1396	1108	1764	241.00	289.20	153.00	183.60	469.00 562.80 ✓
MD049 MS1165500	1165 500 80	15	470	200	314 / 1071	420 / 1433	1354	1811	279.00	334.80	178.00	213.60	500.00 600.00 ✓
MD049 MS1165600	1165 600 80	15	570	300	365 / 1245	437 / 1491	1574	1885	304.00	364.80	188.00	225.60	546.00 655.20 ✓
MD049 MS1700500	1700 500 80	20	470	300	434 / 1481	501 / 1709	1872	2161	363.00	435.60	230.00	276.00	625.00 750.00 ✓
MD049 MS1700600	1700 600 80	20	570	400	520 / 1774	601 / 2051	2243	2592	405.00	486.00	251.00*	301.20*	655.00 786.00 ✓



830mm - 14 Bars



1322mm - 22 Bar



1770mm - 29 Bars

SQUIRE MD047

Modern looks from this square tubed design brings together aesthetics and practicality. This versatile product will suit any modern bathroom. Chrome or Anthracite textured finish. Prices are for central heating models.

MILD STEEL

SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:

+ £233.00 ex VAT
+ £279.60 inc VAT



Brushed Nickel:

+ £325.00 ex VAT
+ £390.00 inc VAT



Tube ☐ 30mm sq + 25mm sq	Dimensions			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs Chrome	ΔT 60°C BTUs Chrome	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
MD047 MS0830480CP	830	480	90	4-10	450	150	278 / 949	1199	220.00	264.00	✓
MD047 MS1322480CP	1322	480	90	4-8-10	450	300	440 / 1501	1898	314.00	376.80	✓
MD047 MS1770480CP	1770	480	90	4-7-8-10	450	400	581 / 1982	2506	409.00	490.80	✓



Contemporary Colour Finishes

Grey Sparkle Textured ZGS	
White Sparkle Textured ZWS	
Matt Black ZMB	
Satin Black ZSB	
Anthracite Textured ZAT	
Espresso Gloss ZEX	
Mocha Textured ZMC	
Cappuccino Textured ZCA	
Latte Textured ZLT	
Steel Blue ZSBLU	
Moss Green ZMGN	

Colours are an additional production process.

Vela is available in any of the Prestige Finishes. See page 153.

VELA MD048

Rectangular crossbars give a solid feel to this design. Available in two sizes finished in your choice of Chrome. White or a contemporary colour. Prices shown are for central heating models.

MILD STEEL

SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:

+ £233.00 ex VAT
+ £279.60 inc VAT



Brushed Nickel:

+ £325.00 ex VAT
+ £390.00 inc VAT



Tube Ø 38mm □ 60 x 10mm	Dimensions			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs		ΔT 60°C BTUs		£ ex VAT Chrome	£ inc VAT Chrome	£ ex VAT White	£ inc VAT White	£ ex VAT Colours	£ inc VAT Colours	Stock Info
	H	W	D				Chrome	Painted	Chrome	Painted							
MD048 MS0950500	950	500	82	2-3-4	462	125	246 / 839	289 / 986	1061	1246	314.00	376.80	209.00	250.80	537.00	644.40	✓
MD048 MS1300500	1300	500	82	3-5-5	462	200	330 / 1126	389 / 1327	1423	1678	367.00	440.40	283.00	339.60	739.00	886.80	✓



VELA BRUSHED BRASS MD048

The popular Vela format in the Vogue UK Focus Brushed Brass finish. This range was requested by designers and can utilise matching valves, connection tubes and cover plates for a complete modern look. Prices shown are for central heating models.

Tube Ø 38mm □ 60 x 12mm	Dimensions			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT F- Brushed Brass	£ inc VAT F- Brushed Brass	Stock Info
	H	W	D								
MD048 (REV3) MS0950500FBB	950	500	84 - 94	2-3-4	462	125	299 / 1021	1294	606.00	727.20	✓
MD048 (REV3) MS1300500FBB	1300	500	84 - 94	3-5-5	462	200	426 / 1453	1803	848.00	1017.60	✓



Image showing hand finished in Brushed Brass.



VL003

SUGGESTED VALVES

BR H E D DL 30

VIVID CN021

Vivid is a beautiful minimalistic towel warmer, manufactured from high quality Brass. Prices shown are for Chrome heating and hot water systems. Please see pages 153 & 154 for finishes & colour options.



Mitred Joint.

Tube Ø 25.4 + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
CN021 BR0750450CP	750	450	93	4	400	75	121 / 413	522	833.00	999.60	✓
CN021 BR0800650CP	800	650	93	4	600	100	154 / 525	664	921.00	1105.20	✘
CN021 BR1250500CP	1250	500	93	6	450	125	201 / 686	867	1069.00	1282.80	✓
CN021 BR1250650CP	1250	650	93	6	600	125	235 / 802	1014	1089.00	1306.80	✘
CN021 BR1550500CP	1550	500	93	8	450	150	258 / 880	1113	1244.00	1492.80	✘
CN021 BR1550650CP	1550	650	93	8	600	150	303 / 1034	1307	1282.00	1538.40	✘



VIVID II CN029

Vivid II is a simplistic alternative to our Vivid without the mitred corner joints manufactured from high quality brass. Prices shown are in Chrome heating and hot water systems. Please see pages 153 & 154 for finishes & colour options.



Cropped Joint.

Tube Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
CN029 BR0700500CP	700	500	94	4	450	75	138 / 471	595	809.00	970.80	👇
CN029 BR1100500CP	1100	500	94	5	450	125	189 / 645	815	949.00	1138.80	👇
CN029 BR1400500CP	1400	500	94	6	450	150	232 / 792	1001	1122.00	1346.40	👇




Image showing
Brushed Nickel finish.



VIVID INTEGRAL VALVE IVCN021

Vivid IV is a three bar version for additional towel drying capacity. Manufactured from high quality Brass with built in integral valves. Prices shown are Chrome finished for all heating and hot water systems. Please see pages 153 & 154 for finishes & colour options.



Cropped Joint.

Pipe work is hidden in the wall. We recommend using service valves as part of the installation. Not suitable for brick walls.

Tube Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D							
IVCN021 BR040012CP	400	1200	94	3	1150	183 / 624	789	775.00	930.00	



BR H 30

Image showing
Polished Brass finish.

VIVID INTEGRAL VALVE SINGLE BAR IVCN021


Vivid IV horizontal is the ideal choice over a bath or underneath a window. The single bar versions are perfect for en-suites and small spaces. Manufactured from high quality Brass with built in valves. Please see pages 153 & 154 for finishes & colour options.

Pipe work is hidden in the wall. We recommend using service valves as part of the installation.
Not suitable for brick walls.

Tube Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D							
IVCN021 BR005040CP	50	400	94	1	325	21 / 72	91	383.00	459.60	
IVCN021 BR005060CP	50	600	94	1	525	30 / 102	129	397.00	476.40	



Integral Valve Fitting



SIMPLICITY INTEGRAL VALVE IVCN026

A more unique option...The vertical heat pole comes with a robe hook to hang your apparel with ease for the luxury of cosy warmth as and when you need it. The ultimate model for settings where wall space is limited.

Prices shown are Chrome finished for all heating and hot water systems. Please see pages 153 & 154 for finishes & colour options.

Pipe work is hidden in the wall. We recommend using service valves as part of the installation.
Not suitable for brick walls.

Tube Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D							
IVCN026 BR170005CP	1700	50	115	1	1625	75 / 256	323	722.00	866.40	



BR H E D 30

VENTURE CN022

Available in three widths and four heights, with spacious hanging bars. The 'Romolo' bold jointed design suits contemporary interiors. Crafted from high quality Brass, chromed to a mirror finish. Please see pages 153 & 154 for finishes & colour options.

Tube Ø 25.4mm x 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
CN022 BR0750450CP	750	450	95	4	400	75	121 / 413	522	965.00	1158.00	✓
CN022 BR0850650CP	850	650	95	4	600	100	157 / 536	677	1010.00	1212.00	👤
CN022 BR1300500CP	1300	500	95	6	450	125	206 / 703	888	1246.00	1495.20	👤
CN022 BR1300650CP	1300	650	95	6	600	125	240 / 819	1035	1267.00	1520.40	👤
CN022 BR1600500CP	1600	500	95	8	450	150	267 / 911	1152	1341.00	1609.20	👤
CN022 BR1600650CP	1600	650	95	8	600	150	312 / 1065	1346	1475.00	1770.00	👤



IERI TM014 - BR

The integrated shelf in this curvaceous design has the added benefit of towel stacking as well as plentiful hanging space. Available in two height options to suit your space with an alternative shelf position, which is optional on point of order.

Manufactured from high quality Brass and Chrome finished, with bespoke finishes available at an additional cost. Please see pages 153 & 154 for finishes and colour options. Prices shown are Chrome finished for central heating models.

Please note: The shelf location may vary when specified as electric models. Please speak with our technical team.

Tube Ø 25.4mm + 22mm	Dimensions (mm)			Bar Config	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
TM014 BR070050CP	750	500	265	4	375	100	219 / 747	944	1212.00	1454.40	
TM014 BR135050CP	1350	500	265	7	375	200	329 / 1123	1419	1323.00	1587.60	



CONCORD DR041

Resplendent in a durable Focus Brushed Brass finish, Concord is a statement piece to adorn any well dressed bathroom wall. Concord also has great functionality with good heat output and plenty of space to warm towels. Prices shown are for central heating models.

Tube Ø 38mm + 68mm x 12mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C	ΔT 60°C	£ ex VAT F- Brushed Brass	£ inc VAT F- Brushed Brass	Stock Info
	H	W	D				Watts/BTUs	BTUs			
DR041 MS0800500FBB	800	500	102	2-3-3	450	200	291 / 994	1259	425.00	510.00	✓
DR041 MS1200500FBB	1200	500	102	3-4-5	450	300	437 / 1491	1889	598.00	717.60	✓
DR041 MS1600500FBB	1600	500	102	3-4-4-5	450	300	583 / 1987	2518	817.00	980.40	✓

Image showing Bright Nickel finish.



SOLO TR001-BR

The single shelf towel rack, Solo is an ideal design for limited space. Manufactured from quality Brass, this design provides ease of access to your dry and warm towels.

Prices shown are Chrome finished for central heating models. Suitable for all heating and hot water systems. Bespoke finishes available at an additional cost. Please see pages 153 & 154 for finishes & colour options.

Tube Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
TR001 BR0263500CP	263	500	315	5	425	50	126 / 430	543	746.00	895.20	



BINARY TR002-BR

The double shelf towel rack Binary is perfect for situations where space is at a premium and style is of priority. This clever design allows you to stack, roll or hang your towels, so they are always warm, dry and handy.

Manufactured from high quality Brass and Chrome finished, with bespoke finishes available at an additional cost.

Please see pages 153 & 154 for finishes & colour options. Prices shown are Chrome finished for central heating models.

Tube Ø 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
TR002 BR0275500CP	275	500	315	9	425	75	224 / 764	966	986.00	1183.20	



TEMPO MD072

A contemporary multirail, with protruding bars for extra towel hanging space. Prices shown are chromed finish for central heating models. Manufactured from high quality Mild Steel, chromed to a mirror finish.

Tube Ø 22mm + 30 x 40mm D Section	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
MD072 MS08050CP	800	500	170 - 190	17 + 9	455	150	416 / 1419	1794	262.00	314.40	✓
MD072 MS11650CP	1160	500	170 - 190	25 + 12	455	300	592 / 2020	2553	346.00	415.20	✓



BR MS H E D 30

NEXUS III TM001

High heat output from a radiator combined with a stylish Brass frame makes the perfect combination of heat and versatility to enhance any bathroom or utility room. Prices shown are for central heating models. The inset radiator comes in White as standard.

For valves and electric elements please see the Accessories & Valves section - VL003 pictured.

Prices shown are Chrome finished. Please see pages 153 & 154 for finishes & colour options, which are applicable to the tubular frame only.

Please note: The colour option does not apply to the inset radiator.

Tube Ø 25.4mm + 15mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
TM001 BR090052CP	900	525	142	6	500	400	716 / 2443	3088	1065.00	1278.00	👇



ASTUTE ALUMINIUM CN095

A lightweight yet durable Aluminium towel warmer, designed for high efficiency and simple installation. Available in two heights with your choice of White or Anthracite finish.

	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White	£ inc VAT White	£ ex VAT Anthracite	£ inc VAT Anthracite	Stock Info
	H	W	D										
CN095 AL12050	1200	500	100	10	470	600	778 / 2655	3363	440.00	528.00	453.00	543.60	✓
CN095 AL1600500	1600	500	100	13	470	600	1043 / 3560	4511	498.00	597.60	510.00	612.00	✓



ASTUTE ALUMINIUM CN095

A towel warmer providing great efficiency and easy installation in lightweight but durable Aluminium. Available in two heights with your choice of Anthracite or White finish.

	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White	£ inc VAT White	£ ex VAT Anthracite	£ inc VAT Anthracite	Stock Info
	H	W	D										
CN095 AL12050	1200	500	100	10	470	600	778 / 2655	3363	440.00	528.00	453.00	543.60	✓
CN095 AL1600500	1600	500	100	13	470	600	1043 / 3560	4511	498.00	597.60	510.00	612.00	✓



Focus Metallics in Gunmetal
See Page 66.



VOGUE UK

EST | 1990

LADDER RAILS

Who said being practical has to be boring?

Our range of ladder rails combine function and form effortlessly. You can choose from our inspired range where heating your room and warming your towels need never be dull again.

Ladder type rails, often referred to as a multirail, were born out of purpose. These models are the well accepted modern classic, with design credentials built around efficiency and space saving. So, why choose a Vogue UK ladder rail? Our offerings are presented in the latest interiors finishes. We offer full ranges in terms of these finishes, sizes and formats. Importantly, Vogue offer matching accessories for these finishes, creating a more satisfying installed product. Features such as hidden air vents for our premium 25mm ranges also complete the intended look.

In our eyes service counts for something. We look after all our customers and make sure that our after sales requirements are upheld to the standards of our brand.



AXIS CHROME 22MM MULTIRAILS MD062

Axis has adjustable brackets through the crossbars, offering freedom and ease of installation. The amount of rails are ideal for optimum efficiency. This contemporary rail is a modern example of proficient design. Prices shown are for Chrome finish, central heating models.



Optional Aroma Plug

Blanking Plug with Aroma Oil Dish
AC035

£14.00 ex VAT

£16.80 inc VAT

Next Day Delivery
For Heating Only Models



MS C E D 15



Tube Ø 22mm + 30mm x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
MD062 MS06040CP	600	405	90 - 105	4-8	355	100	172 / 587	744	146.00	175.20	✓
MD062 MS06050CP	600	505	90 - 105	4-8	455	125	208 / 710	900	153.00	183.60	✓
MD062 MS06060CP	600	605	90 - 105	4-8	555	125	245 / 836	1059	159.00	190.80	✓
MD062 MS08030CP	800	305	90 - 105	4-5-5	255	100	167 / 570	722	167.00	200.40	✓
MD062 MS08040CP	800	405	90 - 105	4-5-5	355	100	209 / 713	903	172.00	206.40	✓
MD062 MS08050CP	800	505	90 - 105	4-5-5	455	125	252 / 860	1090	184.00	220.80	✓
MD062 MS08060CP	800	605	90 - 105	4-5-5	555	150	295 / 1007	1276	196.00	235.20	✓
MD062 MS08075CP	800	755	90 - 105	4-5-5	705	200	359 / 1225	1552	217.00	260.40	✓
MD062 MS10030CP	1000	305	90 - 105	4-5-8	255	150	211 / 720	912	179.00	214.80	✓
MD062 MS10040CP	1000	405	90 - 105	4-5-8	355	150	266 / 907	1149	190.00	228.00	✓
MD062 MS10050CP	1000	505	90 - 105	4-5-8	455	200	321 / 1096	1389	207.00	248.40	✓
MD062 MS10060CP	1000	605	90 - 105	4-5-8	555	200	378 / 1288	1632	220.00	264.00	✓
MD062 MS12030CP	1200	305	90 - 105	4-5-12	255	200	257 / 877	1111	203.00	243.60	✓
MD062 MS12040CP	1200	405	90 - 105	4-5-12	355	200	323 / 1102	1396	210.00	252.00	✓
MD062 MS12050CP	1200	505	90 - 105	4-5-12	455	200	391 / 1335	1691	222.00	266.40	✓
MD062 MS12060CP	1200	605	90 - 105	4-5-12	555	300	460 / 1567	1985	244.00	292.80	✓
MD062 MS12075CP	1200	755	90 - 105	4-5-12	705	300	558 / 1904	2412	255.00	306.00	✓
MD062 MS14050CP	1400	505	90 - 105	4-5-5-10	455	300	444 / 1516	1921	247.00	296.40	✓
MD062 MS14060CP	1400	605	90 - 105	4-5-5-10	555	300	521 / 1775	2249	270.00	324.00	✓
MD062 MS16040CP	1600	405	90 - 105	4-5-5-5-9	355	300	433 / 1475	1869	272.00	326.40	✓
MD062 MS16050CP	1600	505	90 - 105	4-5-5-5-9	455	300	522 / 1780	2255	274.00	328.80	✓
MD062 MS16060CP	1600	605	90 - 105	4-5-5-5-9	555	400	613 / 2091	2649	292.00	350.40	✓
MD062 MS18040CP	1800	405	90 - 105	4-5-5-5-13	355	400	474 / 1617	2049	325.00	390.00	✓
MD062 MS18050CP	1800	505	90 - 105	4-5-5-5-13	455	400	571 / 1949	2469	343.00	411.60	✓
MD062 MS18060CP	1800	605	90 - 105	4-5-5-5-13	555	400	671 / 2287	2898	368.00	441.60	✓
MD062 MS18075CP	1800	755	90 - 105	4-5-5-5-13	705	400	836 / 2852	3613	373.00	447.60	✓

NEW
SIZE



AXIS MATT BLACK 22MM MULTIRAILS MD062

Tube Ø 22mm + 30mm x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Matt Black	£ inc VAT Matt Black	Stock Info
	H	W	D								
MD062 MS0800500ZMB	800	505	90 - 105	4-5-5	455	125	328 / 1119	1419	123.00	147.60	✓
MD062 MS0800600ZMB	800	605	90 - 105	4-5-5	555	150	384 / 1310	1660	135.00	162.00	✓
MD062 MS1200500ZMB	1200	505	90 - 105	4-5-12	455	200	492 / 1679	2128	147.00	176.40	✓
MD062 MS1200600ZMB	1200	605	90 - 105	4-5-12	555	300	576 / 1965	2491	160.00	192.00	✓
MD062 MS1600500ZMB	1600	505	90 - 105	4-5-5-5-9	455	300	644 / 2197	2784	174.00	208.80	✓
MD062 MS1600600ZMB	1600	605	90 - 105	4-5-5-5-9	555	400	754 / 2573	3259	186.00	223.20	✓
MD062 MS1800500ZMB	1800	505	90 - 105	4-5-5-5-13	455	400	742 / 2532	3200	199.00	238.80	✓
MD062 MS1800600ZMB	1800	605	90 - 105	4-5-5-5-13	555	400	872 / 2975	3770	209.00	250.80	✓

COMBES 22MM CURVED MULTIRAILS MD063

Our Combes offers adjustable brackets through the crossbars also offer freedom and ease of installation. Offering a copious amount of rails for optimum efficiency, this contemporary rail is a modern example of proficient design. The curved version of our MD062. Prices shown are for chromed finish, central heating models.



Optional Aroma Plug

Blanking Plug with Aroma Oil Dish

AC035

£14.00 ex VAT

£16.80 inc VAT



Showing Curve.

MILD STEEL

SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:

+ £233.00 ex VAT

+ £279.60 inc VAT



Brushed Nickel:

+ £325.00 ex VAT

+ £390.00 inc VAT



Tube Ø 22mm + 30mm x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
MD063 MS08050CP	800	505	103 - 123	4-5-5	455	125	252 / 860	1087	189.00	226.80	✓
MD063 MS08060CP	800	605	109 - 129	4-5-5	555	150	295 / 1007	1272	203.00	243.60	✓
MD063 MS10050CP	1000	505	103 - 123	4-5-8	455	200	308 / 1051	1328	210.00	252.00	✓
MD063 MS10060CP	1000	605	109 - 129	4-5-8	555	200	361 / 1232	1557	225.00	270.00	✓
MD063 MS12050CP	1200	505	103 - 123	4-5-12	455	200	378 / 1290	1630	230.00	276.00	✓
MD063 MS12060CP	1200	605	109 - 129	4-5-12	555	300	443 / 1512	1911	252.00	302.40	✓
MD063 MS14050CP	1400	505	103 - 123	4-5-5-10	455	300	431 / 1471	1859	253.00	303.60	✓
MD063 MS14060CP	1400	605	109 - 129	4-5-5-10	555	300	504 / 1720	2174	273.00	327.60	✓
MD063 MS16050CP	1600	505	103 - 123	4-5-5-5-9	455	300	495 / 1689	2135	283.00	339.60	✓
MD063 MS16060CP	1600	605	109 - 129	4-5-5-5-9	555	400	580 / 1979	2501	298.00	357.60	✓
MD063 MS18050CP	1800	505	103 - 123	4-5-5-5-13	455	400	558 / 1904	2407	350.00	420.00	✓
MD063 MS18060CP	1800	605	109 - 129	4-5-5-5-13	555	400	654 / 2231	2821	375.00	450.00	✓



MS C E D 15

Next Day Delivery
For Heating Only Models



FOCUS 25MM PREMIUM MULTIRAILS MD001

Focus is a range of 25mm tube design towel warmers with high heat output and superior looks. Manufactured from high quality Mild Steel with smooth flat tops and rear air vent. Prices shown are for Chrome or White central heating models.

For other colour options see Focus Colours on Page 65 - 66.

Focus is available in any of the Prestige Finishes. See page 153.



Hidden rear air vent
for integral look and feel.

**MILD STEEL
SUPPLEMENTS** £ = Chrome + >

Gold Pricing POA



Bright Nickel:

+ £233.00 ex VAT
+ £279.60 inc VAT



Brushed Nickel:

+ £325.00 ex VAT
+ £390.00 inc VAT



Tube Ø 25mm + 30 x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs		ΔT 60°C BTUs		£ ex VAT	£ inc VAT	£ ex VAT	£ inc VAT	Stock Info
	H	W	D				Chrome	White	Chrome	White	Chrome	Chrome	White	White	
MD001 MS0800300	800	305	80 - 100	3-5-6	255	100	177 / 604	271 / 925	765	1172	211.00	253.20	114.00	136.80	✓
MD001 MS0800400	800	405	80 - 100	3-5-6	355	125	226 / 771	346 / 1181	977	1496	217.00	260.40	121.00	145.20	✓
MD001 MS0800500	800	505	80 - 100	3-5-6	455	150	252 / 860	420 / 1433	1090	1816	239.00	286.80	135.00	162.00	✓
MD001 MS0800600	800	605	80 - 100	3-5-6	555	200	324 / 1106	495 / 1689	1401	2140	263.00	315.60	142.00	170.40	✓
MD001 MS1000500	1000	505	80 - 100	4-5-9	455	200	351 / 1198	446 / 1522	1518	1928	276.00	331.20	146.00	175.20	✓
MD001 MS1000600	1000	605	80 - 100	4-5-9	555	200	355 / 1211	510 / 1740	1534	2205	285.00	342.00	148.00	177.60	✓
MD001 MS1200300	1200	305	80 - 100	4-5-13	255	200	273 / 932	424 / 1447	1181	1834	298.00	357.60	150.00	180.00	✓
MD001 MS1200400	1200	405	80 - 100	4-5-13	355	200	350 / 1194	543 / 1853	1513	2347	305.00	366.00	163.00	195.60	✓
MD001 MS1200500	1200	505	80 - 100	4-5-13	455	300	428 / 1460	663 / 2262	1849	2867	332.00	398.40	181.00	217.20	✓
MD001 MS1200600	1200	605	80 - 100	4-5-13	555	400	505 / 1723	783 / 2672	2183	3386	368.00	441.60	196.00	235.02	✓
MD001 MS1500500	1500	505	80 - 100	4-5-7-12	455	300	534 / 1822	820 / 2798	2309	3545	418.00	501.60	209.00	250.80	✓
MD001 MS1500600	1500	605	80 - 100	4-5-7-12	555	400	631 / 2153	969 / 3306	2728	4189	468.00	561.60	217.00	260.40	✓
MD001 MS1800400	1800	405	80 - 100	4-5-12-13	355	400	521 / 1778	793 / 2706	2253	3429	478.00	573.60	232.00	278.40	✓
MD001 MS1800500	1800	505	80 - 100	4-5-12-13	455	600	638 / 2177	969 / 3306	2756	4189	515.00	618.00	242.00	290.40	✓
MD001 MS1800600	1800	605	80 - 100	4-5-12-13	555	600	754 / 2573	1146 / 3910	3260	4953	576.00	691.20	273.00	327.60	✓



MS C E D 15

Next Day Delivery
For Heating Only Models




Please note painted models are supplied with Chrome brackets



FOCUS HORIZONTAL 25MM PREMIUM MULTIRAILS MD001H

Our Focus Horizontal allows you to hang towels side by side and is a perfect fit for underneath a window or shelf, with high heat output and superb looks. Prices shown are for Chrome or Anthracite central heating models. Please see page 154 for colour options.



Tube Ø 25mm + 30 x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs		ΔT 60°C BTUs		£ ex VAT	£ inc VAT	£ ex VAT	£ inc VAT	Stock Info
	H	W	D				Chrome	Anthracite	Chrome	Anthracite	Chrome	Chrome	Anthracite	Anthracite	
MD001H MS4001000	400	1000	85 - 100	3-4	955	100	200 / 682	302 / 1030	863	1302	165.00	198.00	117.00	140.40	✓
MD001H MS5001000	500	1000	85 - 100	3-6	955	125	256 / 874	386 / 1317	1104	1665	189.00	226.80	136.00	163.20	✓
MD001H MS6001000	600	1000	85 - 100	3-3-4	955	150	288 / 983	434 / 1481	1242	1872	201.00	241.20	153.00	183.60	✓




Next Day Delivery
For Heating Only Models




MS C E D 15




Curved Bars




800mm



1000mm



1200mm



1500mm



1800mm

Capped off ends with a hidden air vent create a smooth and modern finish on this towel warmer.



CHORUS 25MM CURVED PREMIUM MULTIRAILS MD002

The curved version of the Focus. The Chorus has all the same attributes with high heat output and superb looks. Adjustable brackets through the crossbars also offer freedom and ease of installation. Prices shown are for Chrome or White central heating models.

Tube Ø 25mm + 30 x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs		ΔT 60°C BTUs		£ ex VAT	£ inc VAT	£ ex VAT	£ inc VAT	Stock Info
	H	W	D				Chrome	White	Chrome	White	Chrome	Chrome	White	White	
MD002 MS0800500	800	505	98 - 119	3-5-6	455	150	275 / 938	420 / 1433	1186	1811	244.00	292.80	142.00	170.40	✓
MD002 MS0800600	800	605	103 - 124	3-5-6	555	200	324 / 1105	495 / 1689	1397	2135	277.00	332.40	150.00	180.00	✓
MD002 MS1000500	1000	505	98 - 119	4-5-9	455	200	351 / 1198	N/A	1514	N/A	298.00	357.60	N/A	N/A	✓
MD002 MS1000600	1000	605	103 - 124	4-5-9	555	200	414 / 1413	N/A	1785	N/A	305.00	366.00	N/A	N/A	✓
MD002 MS1200500	1200	505	98 - 119	4-5-13	455	300	428 / 1460	663 / 2262	1846	2859	353.00	423.60	192.00	230.40	✓
MD002 MS1200600	1200	605	103 - 124	4-5-13	555	400	505 / 1723	783 / 2672	2178	3377	384.00	460.80	207.00	248.40	✓
MD002 MS1500500	1500	505	98 - 119	4-5-7-12	455	300	534 / 1822	820 / 2798	2303	3536	486.00	583.20	228.00	273.60	✓
MD002 MS1500600	1500	605	103 - 124	4-5-7-12	555	400	631 / 2153	969 / 3306	2721	4179	546.00	655.20	239.00	286.80	✓
MD002 MS1800500	1800	505	98 - 119	4-5-12-13	455	600	638 / 2177	969 / 3306	2752	4179	547.00	656.40	263.00	315.60	✓
MD002 MS1800600	1800	605	103 - 124	4-5-12-13	555	600	754 / 2573	1146 / 3910	3252	4942	608.00	729.60	283.00	339.60	✓



Next Day Delivery
For Heating Only Models



MS C E D 15

Grey
Sparkle
Textured
ZGS



White
Sparkle
Textured
ZWS



Matt
Black
ZMB



Anthracite
Textured
ZAT



Espresso
Gloss
ZEX



Cappuccino
Textured
ZCA



Mocha
Textured
ZMC



Latte
Textured
ZLT



Steel
Blue
ZSBLU



Moss
Green
ZMGN



*Note: 1800 X 605 only in
Matt Black

* Note: Mocha/Latte depth
dimension is 85 -100mm



*Note: Steel Blue, Moss Green, Mocha & Latte
require an additional production process

FOCUS COLOURS 25MM PREMIUM MULTIRAILS MD001

Contemporary painted finishes in our popular 25mm horizontal tube multi-rail. Prices shown are for central heating models. Optional valves are available in complementary finishes. *Mocha and Latte towel warmers are priced separately to the other colour choices.

Tube Ø 25mm + 30 x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT	£ inc VAT	£ ex VAT	£ inc VAT	Stock Info
	H	W	D						*Mocha/Latte S/Blue M/Green	*Mocha/Latte S/Blue M/Green	Other Colours	Other Colours	
MD001 MS0800400	800	405	74 - 84	3-5-6	355	125	346 / 1181	1496	202.00	242.40	144.00	172.80	✓
MD001 MS0800500	800	505	74 - 84	3-5-6	455	150	420 / 1433	1815	242.00	290.40	172.00	206.40	✓
MD001 MS1200300	1200	305	74 - 84	4-5-13	255	200	424 / 1447	1834	270.00	324.00	191.00	229.20	✓
MD001 MS1200500	1200	505	74 - 84	4-5-13	455	300	663 / 2262	2867	326.00	391.20	231.00	277.20	✓
MD001 MS1200600	1200	605	74 - 84	4-5-13	555	400	783 / 2672	3386	351.00	421.20	250.00	300.00	✓
MD001 MS1500500	1500	505	74 - 84	4-5-7-12	455	300	820 / 2798	3545	392.00	470.40	278.00	333.60	✓
MD001 MS1800500	1800	505	74 - 84	4-5-12-13	455	600	969 / 3306	4189	435.00	522.00	309.00	370.80	✓
MD001 MS1800600ZMB	1800	605	74 - 84	4-5-12-13	455	600	979 / 3340	4233	-	-	314.00*	376.80*	✓

NEW
SIZE



MS

C

E

D

15

Next Day Delivery
For Heating Only Models



FOCUS METALLICS 25MM PREMIUM MULTIRAILS MD001

Focus Brushed Brass, Focus Brushed Bronze, Focus Satin Brushed Nickel and Focus Gunmetal metallic finishes; in our quintessential 25mm horizontal tube multi-rail. Specially selected to compliment the latest interior design styles within three popular heights. Prices shown are for central heating models.

*Note: 600 width sizes are only available in Brushed Brass finish.

Focus
Gunmetal
FGM



Focus
Satin/B
Nickel
FSBRN



Focus
Brushed
Bronze
FBRBB




Focus
Brushed
Brass
FBB




Tube Ø 25mm + 30 x 40mm D section	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Metallics	£ inc VAT Metallics	Stock Info
	H	W	D								
MD001 MS0800500	800	500	76 - 88	3-5-6	464	150	279 / 952	1207	236.00	283.20	✓
MD001 MS1200500	1200	500	76 - 88	4-5-13	464	300	433 / 1477	1872	342.00	410.40	✓
MD001 MS1200600*	1200	600	76 - 88	4-5-13	464	300	511 / 1743	2209	355.00*	426.00*	✓
MD001 MS1800500	1800	500	76 - 88	4-5-12-13	464	600	664 / 2264	2869	501.00	601.20	✓
MD001 MS1800600*	1800	600	76 - 88	4-5-12-13	464	600	783 / 2672	3387	514.00*	616.80*	✓




Blanking Plug with Aroma
Oil Dish AC035
£14.00 ex VAT, £16.80 inc VAT




772mm



1186mm



1508mm



1738mm



MS C E D 15

TUNE MD003

Tune has straight cross rails and the Melody has a gentle curve. Both formats are exceptionally practical and work well in bathrooms and kitchens alike. Prices shown are Chrome finished for central heating models.

Tube Ø 32 mm + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
MD003 MS0772500CP	772	500	80 - 95	3-5-5	450	125	290 / 989	1251	226.00	271.20	✓
MD003 MS0772600CP	772	600	80 - 95	3-5-5	550	200	347 / 1184	1497	241.00	289.20	✓
MD003 MS1186500CP	1186	500	80 - 95	5-5-5-5	450	300	465 / 1587	2005	304.00	364.80	✓
MD003 MS1186600CP	1186	600	80 - 95	5-5-5-5	550	300	553 / 1887	2385	331.00	397.20	✓
MD003 MS1508500CP	1508	500	80 - 95	5-5-5-5-5	450	400	581 / 1982	2506	363.00	435.60	✓
MD003 MS1508600CP	1508	600	80 - 95	5-5-5-5-5	550	400	686 / 2341	2959	398.00	477.60	✓
MD003 MS1738500CP	1738	500	80 - 95	6-6-6-6-6	450	600	687 / 2344	2963	419.00	502.80	✓
MD003 MS1738600CP	1738	600	80 - 95	6-6-6-6-6	550	600	815 / 2781	3515	457.00	548.40	✓



DUPLÉ 22MM WALL MOUNTED MD095

Duple offers the hanging space of the timeless multi-rail using front and back cross bars, for increased heat output. The tube on tube design available in White gives a contemporary feel. Dual pipe centre options allow freedom of installation.

Tube Ø 38mm + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White	£ inc VAT White	Stock Info
	H	W	D								
MD095 MS0800500WH	800	500	104	4-4-7	450-50	200	563 / 1920	2412	241.00	289.20	✓
MD095 MS1200500WH	1200	500	104	4-10-11	450-50	400	945 / 3224	4050	314.00	376.80	✓
MD095 MS1800500WH	1800	500	104	5-8-13-13	450-50	600	1484 / 5064	6360	524.00	628.80	✓




STUDIO HANDCRAFTED BRASS MD006


Simple style, with bold straight cross rails and discreet fixed brackets and a hidden rear air vent. Manufactured from high quality Brass in an un-lacquered Brushed Brass finish as standard.

A lacquered finish can be provided with a supplement charge of 25% on the price of un-lacquered or Chrome. Other bespoke metallic finishes are available at an additional cost, please see page 153.


Tube Ø 31.8mm + 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome/ Brushed Brass	£ inc VAT Chrome/ Brushed Brass	Stock Info
	H	W	D								
MD006 BR0720500	720	500	90	4-4-6	468	125	327 / 1116	1410	995.00	1194.00	🕒
MD006 BR1000500	1000	500	90	6-7-8	468	200	482 / 1645	2079	1374.00	1648.80	🕒
MD006 BR1435500	1435	500	90	6-8-8-8	468	300	690 / 2354	2976	1874.00	2248.80	🕒



800mm



1200mm



1600mm



CHUBE STAINLESS STEEL MD035

The round tube polished Stainless Steel design with rear air vent, brings together aesthetics and practicality. It will suit any modern bathroom. Please see page 154 for colour options. Stainless Steel suitable for all hot water systems.

Tube Ø 31.8mm + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Polished SS	£ inc VAT Polished SS	Stock Info
	H	W	D								
MD035 SS0800300PS	800	300	100	3-4-5	268	100	161 / 549	694	364.00	436.80	✓
MD035 SS0800400PS	800	400	100	3-4-5	368	100	197 / 672	850	400.00	480.00	✓
MD035 SS0800500PS	800	500	100	3-4-5	468	125	243 / 829	1048	435.00	522.00	✓
MD035 SS0800600PS	800	600	100	3-4-5	568	150	269 / 918	1160	502.00	602.40	✓
MD035 SS1200300PS	1200	300	100	3-4-5-6	268	125	240 / 819	1035	539.00	646.80	✓
MD035 SS1200400PS	1200	400	100	3-4-5-6	368	150	294 / 1003	1268	578.00	693.60	✓
MD035 SS1200500PS	1200	500	100	3-4-5-6	468	200	348 / 1187	1501	626.00	751.20	✓
MD035 SS1200600PS	1200	600	100	3-4-5-6	568	200	402 / 1372	1734	730.00	876.00	✓
MD035 SS1600300PS	1600	300	100	3-4-5-6-6	268	200	321 / 1095	1384	784.00	940.80	✓
MD035 SS1600400PS	1600	400	100	3-4-5-6-6	368	200	391 / 1334	1686	882.00	1058.40	✓
MD035 SS1600500PS	1600	500	100	3-4-5-6-6	468	300	464 / 1583	2001	963.00	1155.60	✓
MD035 SS1600600PS	1600	600	100	3-4-5-6-6	568	300	536 / 1829	2312	1060.00	1272.00	✓




Next Day Delivery
For Heating Only Models




PEARL STAINLESS STEEL MD058

High quality polished Stainless Steel. Pearl's chic styling and sensible design allows you to hang towels side by side. Suitable for all hot water systems. Other colour finishes are available please see page 154.




600mm 9 Bar




800mm 12 Bar


Tube Ø 31.8mm + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Polished	£ inc VAT Polished	Stock Info
	H	W	D								
MD058 SS0600750PS	600	750	100	4-5	718	100	419 / 1430	1807	550.00	660.00	✓
MD058 SS0601000PS	600	1000	100	4-5	968	125	517 / 1764	2230	633.00	759.60	✓
MD058 SS0800750PS	800	750	100	3-4-5	718	125	529 / 1805	2281	668.00	801.60	✓
MD058 SS0801000PS	800	1000	100	3-4-5	968	150	682 / 2327	2941	730.00	876.00	✓



700mm



1200mm



1600mm

Next Day Delivery
For Heating Only Models



SS H E D 30

GALAXY STAINLESS STEEL MD059

Galaxy has clean lines and plenty of hanging space. Manufactured from polished Stainless Steel. Suitable for all hot water systems. Other colour finishes are available please see page 154.

Tube Ø 31.8mm + 22mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Polished	£ inc VAT Polished	Stock Info
	H	W	D								
MD059 SS0700500PS	700	500	100	3	468	75	86 / 293	371	391.00	469.20	✓
MD059 SS1200500PS	1200	500	100	5	468	100	217 / 740	936	605.00	726.00	✓
MD059 SS1600500PS	1600	500	100	7	468	125	296 / 1010	1277	777.00	932.40	✓





VOGUE UK

EST | 1990

TRADITIONAL & TRANSITIONAL

Go timeless and give your room a focal point that never fails to impress.

Our range of classic designs, in a stunning choice of colours and finishes, add instant elegance to your room, each is crafted to stand the test of time.

Classic products are now creating new traditions. Interior Designers are incorporating handmade products and blending simple schemes with timeless classical notes. Materials such as Brass, have an integrity that is clear to see when used as an accent within modern or transitional design.

Many Vogue UK traditional products are known internationally for being part of a genre within bathroom interiors. These bold designs encapsulate Britishness with history, culture, design and time honoured craftsmanship.





MS C E D 15

REGENCY FLOOR & WALL MOUNTED LG004-MS

The classic column radiator towel rail, offering high heat output with Legacy ball joints. Mild Steel manufactured, Chrome finished framework with an integral white Mild Steel column radiator. Colour options only apply to the inset radiator, not the frame. Other bespoke metallic frame finishes are available at an additional cost, please see page 153 & 154.

MILD STEEL SUPPLEMENTS

£ = Chrome + >

Gold Pricing POA



Bright Nickel:

+ £233.00 ex VAT
+ £279.60 inc VAT



Brushed Nickel:

+ £325.00 ex VAT
+ £390.00 inc VAT

Tube Ø 31.8mm	Dimensions (mm)			No. of Sections	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG004 MS0963538CP	963	538	230	5	393	200	392 / 1338	1691	625.00	750.00	✓
LG004 MS0963673CP	963	673	230	8	528	300	554 / 1890	2389	740.00	888.00	✓
LG004 MS0963763CP	963	763	230	10	618	400	653 / 2228	2816	845.00	1014.00	✓



REGENCY FLOOR & WALL MOUNTED LG004-BR / OG006-BR

An authentic column radiator towel rail, offering high heat output. Choose from our Originals or Legacy ball joints. Brass manufactured, Chrome finished framework with an integral White Mild Steel column radiator. Bespoke finishes and radiator colours are available at an additional cost, please see page 153 & 154.

Ball joint detail options:

Legacy simple ball joint - LG code or Originals double fluted ball joint - OG code



Tube Ø 31.8mm	Dimensions (mm)			No. of Sections	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG004C BR093050CP	938	500	250	5	343	200	392 / 1338	1691	1348.00	1617.60	
LG004B BR093067CP	938	675	250	8	518	400	554 / 1890	2389	1362.00	1634.40	
LG004A BR093073CP	938	735	250	10	578	400	653 / 2228	2816	1371.00	1645.20	
OG006C BR093050CP	938	500	250	5	343	200	392 / 1338	1691	1378.00	1653.60	
OG006B BR093067CP	938	675	250	8	518	400	554 / 1890	2389	1389.00	1666.80	
OG006A BR093073CP	938	735	250	10	578	400	653 / 2228	2816	1403.00	1683.60	



REGENCY WALL MOUNTED LG005 / OG015

This towel rail looks great alongside the bath, at the right height for reaching your luxuriously warm towel. Brass or Mild Steel manufactured framework with an integral White Mild Steel column radiator. Choose from our Originals or Legacy ball joints. Bespoke finishes are available at an additional cost, please see page 153 & 154.

Ball joint detail options for brass models:
Legacy simple ball joint - LG code
Originals double fluted ball joint - OG code

MS C E D 15

Mild Steel Tube Ø 31.8	Dimensions (mm)			No. of Sections	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG005 MS074067CP	740	675	250	8	600	300	568 / 1938	2450	735.00	882.00	✓

MILD STEEL

SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:

+ £233.00 ex VAT
+ £279.60 inc VAT



Brushed Nickel:

+ £325.00 ex VAT
+ £390.00 inc VAT



BR MS C E D 30

Brass Tube Ø 31.8mm	Dimensions (mm)			No. of Sections	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG005C BR074050CP	740	500	250	5	425	200	384 / 1310	1656	1410.00	1692.00	👤
LG005B BR074067CP	740	675	250	8	600	400	541 / 1846	2333	1506.00	1807.20	👤
LG005A BR074073CP	740	735	250	10	660	400	643 / 2194	2773	1570.00	1884.00	👤
OG015 BR074050CP	740	500	250	5	425	200	384 / 1310	1656	1443.00	1731.60	👤
OG015 BR074067CP	740	675	250	8	600	400	541 / 1846	2333	1530.00	1836.00	👤
OG015 BR074073CP	740	735	250	10	660	400	643 / 2194	2773	1551.00	1861.20	👤



REGENCY II WALL MOUNTED LG036 / OG009

This handmade British design will stand the test of time. A Vogue UK design, liked for its heat output, hanging space and unique design. Choose from our Originals or Legacy ball joints. Brass manufactured, Chrome finished framework with an integral White Mild Steel column radiator. Bespoke finishes and radiator colours are available at an additional cost, please see page 153 & 154.

Ball joint detail options:

Legacy simple ball joint - LG code or Originals double fluted ball joint - OG code



LG



OG

	Dimensions (mm)			No. of Sections	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
Tube Ø 31.8mm											
LG036 BR082050CP	825	500	150	5	425	200	384 / 1310	1656	1408.00	1689.60	
LG036 BR082067CP	825	675	150	8	600	400	570 / 1945	2458	1505.00	1806.00	
LG036 BR082073CP	825	735	150	10	660	400	671 / 2289	2894	1569.00	1882.80	
OG009C BR082050CP	825	500	160	5	425	200	384 / 1310	1656	1495.00	1794.00	
OG009B BR082067CP	825	675	160	8	600	400	570 / 1945	2458	1583.00	1899.60	
OG009A BR082073CP	825	735	160	10	660	400	671 / 2289	2894	1639.00	1966.80	



MILD STEEL SUPPLEMENTS

£ = Chrome + >



Gold Pricing POA



Bright Nickel:

+ £233.00 ex VAT

+ £279.60 inc VAT



Brushed Nickel:

+ £325.00 ex VAT

+ £390.00 inc VAT

Floor & Wall
Mounted Option




REGENCY TALL FLOOR & WALL MOUNTED LG013-MS

Ideal for family bathrooms or a special en-suite. Mild Steel manufactured framework with an integral White Mild Steel column radiator. Prices shown are Chrome finished for central heating models.

Wall Mounted Tube Ø 31.8mm	Dimensions (mm)			No. of Sections	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG013WM MS1403575CP	1403	575	250	5	500	400	824 / 2811	3554	891.00	1069.20	✓

Floor & Wall Mounted Tube Ø 31.8mm	Dimensions (mm)			No. of Sections	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG013FW MS1500500CP	1500	500	250	5	343	400	815 / 2781	3515	991.00	1189.20	✓



REGENCY TALL FLOOR & WALL MOUNTED LG013-BR / OG007-BR

Brass manufactured with an integral White Mild Steel column radiator, Regency Tall provides the luxury of a superior finish. Choose from our Originals or Legacy ball joints. Bespoke finishes are available at an additional cost, please see page 153.

Tube Ø 31.8mm	Dimensions (mm)			No. of Sections	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG013 BR150050CP	1500	500	250	5	343	400	738 / 2518	3183	1641.00	1969.20	
OG007 BR150050CP	1500	500	250	5	343	400	738 / 2518	3183	1859.00	2230.80	



ARCADIA FLOOR MOUNTED LG017/ OG017

Arcadia, the classic war horse. A very British design which has stood the test of time. Choose from Originals or Legacy ball joints. Brass or Mild Steel manufactured models, Chrome finished as standard. Mild Steel models are fitted with the Legacy ball joint as standard. Bespoke finishes are available at an additional cost, please see page 153.

MS E D 15

Mild Steel	Dimensions (mm)			Bar Config	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
Tube Ø 31.8mm	H	W	D								
LG017 MS0850598CP	850	598	233	7	453	2 x 100	439 / 1498	1893	937.00	1124.40	✓

Gold Pricing POA

MILD STEEL

SUPPLEMENTS £ = Chrome + >



Bright Nickel:

+ £233.00 ex VAT
+ £279.60 inc VAT



Brushed Nickel:

+ £325.00 ex VAT
+ £390.00 inc VAT

Ball joint detail options for brass models:

Legacy simple ball joint - LG code

Originals double fluted ball joint - OG code



BR DL H E D 30

Brass	Dimensions (mm)			Bar Config	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
Tube Ø 31.8mm	H	W	D								
LG017 BR085060CP	850	600	235	7	443	2 x 100	439 / 1498	1893	1617.00	1940.40	👤
OG017 BR0850600CP	850	600	275	7	443	2 x 100	439 / 1498	1893	1983.00	2379.60	👤



BR MS C E D 30

BAROQUE FLOOR MOUNTED LG014/ OG014

Inspired by yesteryear. The Baroque uses a classical White Mild Steel column radiator within a handcrafted, Chrome Plated, Brass framework. Superior heat output and towel hanging space are abundant in this imposing feature design. Choose from Originals or Legacy ball joints. Bespoke finishes are available at an additional cost, please see page 153.

Ball joint detail options:

Legacy simple ball joint - LG code or Originals double fluted ball joint - OG code



Tube Ø 31.8mm	Dimensions (mm)			No. of Sections	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG014 BR0900675CP	900	675	325	8	518	200 + 300	871 / 2972	3756	2118.00	2541.60	👤
OG016 BR0900675CP	900	675	350	8	518	200 + 300	871 / 2972	3756	2292.00	2750.40	👤



LG021C 5 Bars

LG021B 4 Bars

LG025A 3 Bars



LG



OG

Ball joint detail options for brass models:
Legacy simple ball joint - LG code
Originals double fluted ball joint - OG code

BALLERINA WALL MOUNTED LG025 / LG010 / LG021 / OG002

High quality Brass, durable for longevity, the Ballerina is available with your choice of Legacy (as illustrated) or Originals ball joint. Prices shown are Chrome finished all heating and hot water systems. Bespoke finishes are available at an additional cost, please see page 153 for other finishes. 6 bar models are also available to order as bespoke.

Tube Ø 31.8mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG025A BR067067CP	675	675	125	3	600	100	167 / 570	720	967.00	1160.40	👤
LG025B BR067082CP	675	825	125	3	750	125	190 / 648	819	987.00	1184.40	👤
LG010A BR0750500CP	750	500	125	4	425	100	169 / 577	729	1067.00	1280.40	👤
LG021BWM BR127052CP	1275	525	125	4	450	125	239 / 815	1031	1197.00	1436.40	👤
LG021FWM BR127067CP	1275	675	125	4	600	150	266 / 908	1147	1219.00	1462.80	👤
LG021CWM BR157052CP	1575	525	125	5	450	125	292 / 996	1259	1431.00	1717.20	👤
LG021GWM BR157067CP	1575	675	125	5	600	150	327 / 1116	1410	1457.00	1748.40	👤
OG002B BR067067CP	675	675	135	3	600	100	167 / 570	720	1084.00	1300.80	👤
OG002C BR067082CP	675	825	135	3	750	125	190 / 648	819	1117.00	1340.40	👤
OG002D BR075052CP	750	525	135	4	450	100	169 / 577	729	1310.00	1572.00	👤
OG002A BR127052CP	1275	525	135	4	450	125	239 / 815	1047	1317.00	1580.40	👤
OG002E BR127067CP	1275	675	135	4	600	150	266 / 908	1151	1329.00	1594.80	👤
OG002F BR157052CP	1575	525	135	5	450	125	292 / 996	1259	1593.00	1911.60	👤
OG002G BR157067CP	1575	675	135	5	600	150	327 / 1116	1410	1603.00	1923.60	👤



LG021H 5 Bars

LG021E 4 Bars

LG024A 3 Bars



LG



OG

Ball joint detail options for brass models:

Legacy simple ball joint - LG code

Originals double fluted ball joint - OG code

BALLERINA WALL & FLOOR MOUNTED LG021 / LG024 / OG003

High quality Brass, supremely durable for longevity. The Ballerina wall and floor is available with your choice of Legacy (illustrated) or Originals ball joint. Prices shown are Chrome finished all heating and hot water systems. Bespoke finishes are available at an additional cost, please see page 153 for other finishes. 6 bar models are also available to order as bespoke.

Tube Ø 31.8mm	Dimensions (mm)			Bar Config	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG024C BR093057CP	938	575	138	3	418	100	163 / 556	703	1019.00	1222.80	👉
LG024A BR0938675CP	938	675	138	3	518	125	195 / 665	841	1042.00	1250.40	👉
LG024B BR093082CP	938	825	138	3	668	150	207 / 706	893	1094.00	1312.80	👉
LG021AFW BR123052CP	1238	525	138	4	368	125	239 / 815	1031	1289.00	1546.80	👉
LG021EFW BR123067CP	1238	675	138	4	518	150	266 / 908	1147	1311.00	1573.20	👉
LG021DFW BR153052CP	1538	525	138	5	368	150	292 / 996	1259	1336.00	1603.20	👉
LG021HFW BR153067CP	1538	675	138	5	518	150	327 / 1116	1410	1438.00	1725.60	👉
OG003A BR093057CP	938	575	138	3	418	100	163 / 556	703	1191.00	1429.20	👉
OG003B BR093067CP	938	675	138	3	518	125	195 / 665	841	1201.00	1441.20	👉
OG003C BR093082CP	938	825	138	3	668	150	207 / 706	893	1217.00	1460.40	👉
OG003D BR123052CP	1238	525	138	4	368	125	239 / 815	1031	1398.00	1677.60	👉
OG003E BR123067CP	1238	675	138	4	518	150	266 / 908	1147	1418.00	1701.60	👉
OG003F BR153052CP	1538	525	138	5	368	125	292 / 996	1259	1580.00	1896.00	👉
OG003G BR153067CP	1538	675	138	5	518	150	327 / 1116	1410	1603.00	1923.60	👉



MS C E D 15

BALLERINA WALL & FLOOR MOUNTED LG024A-MS / LG021-MS

This Ballerina wall and floor mounted towel rail is offered in a Mild Steel Legacy ball joint version as illustrated on this page. Prices shown are Chrome finished central heating models. Bespoke finishes are available at an additional cost, please see page 153 for other finishes. The LG021-MS comes with added ball joints on the inlet connections to complement the style further.

MILD STEEL

SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:

+ £233.00 ex VAT
+ £279.60 inc VAT



Brushed Nickel:

+ £325.00 ex VAT
+ £390.00 inc VAT



Tube Ø 31.8mm	Dimensions (mm)			Bar Config	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG024A MS0848598CP	848	598	138	4	454	100	163 / 556	703	576.00	691.20	✓
LG021 MS1549598CP	1549	598	138	5	454	150	310 / 1058	1337	642.00	770.40	✓



BALLERINA WALL MOUNTED LG010A-MS (Chrome Finish)

The Ballerina wall mounted towel rail is offered in a Legacy ball joint Mild Steel version, as detailed on this page. A design classic, which will never date. Prices shown are Chrome finished central heating models. Bespoke finishes are available at an additional cost.

MILD STEEL
SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:

+ £233.00 ex VAT
+ £279.60 inc VAT



Brushed Nickel:

+ £325.00 ex VAT
+ £390.00 inc VAT



Tube Ø 31.8mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG010A MS0748498CP	748	498	124	4	425	100	147 / 501	635	551.00	661.20	✓
LG010B MS1193498CP	1193	498	125	5	425	125	186 / 634	869	771.00	925.20	✓
LG010C MS1548498CP	1548	498	125	6	425	150	247 / 843	1068	881.00	1057.20	✓



MS C E D 15

BALLERINA WALL MOUNTED LG010A-MS (Matt Black Finish)

The Matt Black finish of Ballerina takes a classic into modern era, sitting comfortably within contemporary bathrooms. The finish works well with matching Matt Black taps and showers, or as a contrast with dark furniture and coupled with Brushed Brass fittings. The three heights of this design offer ample hanging space for your requirements.

Tube Ø 31.8mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Matt Black	£ inc VAT Matt Black	Stock Info
	H	W	D								
LG010A MS0748498MB	748	498	124	4	425	100	186 / 634	803	496.00	595.20	✓
LG010B MS1193498MB	1193	498	125	5	425	125	255 / 869	1101	694.00	832.80	✓
LG010C MS1548498MB	1548	498	125	6	425	150	313 / 1067	1352	782.00	938.40	✓



BALLERINA WALL MOUNTED LG010A-MS (Focus Brushed Brass Finish)

The Ballerina wall mounted in a Brushed Brass offers the latest metallic finish as an update to this popular and very functional towel rail. This finish bridges both traditional and contemporary classic interior design. Simple matching valves and connection tubes with cover plates complete the look. See the Accessories & Valves section.

Tube Ø 31.8mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT F-Brushed Brass	£ inc VAT F-Brushed Brass	Stock Info
	H	W	D								
LG010A (REV2) MS0748498FBB	748	498	130	4	425	100	171 / 584	740	606.00	727.20	✓
LG010B (REV2) MS1193498FBB	1193	498	130	5	425	125	268 / 916	1161	793.00	951.60	✓
LG010C (REV2) MS1548498FBB	1548	498	130	6	425	150	410 / 1399	1773	992.00	1190.40	✓

Image showing Antique Copper finish.



- BR
- H
- E
- D
- DL
-
- 30

GRANDEUR WALL & FLOOR MOUNTED GD032FW

Reflecting the quality and craftsmanship of a bygone age. Manufactured from our most robust larger sized Brass tube and ball joints. This towel rail is timeless and sits well in any traditional setting. Brass manufactured with a Chrome finish as standard. Bespoke finishes are available at an additional cost, please see page 153 for other finishes.



GD Grandeur larger ball joint with period nut detailing.

Tube Ø 38.1mm	Dimensions (mm)			Bar Config	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
GD032FW BR0943686CP	943	686	163	3	522	125	243 / 829	1048	1945.00	2334.00	
GD032FW BR1243686CP	1243	686	163	4	522	200	319 / 1088	1376	2432.00	2918.40	



BR H E D DL 30

GRANDEUR WALL MOUNTED GD032WM

The wall mounted Grandeur provides ample warm towel hanging space. Classical looks and a robust traditional quality with larger sized Brass tube and ball joints. Designed to outlive fashion. Brass manufactured with a Chrome finish as standard. Bespoke finishes are available at an additional cost, please see page 153 for other finishes.



GD Grandeur larger ball joint with period nut detailing.

	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
GD032WM BR0686686CP	686	686	154	3	600	100	220 / 751	949	2044.00	2452.80	
GD032WM BR1286636CP	1286	636	154	4	550	150	321 / 1095	1384	2488.00	2985.60	



BUTLER WALL & FLOOR MOUNTED LG035 / OG004

This traditional design is tactile and sturdy, a centrepiece for a classically designed bathroom. Brass manufactured, shown with the Originals ball joint, Legacy ball joints are also available. Chrome finish as standard. Bespoke finishes are available at an additional cost, please see page 153 for other finishes.

Please note: The design will slightly alter if ordering lacquered brass or lacquered brushed brass



LG - Legacy
Ball Joint



OG - Originals
Ball Joint

Tube Ø 31.8mm	Dimensions (mm)			Bar Config	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG035 BR094075CP	940	75	488	4	268	100	156 / 532	673	1088.00	1305.60	
OG004 BR096575CP	965	75	488	4	268	100	156 / 532	673	1158.00	1389.60	

Image showing Antique Bronze finish.



HAMLET WALL MOUNTED LG037 / OG001

Small is always beautiful. The Hamlet is perfect for en suites and downstairs WCs where space is a premium, but warm dry towels are welcome. Choose from our Originals or Legacy ball joints. Chrome finish as standard. Bespoke finishes are available at an additional cost, please see page 153 for other finishes.



LG - Legacy
Ball Joint



OG - Originals
Ball Joint

Tube Ø 31.8mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG037 BR0235575CP	235	575	125	2	500	50	79 / 270	341	724.00	868.80	
OG001 BR023057CP	235	575	135	2	500	50	79 / 270	341	808.00	969.60	



ELIZABETH WALL & FLOOR MOUNTED LG003 / OG019

With sculptured lines and quality Original or Legacy ball joints the Elizabeth has a twist on tradition. Choose from Brass or Mild Steel manufactured models, Chrome finished as standard. Bespoke finishes are available at an additional cost, please see page 153.

Mild Steel Tube Ø 31.8mm + 25mm + 19mm	Dimensions (mm)			Bar Config	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG003 MS0963673CP	963	673	168	8	528	125	290 / 989	1251	573.00	687.60	✓

MILD STEEL
SUPPLEMENTS £ = Chrome + >

Gold Pricing POA

Bright Nickel:

+ £233.00 ex VAT
+ £279.60 inc VAT

Brushed Nickel:

+ £325.00 ex VAT
+ £390.00 inc VAT



LG - Legacy
Ball Joint



OG - Originals
Ball Joint

Brass Tube Ø 31.8mm + 25 4mm	Dimensions (mm)			Bar Config	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG003A BR093067CP	938	675	138	7	518	150	290 / 989	1251	1269.00	1522.80	👤
LG003B BR093082CP	938	825	138	7	668	150	372 / 1269	1604	1310.00	1572.00	👤
OG019A BR093067CP	938	675	138	7	518	150	290 / 989	1251	1417.00	1700.40	👤
OG019B BR093082CP	938	825	138	7	668	150	372 / 1269	1604	1455.00	1746.00	👤



ELIZABETH WALL MOUNTED LG003 / OG019

The wall mounted Elizabeth is available in two widths with your choice of Legacy (as illustrated) or Originals ball joints. Chrome finished as standard. Bespoke finishes are available at an additional cost, please see page 153.



LG - Legacy
Ball Joint



OG - Originals
Ball Joint

Tube Ø 31.8mm + 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG003D BR074067CP	740	675	125	7	600	125	290 / 989	1251	1300.00	1560.00	
LG003E BR074082CP	740	825	125	7	750	150	372 / 1269	1604	1342.00	1610.40	
OG019D BR074067CP	740	675	135	7	600	125	290 / 989	1251	1445.00	1734.00	
OG019E BR074082CP	740	825	135	7	750	150	372 / 1269	1604	1483.00	1779.60	



ART MODERNE WALL & FLOOR MOUNTED OG011

Deco decadence in a nutshell. High quality hexagonal Brass tube manufacture, crafted to a gleaming finish. Available in two sizes and Chrome finish as standard. Bespoke finishes are available at an additional cost, please see page 153 for other finishes.



Art Moderne
Corner Joint Detail.

	Dimensions (mm)			Bar Config	Face to Face Connections	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
Tube Ø 32mm HEX											
OG011B BR094060CP	943	600	175	3	428	100	197 / 672	850	1234.00	1480.80	👤
OG011A BR154355CP	1543	550	168	5	368	125	318 / 1085	1371	1548.00	1857.60	👤



ART MODERNE WALL MOUNTED OG010

The wall mounted Art Moderne is available in three different sizes to suit your room. Brass manufactured with a Chrome finish as standard. Bespoke finishes are available at an additional cost, please see page 153 for other finishes.




Art Moderne
Corner Joint Detail.


Tube Ø 32mm HEX	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
OG010A BR083055CP	836	550	145	4	450	100	211 / 720	910	1293.00	1551.60	👇
OG010B BR083070CP	836	700	145	4	600	125	247 / 843	1065	1325.00	1590.00	👇
OG010C BR098070CP	986	700	145	4	600	125	263 / 897	1134	1349.00	1618.80	👇



PJ021C 5 Bars



PJ021B 4 Bars



PJ010A 4 Bars

FAIRING WALL MOUNTED PJ010A / PJ021B / PJ021C

The Fairing is an understated classic towel rail. Brass manufactured with a Chrome plating as standard. A full range of bespoke finishes are available at an additional cost, please see page 153 for other options. Further PJ models are available via our hand crafted service, including floor and wall mounted Fairing models and much more. Please speak with our sales team about these custom built models.

Image showing PJ021B hand finished in Brushed Brass.



PJ - Plain Joint

Tube Ø 31.8mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
PJ010A BR750500CP	750	500	125	4	425	100	100 / 576	730	969.00	1162.80	👤
PJ021B BR1275525CP	1275	525	125	4	450	125	239 / 815	1033	1195.00	1434.00	👤
PJ021C BR1575525CP	1575	525	125	5	450	125	292 / 996	1262	1414.00	1696.80	👤



BR H E D 30

PENTHOUSE WALL MOUNTED LG018 / OG020

This characterful robustly British towel warmer hails quality and craftsmanship. Made for you with your choice of the Legacy or Originals ball joint (pictured). Brass manufactured with a Chrome finish as standard. Bespoke finishes are available at an additional cost, please see page 153 for other finishes.



LG - Legacy
Ball Joint



OG - Originals
Ball Joint

Tube Ø 31.8mm + 25.4mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG018 BR11055CP	1100	550	100	20	500	200	532 / 1815	2294	1810.00	2172.00	🖱️
OG020 BR1100550CP	1100	550	100	18	500	200	493 / 1682	2126	2017.00	2420.40	🖱️



VINTAGE WALL MOUNTED LG010B

This Chrome finished Brass tubed simple design with Legacy ball joints would sit happily in either a traditional or more contemporary setting. Other bespoke metallic finishes are available at an additional cost, please see page 153.

Tube Ø 31.8mm	Dimensions (mm)			Bar Config	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
LG010B BR075047CP	750	475	105	4	400	100	169 / 577	729	823.00	987.60	✓



BR MS C E D 30

NEXUS GRAND III WALL MOUNTED TM003

When combinations are right, something good happens. This towel rail has a great heat output from a White twin column radiator inset. It is skilfully combined in a Brass framework and Chrome Plated. Other radiator colours and bespoke metallic finishes are available at an additional cost, please see pages 153 & 154.

Tube Ø 25.4mm + 15mm	Dimensions (mm)			No. of Sections	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
TM003 BR090052CP	900	525	142 - 160	8	500	400	726 / 2477	3131	1256.00	1507.20	



SEQUEL III WALL MOUNTED TM005

The Sequel III is manufactured from high quality Brass, Chrome finished as standard with a White three column Mild Steel inset radiator. It has a high heat output with plenty of towel drying space. Other radiator colours and bespoke metallic finishes are available at an additional cost, please see page 153 & 154.

	Dimensions (mm)			No. of Sections	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
Tube Ø 25.4mm + 15mm											
TM005 BR100055CP	1000	550	182 - 200	5	475	400	741 / 2528	3196	1494.00	1792.80	



BR MS C E D 30

SEQUEL V WALL MOUNTED TM006

The Sequel V has Legacy ball joints and emits a fine traditional sense of style. Manufactured from high quality Brass, Chrome finished as standard with a White three column Mild Steel inset radiator. Other radiator colours and bespoke metallic finishes are available at an additional cost, please see page 153 & 154.

Tube Ø 25.4mm	Dimensions (mm)			No. of Sections	Pipe Centres	Element Wattage	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D								
TM006 BR100052CP	1000	525	191 - 209	5	475	400	716 / 2443	3088	1446.00	1735.20	👤

BASIN STANDS

WALL AND FLOOR MOUNTED HEATED OR UNHEATED

BR

Vogue have developed a range of Handcrafted Brass basin stands produced to order. The designs illustrated can be altered to suit your exact requirements with a choice of metallic finish. Other finishes are available, please see page 153.

Please contact our team for further information and a specific quotation.





RICHMOND BSS001 BR-SPECIAL



LINEA RICHMOND BSS002 BR-SPECIAL



MAYFAIR BSS003 BR-SPECIAL




KENSINGTON BSS004 BR-SPECIAL



BELGRAVIA BSS005 BR-SPECIAL



CHELSEA BSS006 BR-SPECIAL



BESPOKE TO YOUR BASIN



CITY BSS007 BR-SPECIAL

SHOWER CURTAIN RAILS


Our handmade range of shower curtain rails are beautifully engineered from high quality Brass tubing for longevity.

As standard they are finished in Chrome, other finishes are available, see page 153.

Please talk to us if you require non standard sizes.


OVAL CEILING MOUNTED - SCR 1

Ø 25.4mm



SINGLE ENDED OVAL WALL AND CEILING MOUNTED - SCR 2

Ø 25.4mm



STRAIGHT WALL MOUNTED- SCR 3

Ø 31.8mm



CURVED CORNER WALL MOUNTED - SCR 4

Ø 25.4mm



CIRCULAR WALL MOUNTED - SCR 5

Ø 25.4mm



RIGHT ANGLE WALL MOUNTED - SCR 6

Ø 25.4mm



SHOWER CURTAIN RAILS

	Dimensions (mm)			Description	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D				
SCR1.1CP	325	1275	625	Oval shape mounted to ceiling	674.00	808.80	
SCR1.2CP	325	1625	625	Oval shape mounted to ceiling	694.00	832.80	
SCR2.1CP	338	1238	675	Single ended oval shape mounted to wall and ceiling	658.00	789.60	
SCR2.2CP	338	1538	675	Single ended oval shape mounted to wall and ceiling	723.00	867.60	
SCR3.1CP	75	1700	75	Straight wall mounted bar	408.00	489.60	
SCR3.2CP	75	2000	75	Straight wall mounted bar	458.00	549.60	
SCR4.1CP	75	938	938	Round curve for corner applications	447.00	536.40	
SCR4.2CP	75	1238	1238	Round curve for corner applications	479.00	574.80	
SCR5.1CP	75	775 Ø	827	Circular wall mounted	419.00	502.80	
SCR5.2CP	75	925 Ø	977	Circular wall mounted	458.00	549.60	
SCR6.1CP	75	938	638	Right angled curve for corner applications	433.00	519.60	
SCR6.2CP	75	1238	638	Right angled curve for corner applications	470.00	564.00	
SCR6.3CP	75	1538	638	Right angled curve for corner applications	511.00	613.20	





VOGUE UK

EST | 1990

DESIGNER RADIATORS

Looking for a real statement piece?

Our exclusive designer radiators are constantly leading the trend in interior design. Created by some of the UK's most celebrated interior designers, they are guaranteed to turn heads.

We have put together a collection of radiators that embrace the latest in materials and technology. Designs that work well, whilst enhancing the rooms where they're installed. If you're looking for a focal point or wanting to upgrade the heating of your whole home, our designer offering has attractive possibilities for you.





Single Panel.



Double Panel.





FLY LINE HORIZONTAL DR004

Fly Line horizontal is available both single or double panel in White or Anthracite as standard. Colour options are available on single panel Fly Line versions only please see page 154.

White
WH

Anthracite
AT

Tube Ø 38mm □ 70mm x 11mm	Dimensions (mm)			No. of sections	Pipe centres	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White/Anthracite	£ inc VAT White/Anthracite	Stock Info
	H	W	D							
DR004 (R2) MS0460090 (single panel)	460	900	57.5	6	850	420 / 1433	1811	157.00	188.40	✓
DR004 (R2) MS0460120 (single panel)	460	1200	57.5	6	1150	552 / 1883	2381	188.00	225.60	✓
DR004 (R2) MS0616090 (single panel)	616	900	57.5	8	850	560 / 1911	2415	199.00	238.80	✓
DR004 (R2) MS0616120 (single panel)	616	1200	57.5	8	1150	736 / 2511	3174	241.00	289.20	✓
DR004DP (R2) MS0460090 (double panel)	460	900	114.5	6	850	654 / 2231	2821	237.00	284.40	✓
DR004DP (R2) MS0460120 (double panel)	460	1200	114.5	6	1150	858 / 2927	3700	289.00	346.80	✓
DR004DP (R2) MS0616090 (double panel)	616	900	114.5	8	850	872 / 2975	3761	304.00	364.80	✓
DR004DP (R2) MS0616120 (double panel)	616	1200	114.5	8	1150	1144 / 3903	4934	373.00	447.60	✓

FLY LINE VERTICAL DR003

Fly Line is a strong, minimalist design ideal for contemporary properties. Available in single or double panel versions with the double panel offering an increased heat output. Colour options are available on single panel Fly Line versions only please see page 154.

Tube Ø 38mm □ 70mm x 11mm	Dimensions (mm)			No. of sections	End to End connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White/Anthracite	£ inc VAT White/Anthracite	Stock Info
	H	W	D							
DR003 (R2) MS180226 (single panel)	1800	226	85	3	226	402 / 1372	1734	153.00	183.60	✓
DR003 (R2) MS180382 (single panel)	1800	382	85	5	382	670 / 2286	2890	220.00	264.00	✓
DR003 (R2) MS180538 (single panel)	1800	538	85	7	538	938 / 3200	4045	293.00	351.60	✓
DR003 (R2) MS180694 (single panel)	1800	694	85	9	694	1206 / 4115	5201	367.00	440.40	✓
DR003DP (R2) MS180222 (double panel)	1800	226	85	3	226	627 / 2139	2704	226.00	271.20	✓
DR003DP (R2) MS180382 (double panel)	1800	382	85	5	382	1045 / 3566	4507	346.00	415.20	✓
DR003DP (R2) MS180538 (double panel)	1800	538	85	7	538	1463 / 4992	6310	461.00	553.20	✓
DR003DP (R2) MS180694 (double panel)	1800	694	85	9	694	1881 / 6418	8112	583.00	699.60	✓

TOWEL BARS

	Chrome		Matt Black/White/Anthracite	
	£ ex VAT	£ inc VAT	£ ex VAT	£ inc VAT
AC070 MS060260 (single panel)	48.00	57.60	42.00	50.40
AC070 MS060415 (single panel)	58.00	69.60	53.00	63.60
AC070 MS060560 (single panel)	69.00	82.80	63.00	75.60
AC070 MS060710 (single panel)	79.00	94.80	74.00	88.80
AC071 MS060260 (double panel)	57.00	68.40	53.00	63.60
AC071 MS060415 (double panel)	68.00	81.60	63.00	75.60
AC071 MS060560 (double panel)	78.00	93.60	74.00	88.80
AC071 MS060710 (double panel)	89.00	106.80	84.00	100.80

NEW
FINISH



Image showing Matt Black finish.

- AL
- H
-
- 10

FLY LINE II VERTICAL DR001

Manufactured from high quality Aluminium, Fly Line II offers a supreme heat output and sleek good looks. Available in White or Anthracite and as single or double panelled, in a variety of widths.

NEW

- Matt Black
MB
- White
WH
- Anthracite
AT


Tube Ø 30mm □ 70mm x 39.5mm / 58mm	Dimensions (mm)			No. of sections	End to End connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT	£ inc VAT	Stock Info
	H	W	D							
DR001 AL1800218 (single panel)	1800	218	66	3	218	642 / 2190	2775	272.00	326.40	✓
DR001 AL1800366 (single panel)	1800	366	66	5	366	1070 / 3651	4626	413.00	495.60	✓
DR001 AL1800514 (single panel)	1800	514	66	7	514	1499 / 5113	6478	554.00	664.80	✓
DR001 AL1800662 (single panel)	1800	662	66	9	662	1927 / 6574	8329	698.00	837.60	✓
DR001DP AL1800218 (double panel)	1800	218	91.5	3	218	1109 / 3783	4793	365.00	438.00	✓
DR001DP AL1800366 (double panel)	1800	366	91.5	5	366	1849 / 6308	7992	566.00	679.20	✓
DR001DP AL1800514 (double panel)	1800	514	91.5	7	514	2589 / 8833	11192	766.00	919.20	✓
DR001DP AL1800662 (double panel)	1800	662	91.5	9	662	3329 / 11358	14391	970.00	1164.00	✓



Single Panel.



Double Panel.



FLY LINE II HORIZONTAL DR002

Available in single or double panel versions, the Fly Line II Horizontal is a fresh alternative to a conventional radiator. The long parallel lines and structured silhouette create a contemporary approach to the classic radiator profile we all know.

White
WH

Anthracite
AT

Tube Ø 30mm □ 70mm x 39.5mm / 58mm	Dimensions (mm)			No. of sections	Pipe centres	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White/Anthracite	£ inc VAT White/Anthracite	Stock Info
	H	W	D							
DR002 AL0440900 (single panel)	440	900	75	6	870	680 / 2319	2938	281.00	337.20	✓
DR002 AL04401200 (single panel)	440	1200	75	6	1170	881 / 3006	3809	349.00	418.80	✓
DR002 AL0588900 (single panel)	588	900	75	8	870	906 / 3092	3918	358.00	429.60	✓
DR002 AL05881200 (single panel)	588	1200	75	8	1170	1175 / 4009	5079	447.00	536.40	✓
DR002DP AL0440900 (double panel)	440	900	122	6	870	1161 / 3960	5017	394.00	472.80	✓
DR002DP AL04401200 (double panel)	440	1200	122	6	1170	1513 / 5163	6542	484.00	580.80	✓
DR002DP AL0588900 (double panel)	588	900	122	8	870	1548 / 5281	6691	508.00	609.60	✓
DR002DP AL05881200 (double panel)	588	1200	122	8	1170	2018 / 6886	8725	628.00	753.60	✓



Showing Textured Grey
single panel format



ARDOR HORIZONTAL AU021 & AU023

If you are seeking an alternative to White Gloss Steel panel radiators... These Aluminium models offer the next level of specification. Ideal for use with heat pumps and eco efficient boilers. Multiple width options are available in four contemporary finishes. Specified as single or double column depth units, which are an option where a greater heat output is required.

Textured White



Textured Black



Textured Grey



Matt Bronze



	Dimensions (mm)			No. of Columns	End to End Connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White/Black/Grey/Bronze	£ inc VAT	Stock Info
	H	W	D							
AU021 ALU0575404 (single panel)	575	413	75 - 84	7	404	369 / 1258	1594	253.00	303.60	✓
AU021 ALU0575581 (single panel)	575	590	75 - 84	10	581	526 / 1796	2276	351.00	421.20	✓
AU021 ALU0575817 (single panel)	575	826	75 - 84	14	817	737 / 2515	3187	481.00	577.20	✓
AU021 ALU0575994 (single panel)	575	1003	75 - 84	17	997	895 / 3053	3870	579.00	694.80	✓
AU021 ALU0575117 (single panel)	575	1180	75 - 84	20	1171	1053 / 3592	4553	676.00	811.20	✓
AU021 ALU0575140 (single panel)	575	1416	75 - 84	24	1407	1263 / 4311	5464	811.00	973.20	✓
AU023 ALU0575404 (double panel)	575	413	101 - 109	7	404	546 / 1862	2360	304.00	364.80	✓
AU023 ALU0575581 (double panel)	575	590	101 - 109	10	581	780 / 2660	3371	423.00	507.60	✓
AU023 ALU0575817 (double panel)	575	826	101 - 109	14	817	1091 / 3724	4720	582.00	698.40	✓
AU023 ALU0575994 (double panel)	575	1003	101 - 109	17	994	1325 / 4522	5731	701.00	841.20	✓
AU023 ALU0575117 (double panel)	575	1180	101 - 109	20	1171	1559 / 5320	6743	820.00	984.00	✓
AU023 ALU0575140 (double panel)	575	1416	101 - 109	24	1407	1871 / 6384	8091	984.00	1180.80	✓

Showing Matt Bronze
single panel format

Matt Bronze



Textured Grey



Textured Black



Textured White



VL023

SUGGESTED VALVES

AL H 10

ARDOR VERTICAL AU022 & AU024

These taller designs with geometric upright columns suit kitchens, hallways and living rooms. The Ardor range is available in contemporary Textured Black or Grey, classical Textured White, or Matt Bronze, which leans towards the latest trends in metallic finishes. Single or double column depth options can be specified depending on your heat output requirements.

	Dimensions (mm)			No. of Columns	End to End Connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White/Black/Grey/Bronze	£ inc VAT	Stock Info
	H	W	D							
AU022 ALU1775286 (single panel)	1775	295	75 - 84	5	286	648 / 2211	2802	394.00	472.80	✓
AU022 ALU1775345 (single panel)	1775	354	75 - 84	6	345	778 / 2653	3363	464.00	556.80	✓
AU022 ALU1775404 (single panel)	1775	413	75 - 84	7	404	907 / 3095	3923	532.00	638.40	✓
AU022 ALU1775463 (single panel)	1775	472	75 - 84	8	463	1037 / 3537	4483	592.00	710.40	✓
AU022 ALU1775522 (single panel)	1775	531	75 - 84	9	522	1166 / 3980	5044	674.00	808.80	✓
AU024 ALU1775286 (double panel)	1775	295	100 - 109	5	286	985 / 3360	4258	501.00	601.20	✓
AU024 ALU1775345 (double panel)	1775	354	100 - 109	6	345	1182 / 4032	5110	594.00	712.80	✓
AU024 ALU1775404 (double panel)	1775	413	100 - 109	7	404	1388 / 4703	5961	684.00	820.80	✓
AU024 ALU1775463 (double panel)	1775	472	100 - 109	8	463	1575 / 5375	6813	776.00	931.20	✓
AU024 ALU1775522 (double panel)	1775	531	100 - 109	9	522	1772 / 6048	7665	868.00	1041.60	✓



AL H 10

Showing Matt Black single panel format

RUCHE HORIZONTAL AU007 & AU009

Ruche Aluminium, horizontal radiators come as single or double panel designs. The range has five width options and four contemporary classic colours. The fluted frontage that is a signature detail of this range adds texture and interest to interior room schemes. Ruche is also available in a vertical format, making the family of products suitable for the whole home.



	Dimensions (mm)			End to End Connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Matt White/Black/Grey	£ inc VAT	£ ex VAT Matt Bronze	£ inc VAT	Stock Info
	H	W	D								
AU007 ALU0575479 (single panel)	575	488	63 - 72	479	287 / 978	1240	242.00	290.40	253.00	303.60	✓
AU007 ALU0575719 (single panel)	575	728	63 - 72	719	430 / 1468	1860	349.00	418.80	366.00	439.20	✓
AU007 ALU0575959 (single panel)	575	968	63 - 72	959	574 / 1958	2481	456.00	547.20	478.00	573.60	✓
AU007 ALU0575119 (single panel)	575	1208	63 - 72	1199	717 / 2447	3101	567.00	680.40	594.00	712.80	✓
AU007 ALU0575143 (single panel)	575	1448	63 - 72	1439	860 / 2936	3721	675.00	810.00	707.00	848.40	✓
AU009 ALU0575479 (double panel)	575	488	78 - 87	479	395 / 1349	1710	307.00	368.40	321.00	385.20	✓
AU009 ALU0575719 (double panel)	575	728	78 - 87	719	593 / 2023	2564	445.00	534.00	467.00	560.40	✓
AU009 ALU0575959 (double panel)	575	968	78 - 87	959	791 / 2698	3419	584.00	700.80	612.00	734.40	✓
AU009 ALU0575119 (double panel)	575	1208	78 - 87	1199	988 / 3372	4274	729.00	874.80	764.00	916.80	✓
AU009 ALU0575143 (double panel)	575	1448	78 - 87	1439	1186 / 4047	5129	868.00	1041.60	910.00	1092.00	✓



Showing Matt Bronze single panel format

Matt Bronze



Matt Grey



Matt Black



Matt White



RUCHE VERTICAL AU008 & AU010

This taller version of the Ruche radiator makes the most of linear rounded ridge lines, which can help to extend the feeling of height in your room. Ideal for properties with high ceilings and shorter wall reveals, the range is available in single or double panel format. The lightweight Aluminium radiators can be specified in four popular widths and in four modern classic finishes.

	Dimensions (mm)			End to End Connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Matt White/Black/Grey	£ inc VAT	£ ex VAT Matt Bronze	£ inc VAT	Stock Info
	H	W	D								
AU008 ALU1775239 (single panel)	1775	248	63 - 72	239	381 / 1299	1646	258.00	309.60	270.00	324.00	✓
AU008 ALU1775359 (single panel)	1775	368	63 - 72	359	571 / 1949	2470	375.00	450.00	393.00	471.60	✓
AU008 ALU1775479 (single panel)	1775	488	63 - 72	479	761 / 2598	3293	492.00	590.40	515.00	618.00	✓
AU008 ALU1775599 (single panel)	1775	608	63 - 72	599	952 / 3248	4116	609.00	730.80	638.00	765.60	✓
AU010 ALU1775239 (double panel)	1775	248	78 - 87	239	525 / 1791	2270	362.00	434.40	379.00	454.80	✓
AU010 ALU1775359 (double panel)	1775	368	78 - 87	359	787 / 2686	3404	530.00	636.00	555.00	666.00	✓
AU010 ALU1775479 (double panel)	1775	488	78 - 87	479	1049 / 3581	4539	698.00	837.60	731.00	877.20	✓
AU010 ALU1775599 (double panel)	1775	608	78 - 87	599	1312 / 4477	5674	866.00	1039.20	908.00	1089.60	✓



TARLTON HORIZONTAL AU015

As an Aluminium alternative to Mild Steel column radiators or Pressed Steel panel radiators, Tarlton gives a form with a strong yet simple form. The design consists of generous upright columns with honeycomb type vent detailing. Tarlton horizontal is available in seven widths and four contemporary finishes; Textured Black, Grey, White and Matt Bronze.

Textured White



Textured Black



Textured Grey



Matt Bronze



Column Depth 61mm	Dimensions (mm)			No. of Sections	End to End Connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Textured White/Black/Grey	£ inc VAT Textured White/Black/Grey	£ ex VAT Matt Bronze	£ inc VAT Matt Bronze	Stock Info
	H	W	D									
AU015 ALU0600476	600	485	87 - 95	6	476	627 / 2141	2714	339.00	406.80	355.00	426.00	✓
AU015 ALU0600636	600	645	87 - 95	8	636	837 / 2885	3618	443.00	531.60	464.00	556.80	✓
AU015 ALU0600796	600	805	87 - 95	10	796	1046 / 3599	4523	547.00	656.40	574.00	688.80	✓
AU015 ALU0600956	600	965	87 - 95	12	956	1255 / 4282	5427	656.00	787.20	688.00	825.60	✓
AU015 ALU0600111	600	1125	87 - 95	14	1116	1454 / 4996	6332	761.00	913.20	797.00	956.40	✓
AU015 ALU0600127	600	1285	87 - 95	16	1276	1673 / 5709	7236	865.00	1038.00	906.00	1087.20	✓
AU015 ALU0600143	600	1445	87 - 95	18	1436	1882 / 6423	8141	969.00	1162.80	1015.00	1218.00	✓



Matt Bronze



Textured Grey



Textured Black



Textured White



TARLTON VERTICAL AU016

Ideal for modern interiors the Tarlton Aluminium range is made up of bold vertical columns capped with a honeycomb type vent detail. In Textured Black, Grey, White and Matt Bronze; the uncomplicated design makes an interiors option that is ideal for most living areas around the home.

Column Depth 61mm	Dimensions (mm)			No. of Sections	End to End Connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT Textured White/Black/Grey	£ inc VAT Textured White/Black/Grey	£ ex VAT Matt Bronze	£ inc VAT Matt Bronze	Stock Info
	H	W	D									
AU016 ALU1800316	1800	325	87 - 95	4	316	1110 / 3790	4803	494.00	592.80	517.00	620.40	✓
AU016 ALU1800396	1800	405	87 - 95	5	396	1388 / 4737	6004	612.00	734.40	641.00	769.20	✓
AU016 ALU1800476	1800	485	87 - 95	6	476	1666 / 5685	7205	730.00	876.00	765.00	918.00	✓
AU016 ALU1800556	1800	565	87 - 95	7	556	1944 / 6632	8406	848.00	1017.60	889.00	1066.80	✓



ASTUTE HORIZONTAL SINGLE PANEL DR036

Provides great efficiency, easy to install with in lightweight Aluminium. The design of the radiator has a low water content, enabling a quick heat up time. Wall mounted and available single or double panel in your choice of White or Anthracite finish.

White



	Dimensions (mm)			No. of Sections	End to End connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White	£ inc VAT White	£ ex VAT Anthracite	£ inc VAT Anthracite	Stock Info
	H	W	D									
DR036 AL0600565 (single panel)	600	565	76.5	6	565	506 / 1726	2182	367.00	440.40	381.00	457.20	✓
DR036 AL0600755 (single panel)	600	755	76.5	8	755	674 / 2300	2914	436.00	523.20	445.00	534.00	✓
DR036 AL0600945 (single panel)	600	945	76.5	10	945	842 / 2873	3640	513.00	615.60	530.00	636.00	✓
DR036 AL0601135 (single panel)	600	1135	76.5	12	1135	1011 / 3450	4371	593.00	711.60	610.00	732.00	✓
DR036 AL0601325 (single panel)	600	1325	76.5	14	1325	1147 / 3914	4958	670.00	804.00	690.00	828.00	✓
DR036 AL0601515 (single panel)	600	1515	76.5	16	1515	1342 / 4579	5801	746.00	895.20	771.00	925.20	✓



ASTUTE HORIZONTAL DOUBLE PANEL DR036DP

The Astute double panel models are the preferred option for rooms that require the additional BTU heat output. Available in five width options. The double panel version of Astute Horizontal comes in the exact same White and Anthracite finish as the single panel version, so mixing and matching formats of this range gives comprehensive heating possibilities.

Anthracite



	Dimensions (mm)			No. of Sections	End to End Connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White	£ inc VAT White	£ ex VAT Anthracite	£ inc VAT Anthracite	Stock Info
	H	W	D									
DR036DP AL0600560 (double panel)	600	560	117.5	6	560	841 / 2869	3636	462.00	554.40	472.00	566.40	✓
DR036DP AL0600748 (double panel)	600	748	117.5	8	748	1121 / 3825	4846	568.00	681.60	580.00	696.00	✓
DR036DP AL0600936 (double panel)	600	936	117.5	10	936	1401 / 4780	6057	674.00	808.80	688.00	825.60	✓
DR036DP AL0601124 (double panel)	600	1124	117.5	12	1124	1654 / 5643	7150	802.00	962.40	817.00	980.40	✓
DR036DP AL0601312 (double panel)	600	1312	117.5	14	1312	1908 / 6510	8248	911.00	1093.20	931.00	1117.20	✓



White



AC066 320CP (320mm wide)
£77.00 ex VAT
£92.40 inc VAT

AC066 415CP (415mm wide)
£101.00 ex VAT
£121.20 inc VAT

AC066 510CP (510mm wide)
£128.00 ex VAT
£153.60 inc VAT



ASTUTE VERTICAL SINGLE DR035

Astute radiators in both horizontal and vertical formats have the range of sizes to furnish a whole home or interiors project. The vertical offering works well in kitchens, utilising the optional towel bar for tea towels. For bathrooms requiring the additional heat of a radiator, this towel hanging option works equally well.

	Dimensions (mm)			No. of Sections	End to End connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White	inc VAT White	£ ex VAT Anthracite	inc VAT Anthracite	Stock Info
	H	W	D									
DR035 AL180280	1800	280	76.5	3	280	843 / 2876	3644	379.00	454.80	390.00	468.00	✓
DR035 AL180375	1800	375	76.5	4	375	1124 / 3835	4859	463.00	555.60	480.00	576.00	✓
DR035 AL180470	1800	470	76.5	5	470	1405 / 4794	6074	547.00	656.40	567.00	680.40	✓



Anthracite



AC066 320CP (320mm wide)
£86.00 ex VAT
£103.20 inc VAT

AC066 415CP (415mm wide)
£118.00 ex VAT
£141.60 inc VAT

AC066 510CP (510mm wide)
£147.00 ex VAT
£176.40 inc VAT



ASTUTE VERTICAL DOUBLE DR035DP

Astute Vertical Double Panel models complete the family offering of this range. With the same White and Anthracite finish of the other three formats in the range. Specifiers utilise this tall double panel model in spaces where wall space is limited, yet a high heat output is required. Shown below in White, the classic design can work well in simple and more neutral settings.

	Dimensions (mm)			No. of Sections	End to End Connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White	inc VAT White	£ ex VAT Anthracite	inc VAT Anthracite	Stock Info
	H	W	D									
DR035DP AL180278	1800	278	117.5	3	278	1441 / 4917	6229	535.00	642.00	546.00	655.20	✓
DR035DP AL180372	1800	372	117.5	4	372	1916 / 6537	8283	661.00	793.20	677.00	812.40	✓
DR035DP AL180466	1800	466	117.5	5	466	2348 / 8011	10150	788.00	945.60	807.00	968.40	✓



Image showing as fitted with scalloped profile to front of radiator

VL003
SUGGESTED VALVES

MS C 15

LISTER HORIZONTAL DR044

The bold double column design with scalloped top detailing makes Lister a favourable alternative to standard pressed panel radiators. In horizontal format, Lister suits lounge rooms, hallways, kitchens and bedrooms. A reversible design in Anthracite or White.

White (Scalloped)



Anthracite (Flat)



Reversible design - scalloped or flat sections

	Dimensions (mm)			No. of Sections	End to End connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White/Anthracite	£ inc VAT	Stock Info
	H	W	D							
DR044 MS0600680	600	680	95	9	680	965 / 3293	4162	356.00	427.20	✓
DR044 MS0600113	600	1136	95	15	1136	1608 / 5487	6935	566.00	679.20	✓

Image showing as fitted with scalloped profile to front of radiator



LISTER VERTICAL DR044

Lister Vertical is bold, sculptural and modern. Crafted for maximum heat output with minimalist style, this radiator works beautifully in living areas, kitchens, hallways or bathrooms. Can be installed with scalloped or flat sections to the front face of the radiator.

White (Scalloped)



Anthracite (Flat)



Reversible design - scalloped or flat sections

	Dimensions (mm)			No. of Sections	End to End connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT	£ inc VAT	Stock Info
	H	W	D							
DR044 MS1800300	1800	300	95	4	300	1118 / 3185	4822	398.00	477.60	✓
DR044 MS1800452	1800	452	95	6	452	1677 / 5722	7233	556.00	667.20	✓



Towel Bar Optional
Accessory Chrome
AC039A 266CP (266mm wide)
AC039B 375CP (375mm wide)
£63.00 ex VAT, £75.60 inc VAT



SERENADE DR008

Serenade is a vertical contemporary design radiator, manufactured from high quality Mild Steel with finish options of Chrome, Matt Black & White. Please see page 154 for colour options.

MILD STEEL

SUPPLEMENTS £ = Chrome + >

Gold Pricing POA



Bright Nickel:
+ £233.00 ex VAT
+ £279.60 inc VAT




Brushed Nickel:
+ £325.00 ex VAT
+ £390.00 inc VAT

Tube Ø 30mm □ 40 x 10mm	Dimensions (mm)			Bar Config	End to End Connections	ΔT 50°C Watts/BTUs	ΔT 60°C Watts/BTUs	£ ex VAT Chrome	£ inc VAT Chrome	Stock Info
	H	W	D							
DR008 (R2) MS1800252CP	1800	262	87	5	252	351 / 1198	1514	283.00	339.60	✓
DR008 (R2) MS1800358CP	1800	372	87	7	358	491 / 1675	2118	377.00	452.40	✓



Lacquered finish, raw steel design with industrial welding detail.



2 COLUMNS
600MM

2 COLUMNS
1800MM



MS C 15

FLINT MILD STEEL 2 COLUMN

Add a bold, contemporary touch to your interior with Flint, finished as lacquered raw steel this radiator complements minimalist, industrial or luxe interiors. Engineered with multiple parallel columns it ensures even heat distribution and rapid warming.

Tube Ø 25mm	Dimensions (mm)			No. of Sections	End to End Connections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT	£ inc VAT	Stock Info
	H	W	D							
2C-600-13 RAW	600	592	104.5	13	592	604 / 2061	2617	325.00	390.00	✓
2C-600-26 RAW	600	1164	104.5	26	1164	1170 / 3990	5043	629.00	754.80	✓
2C-1800-8 RAW	1800	372	104.5	8	372	1045 / 3566	4507	409.00	490.80	✓
2C-1800-10 RAW	1800	460	104.5	10	460	1294 / 4415	5581	524.00	628.80	✓




MODE FLOOR & WALL MOUNTED

Mode suits traditional properties, yet also looks great in contemporary settings. Heights range from 300mm great for under window sills, to a 1800mm tall version. There are many sizes in between.

Available in a wide range of sizes, so you can choose a radiator which exactly suits your space and required heat output. The standard colour finish is White RAL 9016. Other RAL colours are available. Contemporary colours available on 2 & 3 column only. Colour finish options are subject to an eight week lead time, Sizes are subject to manufacturing tolerances.

Wall brackets are included, feet, other fixing accessories and non standard sizes include 5 and 6 columns ranging from 300mm - 2000mm high and detailed on the next pages. For valve finishing options see page 149 - 150.

	Dimensions (mm)			No. of Sections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White	£ inc VAT White	Stock Info
	H	W	D						
2 COLUMN RADIATORS									
2C-050-10-0460	500	460	68	10	371 / 1266	1600	216.00	259.20	✓
2C-050-18-0812	500	812	68	18	688 / 2347	2967	377.00	452.40	✓
2C-050-22-0988	500	988	68	22	817 / 2788	3524	464.00	556.80	✓
2C-060-10-0460	600	460	68	10	440 / 1501	1898	224.00	268.80	✓
2C-060-14-0636	600	636	68	14	616 / 2102	2657	307.00	368.40	✓
2C-060-18-0812	600	812	68	18	792 / 2702	3416	390.00	468.00	✓
2C-060-22-0988	600	988	68	22	968 / 3303	4175	482.00	578.40	✓
2C-060-24-1076	600	1076	68	24	1056 / 3603	4554	527.00	632.40	✓
2C-060-28-1252	600	1252	68	28	1232 / 4204	5313	610.00	732.00	✓
2C-180-06-0284	1800	284	68	6	774 / 2641	3338	297.00	356.40	✓
2C-180-08-0372	1800	372	68	8	1032 / 3521	4451	386.00	463.20	✓
2C-180-10-0460	1800	460	68	10	1290 / 4401	5563	476.00	571.20	✓
2C-180-12-0548	1800	548	68	12	1548 / 5282	6676	565.00	678.00	✓
3 COLUMN RADIATORS									
3C-050-14-0636	500	636	100	14	720 / 2457	3105	373.00	447.60	✓
3C-050-18-0812	500	812	100	18	926 / 3160	3994	467.00	560.40	✓
3C-050-22-0988	500	988	100	22	1131 / 3859	4878	572.00	686.40	✓
3C-050-24-1076	500	1076	100	24	1234 / 4210	5322	626.00	751.20	✓
3C-050-28-1252	500	1252	100	28	1440 / 4913	6210	720.00	864.00	✓
3C-060-10-0460	600	460	100	10	609 / 2078	2626	293.00	351.60	✓
3C-060-14-0636	600	636	100	14	852 / 2907	3674	394.00	472.80	✓
3C-060-18-0812	600	812	100	18	1097 / 3743	4731	494.00	592.80	✓
3C-060-20-0900	600	900	100	20	1218 / 4156	5253	554.00	664.80	✓
3C-060-24-1076	600	1076	100	24	1462 / 4988	6305	661.00	793.20	✓
3C-060-30-1340	600	1340	100	30	1827 / 6234	7879	812.00	974.40	✓
3C-180-08-0372	1800	372	100	8	1412 / 4818	6090	487.00	584.40	✓
3C-180-10-0460	1800	460	100	10	1764 / 6019	7608	594.00	712.80	✓
3C-180-12-0548	1800	548	100	12	2117 / 7223	9130	700.00	840.00	✓



This service gives the opportunity to order non standard sizes. Choose from wall or floor standing. These radiators are supplied in White RAL 9016. Coloured finishes are available, please see page 154 for colour options. Please note, contemporary colours available on 2, 3 & 4 column only. The lead time for delivery is approximately eight weeks. The sections cannot be joined on site. We only supply complete radiators, practical considerations need to be given to weight, carriage, handling and accessibility. Where necessary large radiators can be supplied in module format.

Maximum number of radiator sections for bespoke models is 44.

Accessories for Mode Column Radiators		£ ex VAT	£ inc VAT	Stock Info
	Column Radiator Feet AC028 WH	100.00 per pair	120.00 per pair	✓
	Adjustable Feet AC024 Height from 90mm to 120mm. Must only be used with top retaining stay.	62.00 each	74.40 each	✓
	Base Plate Cover AC025 For use with adjustable feet (above).	15.00 each	18.00 each	✓
	Top Retaining Stay AC026 For use with adjustable feet.	23.00 each	27.60 each	✓
	Standing Brackets For use with glass walls etc...	POA	POA	✘
	Welded Feet - 2 Heights Available (75mm or 140mm) Up to 20 sections requires two feet 21 to 40 sections three feet 41 to 44 sections four feet	100.00 each	120.00 each	✘
	See Page 149 - 150 for our range of valves			✓

CALCULATIONS FOR SIZING A RADIATOR

REQUIRED OUTPUT IS 1200 WATTS

Space available is 1000 mm high x 750 mm wide.

Approx radiator dimensions 900mm high x 600mm wide.
(Taking into account space for valves)

NUMBER OF SECTIONS POSSIBLE

Width (600mm) divide by 45mm per section
+ allowance for each side.

600 - 24 divided by 45 = 12 sections.

HEAT OUTPUT PER SECTION

Divide your required output by sections.

1200 watts divided by 12 = 100 watts per section.

SELECTING YOUR RADIATOR SECTION

4-750 @102 watts per section.

Therefore 12 sections @102 per section = 1224 watts
@ 50 degrees C delta T.

PRICE CALCULATION

12 x 43.00 = 516.00 ex VAT,

Plus feet if floor standing and any other non standard support brackets you may require.

DIMENSIONS

The nominal overall length of a radiator = number of section
x 45mm = 24mm for reducing bushes (12mm each end).

Subject to manufacturing tolerance of +/- 0.7mm (1.5%)
per section.




MODE SECTIONS	Dimensions (mm)		ΔT 50°C	ΔT 60°C	£ ex VAT	£ inc VAT
	H	D	Watts/BTUs	BTUs	White	White
2 COLUMN SECTION						
2-300	300	65	24 / 82	104	39.00	46.80
2-400	400	65	31 / 106	134	39.00	46.80
2-500	500	65	37 / 126	160	39.00	46.80
2-600	600	65	44 / 150	190	41.00	49.20
2-750	750	65	55 / 188	238	41.00	49.20
2-900	900	65	65 / 222	282	44.00	52.80
2-1000	1000	65	72 / 246	312	48.00	57.60
2-1200	1200	65	86 / 293	372	61.00	73.20
2-1500	1500	65	108 / 369	468	76.00	91.20
2-1800	1800	65	129 / 440	558	89.00	106.80
2-2000	2000	65	144 / 491	623	115.00	138.00
3 COLUMN SECTION						
3-300	300	105	33 / 113	143	48.00	57.60
3-400	400	105	42 / 143	181	45.00	54.00
3-500	500	105	52 / 177	224	44.00	52.80
3-600	600	105	61 / 208	264	45.00	54.00
3-750	750	105	75 / 256	325	52.00	62.40
3-900	900	105	90 / 307	389	59.00	70.80
3-1000	1000	105	99 / 338	429	62.00	74.40
3-1200	1200	105	118 / 403	511	80.00	96.00
3-1500	1500	105	147 / 502	637	98.00	117.60
3-1800	1800	105	177 / 604	766	116.00	139.20
3-2000	2000	105	197 / 672	852	131.00	157.20
4 COLUMN SECTION						
4-300	300	145	43 / 147	186	52.00	62.40
4-400	400	145	56 / 191	242	54.00	64.80
4-500	500	145	69 / 235	298	55.00	66.00
4-600	600	145	82 / 280	355	56.00	67.20
4-750	750	145	102 / 348	441	56.00	67.20
4-900	900	145	121 / 413	524	61.00	73.20
4-1000	1000	145	134 / 457	579	70.00	84.00
4-1200	1200	145	159 / 543	689	93.00	111.60
4-1500	1500	145	197 / 672	852	122.00	146.40
4-1800	1800	145	235 / 802	1017	147.00	176.40
4-2000	2000	145	260 / 887	1125	163.00	195.60
5 COLUMN SECTION						
5-300	300	185	52 / 177	224	71.00	85.20
5-400	400	185	68 / 232	294	73.00	87.60
5-500	500	185	83 / 283	359	76.00	91.20
5-600	600	185	98 / 334	424	80.00	96.00
5-750	750	185	121 / 413	524	88.00	105.60
5-900	900	185	143 / 488	619	98.00	117.60
5-1000	1000	185	158 / 539	683	107.00	128.40
5-1200	1200	185	188 / 641	813	136.00	163.20
5-1500	1500	185	232 / 792	1004	179.00	214.80
5-1800	1800	185	277 / 945	1198	213.00	255.60
5-2000	2000	185	307 / 1048	1329	234.00	280.80
6 COLUMN SECTION						
6-300	300	225	63 / 215	273	84.00	100.80
6-400	400	225	82 / 280	355	85.00	102.00
6-500	500	225	101 / 345	437	88.00	105.60
6-600	600	225	120 / 409	519	94.00	112.80
6-750	750	225	148 / 505	640	107.00	128.40
6-900	900	225	175 / 597	757	122.00	146.40
6-1000	1000	225	193 / 659	836	132.00	158.40
6-1200	1200	225	229 / 781	990	172.00	206.40
6-1500	1500	225	282 / 962	1220	216.00	259.20
6-1800	1800	225	334 / 1140	1446	257.00	308.40
6-2000	2000	225	369 / 1259	1596	281.00	337.20

MODE II FLOOR OR WALL MOUNTED CN027


Contemporary styling with sleek rounded tubes. Mode II has all the attributes of a great column radiator with edgy attitude. These wall hung radiators will complement many areas of the home. Available in White RAL 9016 and Metallic Anthracite as standard. Please see page 154 for other colour options.

THREE HEIGHTS - 450MM, 550MM AND 1800MM


Available in a variety of widths



1800mm High



550mm High



450mm High

Feet - White or Anthracite
AC038: £39.00 ex VAT, £46.80 inc VAT



Contemporary or Classic thermostatic valve options to suit Mode II. See page 151.



	Dimensions (mm)			No. of Sections	ΔT 50°C Watts/BTUs	ΔT 60°C BTUs	£ ex VAT White / Anthracite	£ inc VAT White / Anthracite	Stock Info
	H	W	D						
CN027 MS0450507	450	507	90	7	398 / 1358	1716	272.00	326.40	✓
CN027 MS0450785	450	785	90	11	625 / 2133	2695	388.00	465.60	✓
CN027 MS0450993	450	993	90	14	796 / 2716	3433	535.00	642.00	✓
CN027 MS0451202	450	1202	90	17	966 / 3296	4166	608.00	729.60	✓
CN027 MS0550507	550	507	90	7	505 / 1723	2178	304.00	364.80	✓
CN027 MS0550785	550	785	90	11	793 / 2706	3420	451.00	541.20	✓
CN027 MS0550993	550	993	90	14	1009 / 3443	4352	577.00	692.40	✓
CN027 MS0551202	550	1202	90	17	1226 / 4183	5287	692.00	830.40	✓
CN027 MS1800229	1800	229	90	3	922 / 3146	3976	283.00	339.60	✓
CN027 MS1800370	1800	370	90	5	1538 / 5248	6633	451.00	541.20	✓
CN027 MS1800507	1800	507	90	7	2153 / 7346	9285	598.00	717.60	✓



Metallic Anthracite option (non-textured)



Optional Towel Bar - White, Chrome or Anthracite



- AC034A 200 60 x 200mm wide
- AC034B 340 60 x 340mm wide
- AC034C 480 60 x 480mm wide

£79.00 ex VAT, £94.80 inc VAT



ECO MODULAR BARS WALL MOUNTED ELTB12V

Eco modular bars are available in Polished Stainless Steel or Matt Black in two widths. The bars are powered by SELV (Safety Extra Low Voltage) 12V connection and can be singular or linked to create multiple heated bars. Supplied with connections and a 6m length cable as standard.

A 12V transformer is priced at 36.00 ex VAT, 43.20 inc VAT. IP44 when installed as per installation instructions.



Round bar with mitred corner



Square bar with mitred corner

Polished
Stainless
Steel

Matt
Black

PVD
Brushed
Brass

Tube Ø 32mm □ 40 x 25mm	Dimensions (mm)			Electric Element Wattage	£ ex VAT		£ inc VAT		£ ex VAT		£ inc VAT		Stock Info
	H	W	D		PVD Brushed Brass	PVD Brushed Brass	Matt Black	Matt Black	Polished SS	Polished SS	Polished SS	Polished SS	
ELTB12VR SS0500100-E ROUND	32 Ø	500	100	10.3 W	168.00	201.60	159.00	190.80	155.00	186.00	✓		
ELTB12VR SS0600100-E ROUND	32 Ø	600	100	13.0 W	180.00	216.00	172.00	206.40	167.00	200.40	✓		
ELTB12VS SS0500100-E SQUARE	40	500	100	10.3 W	196.00	235.20	189.00	226.80	184.00	220.80	✓		
ELTB12VS SS0600100-E SQUARE	40	600	100	13.0 W	204.00	244.80	199.00	238.80	192.00	230.40	✓		



EL040



SS E 2

SIMPLICITY II WALL MOUNTED EL040

Uncomplicated and chic. The linear styling of Simplicity adds a sense of sophistication to any room. Slimline and discreet it provides the comfort of warm fluffy towels or bathrobes. Manufactured in high quality Stainless Steel. This is electric drylined only. Electrical components are covered by our two year warranty. IP44 when installed as per installation instructions. Delivered complete, no cover shroud necessary.

	Dimensions Height (mm)	Description	Power W	£ ex VAT Polished SS	£ inc VAT Polished SS	Stock Info
EL040 SS1100PS-E Round	1100	Round tube 30mm Ø	28-30	241.00	289.20	✓
EL040 SS1500PS-E Round	1500	Round tube 30mm Ø	42-44	262.00	314.40	✓
EL040 SS1800PS-E Round	1800	Round tube 30mm Ø	52-55	304.00	364.80	✓



ARALINE MD096

Enhance your bathroom experience with the perfect fusion of luxury and practicality with Araline, the electric heated towel rail with integrated digital & touch controls. Take full control with the built in digital interface or smart phone app. Adjust temperature settings, set timers or activate energy saving modes with a simple touch.

Control your towel rail from anywhere via a smart phone app.

Set heating times to match your routines so you will always have dry warm towels when you require them.

Equipped with a countdown timer, which automatically turns off the towel rail after a set period, for energy saving.

Use smart scheduling to ensure you only heat the rail when required; cutting energy costs.

Araline also uses touch control display technology to regulate the towel warmer when the app is not to hand.

Polished
Stainless
Steel

PVD
Brushed
Brass

Tube Ø 32mm x 19mm	Dimensions (mm)			Electric Element Wattage	£ ex VAT	£ inc VAT	Stock Info
	H	W	D				
MD096 SS0800500PS-E (Polished Stainless)	800	500	95	100 W	388.00	465.60	✓
MD096 SS0800500FBB-E (Brushed Brass)	800	500	95	100 W	451.00	541.20	✓
MD096 SS1200500PS-E (Polished Stainless)	1200	500	95	130 W	493.00	591.60	✓
MD096 SS1200500FBB-E (Brushed Brass)	1200	500	95	130 W	587.00	704.40	✓

ELECTRIC UNDERFLOOR HEATING

There is nothing that quite matches the comfort of warm feet when getting out of the bath or shower, especially in the cold winter months! Imagine stepping onto warm tiles controlled to the temperature you prefer.

Electric underfloor heating works by gently warming the mass of floor which in turn warms the rest of the room. Our underfloor heating kit is quick and easy to install. Ideally timed when you are fitting a new kitchen or bathroom. Electrical components are covered by a two year warranty.

KIT INCLUDES

HEATING KIT

- The correct size heating mat.
- Digital touch screen timer and thermostat.
- Floor sensor and floor sensor mounting pipe.
- Multimeter to check installation at every stage.
- Comprehensive installation manual and control card



PUTTING YOU IN CONTROL

The digital touch screen, completely programmable timer and thermostatic controller enables you to fully regulate the temperature and control when the heating is on or off. The manual override means at the touch of a button the temperature can be higher or lower to suit as and when it is needed.

Product	Area Metre(s)	Rated Power Wattage Per Matt	£ ex VAT	£ inc VAT	Stock Info
EUFH150-01.0	1.0	150	157.00	188.40	✓
EUFH150-01.5	1.5	225	174.00	208.80	✓
EUFH150-02.0	2.0	300	188.00	225.60	✓
EUFH150-02.5	2.5	375	205.00	246.00	✓
EUFH150-03.0	3.0	450	220.00	264.00	✓
EUFH150-03.5	3.5	525	237.00	284.40	✓
EUFH150-04.0	4.0	600	251.00	301.20	✓
EUFH150-04.5	4.5	675	272.00	326.40	✓
EUFH150-05.0	5.0	750	293.00	351.60	✓

ENVIROVENT

SILENT Design 100

- Silent elastic blocks
- Sealed for life ball bearings
- Back draught shutter and airflow guide vanes
- High performance and quality
- Incredibly silent running
- Energy efficient
- 8 Watts / 230 Volts
- IP45 rated



A range of 100mm domestic axial extract fans for wall or ceiling installations, designed to solve ventilation problems in WC's and bathrooms. Fitted with motors mounted on silent elastic blocks, the fans deliver incredibly silent running and exceptional performance and stylish design.

ECO dMEV

- Up to 6 adjustable trickle speed settings
- Timer, humidity sensor and pull cord models
- Complies with Building Regulations. Part F for system 3 Continuous Mechanical Extract
- SAP Appendix Q eligible achieving a low specific fan power of 0.28 W/l/s
- Incredibly silent running - Below 20 dB(A)
- One fan for all situations, both walls and ceilings
- Low Energy DC 1.5 Watts - Low voltage version available
- 4 Interchangeable front panel trims



The ECO dMEV has been designed and developed to offer the market a constant volume, continuously running, decentralised extract fan for the lowest power consumption, the lowest noise and lowest lifecycle costs.

SILENT MV

- Sound absorbent insulation
- Incredibly silent running
- 360° rotating connection box
- Sealed for life ball bearings
- Fitted with a two speed motor
- Complies with building regulations
- High performance with flexible location
- Easy installation and maintenance
- IP44 rated



The SILENT MV fan range offers one of the most versatile fan systems on the market today. Due to its flexibility it can be used in a multitude of small and medium fan installations. Especially advantageous in applications where the system may be running for long periods throughout the day, the acoustic benefits of the SILENT MV fans ensure that optimum comfort is achieved without the disturbance of noisy ventilation systems.

SILENT 100

- Also available in silver on silent elastic blocks
- Sealed for life ball bearings
- Back draught shutter and airflow guide vanes
- High performance and quality
- Incredibly silent running
- Significant energy savings
- 8 Watts / 230 Volts or 13 Watts / 12 Volts options
- IP45 / IP57 SELV version



100mm domestic axial extract fans for wall or ceiling installations. Designed to solve ventilation problems in WC's and bathrooms. Fitted to motors mounted on silent elastic blocks, fans are incredibly silent running and exceptional performance.

OPTIONAL Kits



ENV-WALL KIT



ENV-CEILING KIT



ENV-SOFIT KIT



ENV-3M FLEX



ENV-6M FLEX

Fan	Description	Airflow rates - l/s (m³/h)	£ ex VAT	£ inc VAT	Stock Info
SILENT Design 100					
SILDES100S	White Standard	22 (85)	126.00	151.20	✓
SILDES100SS	Silver Standard	22 (85)	152.00	182.40	✓
SILDES100T	White Timer	22 (85)	158.00	189.60	✓
SILDES100TS	Silver Timer	22 (85)	210.00	252.00	✓
SILDES100HT	White Adjustable Humidity Sensor	22 (85)	203.00	243.60	✓
SILDES100HTS	Silver Adjustable Humidity Sensor	22 (85)	271.00	325.20	✓
ECO dMEV					
ECODMEVS	Standard	18 (65)	422.00	506.40	✓
ECODMEVT	Adjustable Run-On Timer	18 (65)	471.00	565.20	🕒
ECODMEVHT	Adjustable Humidity Sensor & Timer	18 (65)	543.00	651.60	🕒
ECODMEVHTP	Pull Cord Adjustable Humidity Sensor & Timer	18 (65)	546.00	655.20	🕒
ECODMEVS SELV	Standard (SELV)	18 (65)	605.00	726.00	🕒
ECODMEVT SELV	Adjustable (SELV) Run-On Timer	18 (65)	646.00	775.20	🕒
ECODMEVHT SELV	Adjustable (SELV) Humidity Sensor & Timer	18 (65)	788.00	945.60	✓
ECODMEVHTP SELV	Pull Cord Adjustable (SELV) Humidity Sensor & Timer	18 (65)	789.00	946.80	✓
SILENT MV					
SILMV160100S	Silent 2 speed in line fan	50 (80)	184.00	220.80	✓
SILMV160100T	Silent single speed inline fan with adjustable timer	50 (80)	208.00	249.60	✓
SILMV250100S	Silent 2 speed in line fan	50 (80)	516.00	619.20	🕒
SILMV250100T	Silent single speed inline fan with adjustable timer	50 (80)	495.00	594.00	🕒
SILENT 100					
SILENT-100S	Standard	26 (95)	105.00	126.00	✓
SILENT-100T	Adjustable Timer	26 (95)	146.00	175.20	✓
SILENT-100HT	Adjustable Humidity Sensor	26 (95)	227.00	272.40	✓
SILENT-100PIR	PIR	26 (95)	272.00	326.40	🕒
SILENT-100SS	Silver Standard	26 (95)	118.00	141.60	✓
SILENT-100TS	Silver Adjustable Timer	26 (95)	163.00	195.60	✓
OPTIONAL Kits					
ENV-WALL KIT	Wall Grill & pipe		36.00	43.20	✓
ENV-CEILING KIT	Ceiling Vent, 6M Flex & 2 flex ties		34.00	40.80	✓
ENV-SOFIT KIT	Wall grill, 3M Flex & 2 flex ties		41.00	49.20	✓
ENV-3M FLEX	3 metre flex 100 dia		37.00	44.40	✓
ENV-6M FLEX	6 metre flex 100 dia		64.00	76.80	✓

Electrical components are covered by a two year warranty. Other fans and accessories are available on request.





VOGUE UK

EST | 1990

ACCESSORIES & VALVES

For the perfect finishing touch, enhance and complement your towel rail or radiator with our collection of high quality accessories and additions.

We offer matched valves in various formats for most of our towel rail finishes. This includes painted and metallic finishes in corner, straight and angled valves.

Hand crafted pieces can have valves and accessories finished by our team to match. This level of finishing sets the Vogue UK offering apart.

All electric, drylined and dual fuel options are catered for within many of our products. Our technical sales team are here to help you with specific questions.

Further information, images technical drawings and our BTU calculator are easy to find on the Vogue UK Website.



ELECTRIC ELEMENT ONLY PRICES



Standard Element

IP55 Suitable for zones 1 and 2 of the bathroom. Each standard element contains a pre-set surface temperature control along with a back up fail safe, this is the only temperature control supplied, for more flexibility over the surface temperature we recommend using our AC012 (rheostat), this will give you surface temperature modulation, when fitted into the electrical supply circuit.

Element Cable Length 1.5 MTR



Heat Sensor Element

IPX5 suitable for zones 1 and 2 of the bathroom. Five temperature settings ranging from 30°C to 60°C. The device displays the temperature to which it is currently set and indicates the status of the heating cycle. Finish options: Chrome, White, Black or Gold.

Element Cable Length 1.5 MTR



Heat Sensor Element Cover Shroud

An optional accessory to hide the cable See page 156. Can be used when depth from wall to centre is the max of 70mm.



Electronique Element

IP66 Suitable for zones 1 and 2 of the bathroom. The standard Electronique element is set to a constant surface temperature of 52°C, with no need for external controls. In the fully loaded towel warming mode it will act to reduce power and save running costs. In space heating mode it will increase the power to deliver background heat needed to the maximum of its rated capacity. A safe to touch system, with safety measures incorporated.

Element Cable Length 1.0 MTR



Contract Fixed Heat Electronique Element

IP55 Suitable for zones 1 and 2 of the bathroom. Fixed Heat is designed as an energy saving element to control temperature and consume only the correct amount of power required. It maintains your pre-set temperature whether the rail is in a cold bathroom empty or fully loaded with towels. Fixed Heat for LST (low surface temperature) of 43°C must be chosen to comply with LST legislation for use in public buildings, hospitals and care homes.

Element Cable Length 1 MTR

Product	Watts	£ ex VAT	£ inc VAT
STANDARD ELEMENT			
EE002 EL100	100	112.00	134.40
EE002 EL125	125	114.00	136.80
EE002 EL150	150	115.00	138.00
EE002 EL200	200	117.00	140.40
EE002 EL300	300	118.00	141.60
EE002 EL400	400	120.00	144.00
EE002 EL600	600	125.00	150.00

HEAT SENSOR ELEMENT			
EE006 0200CP	200	201.00	241.20
EE006 0300CP	300	213.00	255.60
EE006 0400CP	400	222.00	266.40
EE006 0600CP	600	234.00	280.80
EE006 0800CP	800	244.00	292.80
EE006 1000CP	1000	258.00	309.60

HEAT SENSOR COVER SHROUD			
AC040	N/A	20.00	24.00

ELECTRONIQUE ELEMENT			
EE001A ELQ200	200	260.00	312.00
EE001A ELQ400	400	272.00	326.40
EE001A ELQ600	600	290.00	348.00

ELECTRONIQUE ELEMENT			
EE001C ELQ200	200	260.00	312.00
EE001C ELQ400	400	272.00	326.40
EE001C ELQ600	600	290.00	348.00



Summer kits are available for dual fuel options.



AC003

Conversion tee for dual energy radiators. Available in Matt Black and Anthracite from £43.00 ex VAT and £51.60 inc VAT. Other popular finishes are available, please contact our sales team.

EE009 H+E TEMPERATURE CONTROL ELECTRIC ELEMENT

Product	Watts	£ ex VAT	£ inc VAT
ELEMENT			
EE009 H + E300 MB (MATT BLACK)	300	199.00	238.80
EE009 H + E300 CP (CHROME)	300	199.00	238.80
EE009 H + E600 MB (MATT BLACK)	600	220.00	264.00
EE009 H + E600 CP (CHROME)	600	220.00	264.00



IP54 Suitable for zones 1 and 2 of the bathroom.

The H+E heater model, featuring a modern design and additional functions, is equipped with an electronic controller and easy to view LED display. This display indicates the radiator's water temperature and provides complete control over the touch temperature of any unit it is fitted into, allowing you to take charge of your comfort.

The model is ideal for use with 22mm and 25mm multi-rail towel warmers and features:

Smooth temperature adjustment between 10°C to 65°C in 1°C increments.

Boost function, 1, 2 or 3 hour periods.

Timer 1 to 9 hours, maintaining previously selected temperature for a period of 1 to 9 hours.

Element Cable Length 0.9 MTR

ACCESSORY

To suit EE009H+E 300 & 600 WATT

Product	£ ex VAT	£ inc VAT
ROUND & SQUARE SHROUD ACCESSORY		
ACO68R MB (MATT BLACK)	31.00	37.20
ACO68R CP (CHROME)	31.00	37.20
ACO68S MB (MATT BLACK)	31.00	37.20
ACO68S CP (CHROME)	31.00	37.20



Clip into place shroud accessories for the H+E Temperature Control Electric Element. These shrouds are available to suit the uprights of your towel warmer in round or square format and in Matt Black or Chrome finish.

WI-FI TEMPERATURE CONTROL ELECTRIC ELEMENT

Product	Watts	£ ex VAT	£ inc VAT
ELEMENTS			
EE010 WI-FI200 PVD BRBR (PVD BRUSHED BRASS)	200	220.00	264.00
EE010 WI-FI200 (CHROME)	200	199.00	238.80
EE010 WI-FI300 PVD BRBR (PVD BRUSHED BRASS)	300	230.00	276.00
EE010 WI-FI300 (CHROME)	300	209.00	250.80
EE010 WI-FI400 PVD BRBR (PVD BRUSHED BRASS)	400	241.00	289.20
EE010 WI-FI400 (CHROME)	400	220.00	264.00
EE010 WI-FI600 PVD BRBR (PVD BRUSHED BRASS)	600	251.00	301.20
EE010 WI-FI600 (CHROME)	600	230.00	276.00



IP5X4 Suitable for zones 2 and 3 of the bathroom.

Harness smart technology to allow you to control your towel rail from any location. Available in PVD Brushed Brass or Chrome finish, the elements have a 7 day programmable timer, 1 to 8 hour boost function and temperature control of the towel rail. With a modern design and easy installation, the heating element is the perfect upgrade for modern living. The EE010 Wi-Fi elements can be controlled from your smartphone using a free downloadable app available on iOS, Android and Google operating systems or manually using the touch screen functions.

Element Cable Length 1.1 MTR

HEATING OPTIONS

HEATING ONLY OPTIONS

H

Is suitable for all heating and hot water systems. For connection to either direct (open) or indirect (closed) central heating systems.

C

Suitable for indirect (closed) central heating circuits only. It cannot be installed on an open circuit due to the product containing ferrous (steel) parts.



Standard Rail Option (H) and (C)



Multirail Option (H) and (C)

ELECTRIC ONLY OPTIONS

E

A completely independent unit requiring only a fused spur electric connection. Thermal transfer fluid is heated by an electric element within the towel rail.



Standard Rail Option (E)



Multirail Option (E)

DUAL FUEL OPTIONS

D

The towel rail has the capability to run from a central heating circuit or an electric element. Handy in the summer months when the central heating is turned off.



Standard Rail Option (D)



Multirail Option (D)

ELECTRIC DRYLINE OPTION

DL

Electric dryline technology, with the towel warmer not containing any fluids. The towel warmer is heated using a silicone heater cable, exiting the towel warmer via a three core cable. This can then be attached to a fuse spur. Only available on specific models, please contact our sales office on +44(0)1902 387000 for further details. POA.



Please Note:

When using the electric element only (i.e.; during summer), allowance must be made for thermal expansion within the product by having the 'return' radiator valve left partially open. The 'flow' radiator valve must be closed to prevent back flow through the system. Both valves should be opened and balanced when the central heating system is operative, (i.e. during winter). Steel Rails - Must be installed in accordance with BS7593 where a corrosion inhibitor is used. Brass Rails - Caution where water softener is installed, as this could cause dezincification (material is attacked i.e. Zinc eaten away by aggressive water).

Brass towel warmers are manufactured using dezincification resistant brass, however it should be understood that the term 'resistant' does not entirely preclude the possibility of dezincification occurring. If you intend to install the product on an open (DHW) circuit, make reference to your local water authority to ensure dezincification has not previously occurred. Towel warmers manufactured from brass tubing should not be installed on an open circuit if a water softener is present. Water analysis to determine the likelihood of dezincification is available at cost. Models suitable for indirect (closed) circuits only cannot be installed on an open circuit due to the item containing ferrous (steel) parts. Product compatibility is the responsibility of the installer.

FITTED BY US

ELECTRIC & DUAL FUEL PRICES

This section contains a range of elements with price supplements for electric and dual fuel models.
Please add the price of your element to the model you choose and we will build it for you.



Standard Element IP55

A benchmark element to suit each size of product.

- E Electric Only £222.00 ex VAT, £266.40 inc VAT
- D Dual Fuel £153.00* ex VAT, £183.60 inc VAT

Code EE002



Heat Sensor Element IPX5

An electronic temperature sensor control.

- E Electric Only £327.00 ex VAT, £392.40 inc VAT
- D Dual Fuel £270.00* ex VAT, £324.00 inc VAT

Optional cover shroud available AC040 £20.00 ex VAT £24.00 inc VAT

Code EE006



Electronique Element IP66

Maintains surface temperature of product to 52 °C.

- E Electric Only £347.00 ex VAT, £416.40 inc VAT
- D Dual Fuel £286.00* ex VAT, £343.20 inc VAT

Code EE001A



Contract Fixed Heat Electronique Element IP55

Ideal for LST applications where surface temperatures need to be guaranteed.

- E Electric Only £347.00 ex VAT, £416.40 inc VAT

Code EE001C



EE009 H+E Temperature Control Electric Element

Ideal for 22mm & 25 mm multi-rails.

- E Electric Only £314.00 ex VAT, £376.80 inc VAT
- D Dual Fuel £262.00* ex VAT, £314.40 inc VAT

Code EE009



Wi-Fi Temperature Control Electric Element

Ideal for smart users across all towel rail types.

- E Electric Only £356.00 ex VAT, £427.20 inc VAT
- D Dual Fuel £288.00* ex VAT, £345.60 inc VAT

Code EE0010

* Dual fuel models will also be supplied with a conversion tee where applicable. This can be used with VL013 valves for a multitrail. Alternatively, to a conversion tee dual fuel valves VL015 can be used. All the images of elements depict electric only versions. Dual fuel configurations may vary including element positioning. The appropriate standard versions will be supplied in all cases unless advised otherwise. Electric towel warmers are filled with a glycol ethylene / water mix to strict guidelines. This improves the thermal transfer rate and acts as a corrosion inhibitor. All electric and dual fuel towel warmers must be fitted by a qualified person. The elements are fitted on the right hand side as standard. They can be left hand mounted on request, on certain rails only. Dual Energy units are supplied with matching tee pieces wherever possible. Please consult with Sales to confirm suitability and pricing for your own requirements.

ΔT

DELTA T CONVERSION

WHAT IS DELTA T?

Delta T, or ΔT , is the difference in temperature between water circulating in the central heating system and that of the room temperature.

If the room temperature is 20°C and the water temperature inside the radiators is 70°C, the value is calculated as:-

Temperature of water inside radiator is 70°C

Minus the room temperature 20°C

= (Delta T or ΔT) 50°C.

Delta T 50° is the UK's standard for all domestic boilers.

It allows you to make a comparison of hydronic radiator and towel rail outputs from various suppliers.

DELTA T CORRECTION FACTORS - DELTA T 50°

A Delta T correction factor allows you to find out the BTU output of a radiator or towel warmer in the range of Delta T variations.

Example: Assuming a radiator or towel rail has a heat output of 1000 BTUs at ΔT (Delta T) = 50° (1000 x 1 equates to 1000 BTUs)

At ΔT (Delta T) = 40° the output would be 1000 x 0.75 equating to 750 BTUs.

DELTA T CORRECTION FACTORS - DELTA T 30°

Delta T30 is based on a cooler water temperature of 55°. These temperatures are typical of heat pumps and greener energy methods of heating.

At ΔT (Delta T) = 30° the output would be 1000 x 0.51 equating to 510 BTUs.

Delta T	Correction Factors
75°C	1.69
70°C	1.55
65°C	1.41
60°C	1.27
55°C	1.13
50°C	1
45°C	0.87
40°C	0.75
35°C	0.63
30°C	0.51
25°C	0.41
20°C	0.3
15°C	0.21
10°C	0.12
5°C	0.05

Log onto our BTU Calculator to see how many BTUs your room size needs. www.vogueuk.co.uk/btu-calculator

IP RATING & BATHROOM ZONES

IEE Wiring Regulations have identified the following zones and IP ratings to ensure safety.



ZONE 0	Inside the bath or shower. Any fitting here must be SELV (max 12v) and a minimum rating of IPX7. (Protection against immersion in water).
ZONE 1	Above the bath or shower to a height of 2.25m. A minimum rating of IPX4 is required * See note 1.
ZONE 2	The area stretching to 0.6m outside the bath or shower and above the bath or shower if over 2.25m. A minimum rating of IPX4 is required * See note 1.
OUTSIDE ZONES	Anywhere outside zones 0, 1, and 2. Where water jets are not used for cleaning purposes, the general rules BS7671 apply. * See note 1.

- In zones 1 and 2 if there is a likelihood of water jets being used for cleaning purposes a minimum of IPx5 is required.
- Where ceiling heights exceed 2.25m, the zones are effectively up to 3m, beyond 3m the walls are out of scope.
- All final circuits require 30mA RCD protection. Information contained on this page is for guidance only. Please refer to current IEE Regulations or a qualified electrician.

IP Rating Guide

The IP (ingress protection) rating given to an enclosure, states the degree of protection it offers by means of two digits. A summary of these are detailed below. For more information please see British BS EN 60529:1992, European IEC 60509:1989

DUST	MOISTURE
1 Protected against solid objects larger than 50mm e.g. touch of a hand.	1 Protected against vertically falling drops of water e.g. condensation.
2 Protected against solid objects larger than 12.5mm e.g. fingers.	2 Protected against direct sprays of water up to 15° from the vertical.
3 Protected against solid objects larger than 2.5mm e.g. tools and cables.	3 Protected against direct sprays of water up to 60° from the vertical.
4 Protected against solid objects larger than 1mm.	4 Protected against water splashed from all directions - limited ingress permitted.
5 Protected against dust (no harmful deposits).	5 Protected against low pressure jets of water from all directions - limited ingress permitted.
6 Totally protected against dust.	6 Protected against strong jets of water e.g. for use on ship decks - limited ingress permitted.
	7 Protected against the effects of temporary immersion in water between 150mm and 1m.
	8 Protected against continuous submersion at a specified depth.

IP65
Ingress Protection

IEC 529, bs en 60529 does not apply to any risk of explosion or conditions such as humidity, corrosive gases, fungi or vermin. In certain cases equipment designed to be mounted in an enclosure will contribute towards the stated IP rating (eg Push buttons mounted in an enclosure). Different parts of enclosures can have different degrees of protection and still conform to the standard (e.g. Enclosures with pre-drilled conduit entry). All information strictly for guidance only, please refer to regulations and manufacturers for information if you are in any doubt.

ACCESSORIES



AC002
Ball vent



AC003
Dual energy conversion tee
Available in Matt Black and Anthracite. (Other finishes also available).



AC004
Valve sleeves Chrome



AC005C
Valve sleeves White, Anthracite or Matt Black



AC005
Connection tubes




AC006
Street elbow connection tubes



AC007

Electric element shroud covers. Shown as standard in Chrome. Other finishes are available.



AC010

Round or square metal cover plates

*Please be aware that some cover shrouds conceal the element block and cable but NOT the service nut. If unsure, please ask your Dealer for more information prior to ordering.



AC011A or B
Arne straight or angled fixing kit
Also available in contemporary colour finishes



AC011F
Crosshead angled fixing kit



AC011S
Piazza angled fixing kit



AC012 Voltage Regulator
A manual controller to manage power consumption to your towel warmer



AC013 7 Day Timer
Control the time of day the towel rail on



AC014 Pattress Plate
Housing the wires from the towel rail element if no external controller is required

Product		£ ex VAT	£ inc VAT
Opposite			
AC002 CP	1/2" BSP M.I. Decorative air vent and plug	118.00	141.60
AC003 CP	Three point 1/2" BSP adaptor. For electric element and radiator valve link	43.00	51.60
AC004 CP	19 mm ø x 100 mm long, electroplated to match towel rail and valves	99.00	118.80
AC005C 15MMAT	15 mm ø x 180 mm long, Anthracite to match towel rail and valves	27.00	32.40
AC005C 15MMMB	15 mm ø x 180 mm long, Matt Black to match towel rail and valves	27.00	32.40
AC005C 15MMWH	15 mm ø x 180 mm long, White to match towel rail and valves	27.00	32.40
AC005 15MMCP	15 mm ø x 150 mm long	43.00	51.60
AC006 CP	15 mm ø x 250 mm long	62.00	74.40
AC007A BJ-CP	Legacy ball joint	152.00	182.40
AC007B CN-CP	Contemporary	134.00	160.80
AC007C MT-CP	Mitred	134.00	160.80
AC007D FS-CP	Flexi (suitable for use with standard element only)	154.00	184.80
AC007E EQ-CP	Pre-set (suitable for use with EE001c & EE006)	134.00	160.80
AC007F OBJ-CP	Originals ball joint	174.00	208.80
AC007G MT-CP	Electronique (suitable for use with electronique element only)	134.00	160.80
AC007H	Hexagonal (Horizontal or Vertical)	204.00	244.80
AC010A CP	Round 15 mm internal diameter hinged cover plates	28.00	33.60
AC010BMS-CP	Square 15 mm internal diameter cover plates	28.00	33.60
AC011A or B 15MMST-CP	VL003 (pair) straight or angled valves with cover plates and connection tubes	123.00	147.60
AC011F AC011F 15MMAP-CP	VL008 (pair) angled valves with cover plates and connection tubes	152.00	182.40
AC011S 15MMAP-CP	VL0014 (pair) angled valves with cover plates and connection tubes	171.00	205.20
AC012 1GANGCP	Chrome 75W - 400W (1 gang)	77.00	92.40
AC012 2GANGCP	Chrome 150W - 1000W (2 gang)	158.00	189.60
AC013 7DAY	Digital single channel programme timer	81.00	97.20
AC014 CP	Covers 1 gang pattress box (Chrome)	42.00	50.40
Below			
AC031	Chrome and frosted sphere. Suitable for MD001, MD003, MD005 and MD034	58.00	69.60
AC035	Oil Aroma Blanking Plug	14.00	16.80
AC040 CP	Heat Sensor Element Cover Shroud	20.00	24.00
AC060 CP	Air vent cap (per pair) to fit over radiator vent & blanking plug	10.00	12.00
AC065 CP	Universal Chrome robe hook. Suitable for MD062, MD063, MD001, MD002, MD003, MD004, MD034	18.00	21.60
ECOV-FBB (Brushed Brass)	Element Cover Cap to suit standard element EE002 for Focus Metallic finish models	16.00	19.20
ECOV-FGM (Gunmetal)	Element Cover Cap to suit standard element EE002 for Focus Metallic finish models	16.00	19.20
ECOV-FBRBB (Brushed Bronze)	Element Cover Cap to suit standard element EE002 for Focus Metallic finish models	16.00	19.20
ECOV-FSBRN (Satin Brushed Nickel)	Element Cover Cap to suit standard element EE002 for Focus Metallic finish models	16.00	19.20
ECOV-CP (Chrome Plated)	Element Cover Cap to suit standard element EE002 for Chrome finish models	16.00	19.20
ECOV-ZMB (Matt Black)	Element Cover Cap to suit standard element EE002 for Matt Black finish models	16.00	19.20



AC031

Clip on frosted sphere and Chrome Robe Hook



AC035

Blanking Plug with Aroma Oil Dish



AC040

Heat Sensor Element Cover Shroud
Can be used when depth from wall to centre is the maximum of 70mm



AC060

Air Vent Cap



AC065

Universal Chrome Robe Hook.



ECOV

All Focus Metallic finishes, Chrome and Matt Black element covers to suit all models fitted with a standard EE002 cartridge element.

NEW

ANGLED VALVES - Arne VL003 15MMAP Angled Pair - £57.00 ex VAT, £68.40 inc VAT



Chrome
(CP)



Anthracite
Textured
(ZAT)



Matt Black
(ZMB)



Satin Black
(ZSB)



Steel Blue
(ZSBLU)



Moss Green
(ZMGN)



White Sparkle
Textured (ZWS) Or
Standard White (WH)



Grey Sparkle
Textured (ZGS)



Espresso Gloss
(Gloss Anthracite)
(ZEX)



Cappuccino
Textured (ZCA)



Mocha
Textured (ZMC)



Latte
Textured (ZLT)

STRAIGHT VALVES - Arne VL003 15MMAP Straight Pair - £57.00 ex VAT, £68.40 inc VAT



Chrome
(CP)



Anthracite
Textured
(ZAT)



Matt Black
(ZMB)



Satin Black
(ZSB)



Steel Blue
(ZSBLU)



Moss Green
(ZMGN)



White Sparkle
Textured (ZWS) Or
Standard White
(WH)



Grey Sparkle
Textured (ZGS)



Espresso Gloss
(Gloss Anthracite)
(ZEX)



Cappuccino
Textured (ZCA)



Mocha
Textured (ZMC)



Latte
Textured (ZLT)

CORNER VALVES - Arne VL023 15MMAP Corner Pair - £68.00 ex VAT, £81.60 inc VAT



Chrome
(CP)



Anthracite
Textured
(ZAT)



Matt Black
(ZMB)



Satin Black
(ZSB)



Steel Blue
(ZSBLU)



Moss Green
(ZMGN)



White Sparkle
Textured (ZWS)



Grey Sparkle
Textured (ZGS)



Espresso Gloss
(Gloss Anthracite)
(ZEX)



Cappuccino
Textured (ZCA)

ANGLED FOCUS METALLICS - Arne VL033 15MMAP Angled - £57.00 ex VAT, £68.40 inc VAT



Focus
Satin Brushed Nickel
(FSBRN)



Focus
Brushed Bronze
(FBRBB)



Focus
Brushed Brass
(FBB)



Focus
Gunmetal
(FGM)

STRAIGHT FOCUS METALLICS - Arne VL033 Straight - £57.00 ex VAT, £68.40 inc VAT



Focus
Satin Brushed Nickel
(FSBRN)



Focus
Brushed Bronze
(FBRBB)



Focus
Brushed Brass
(FBB)



Focus
Gunmetal
(FGM)

CORNER FOCUS METALLICS - Arne VL043 Corner - £68.00 ex VAT, £81.60 inc VAT



Focus
Satin Brushed Nickel
(FSBRN)



Focus
Brushed Bronze
(FBRBB)



Focus
Brushed Brass
(FBB)



Focus
Gunmetal
(FGM)



CONNECTION TUBES & COVER PLATES

Finishing touches to complete the look.

Focus Metallics Finishes - AC005D - £27.00 ex VAT, £32.40 inc VAT



Colours and Chrome to match stocked valves options - AC005C - £27.00 ex VAT, £32.40 inc VAT

THERMOSTATIC VALVES & OTHER STYLES



Arne Thermostatic VL004

Straight 15MMTRVST-CP or
Angled 15MMTRVAP-CP
Chrome **(CP)**



Arne Thermostatic VL004

Straight 15MMTRVST-ZAT or
Angled 15MMTRVAP-ZAT
Anthracite **(ZAT)**



Arne Thermostatic VL004

Straight 15MMTRVST-ZMB or
Angled 15MMTRVAP-ZMB
Matt Black **(ZMB)**



Arne Thermostatic VL004

*Angled only.
Focus Brushed Brass **(FBB)**



Arne Corner Thermostatic VL024

Chrome **(CP)**



Arne Corner Thermostatic VL024

Matt Black **(ZMB)** or Anthracite **(ZAT)**



Adapta VL001

A contemporary double
angled valve, almost not to
be noticed



Xero VL012

This modern tap head style suits
many bathroom taps and fittings



Piazza VL014

Great for square
tube products



Combination Kit VL013

Straight and angled valves for a
dual energy option, applicable for
all multirail products



Art Deco VL006

Great for hexagonal
tube deco designs



Crosshead VL008

Suits most traditional designs



Crosshead 2 VL018

A capstan style valve suiting
ball jointed products



Excelsior VL010

Thermostatic, a substantial valve
in a time honoured design

Valve	Description	Type	£ ex VAT	£ inc VAT	Stock Item
Arne Thermostatic VL004 15MMTRVST-CP	Chrome 1/2" BSP X 15 mm thermostatic	Straight	88.00	105.60	✓
Arne Thermostatic VL004 15MMTRVAP-CP	Chrome 1/2" BSP X 15 mm thermostatic	Angled	88.00	105.60	✓
Arne Thermostatic VL004 15MMTRVST-ZMB	Matt Black 1/2" BSP X 15 mm thermostatic	Straight	88.00	105.60	✓
Arne Thermostatic VL004 15MMTRVAP-ZMB	Matt Black 1/2" BSP X 15 mm thermostatic	Angled	88.00	105.60	✓
Arne Thermostatic VL004 15MMTRVST-ZAT	Anthracite 1/2" BSP X 15 mm thermostatic	Straight	88.00	105.60	✓
Arne Thermostatic VL004 15MMTRVAP-ZAT	Anthracite 1/2" BSP X 15 mm thermostatic	Angled	88.00	105.60	✓
Arne Thermostatic VL004 15MMTRVAP-FBB	Focus Brushed Brass 1/2" BSP X 15 mm thermostatic	Angled	94.00	112.80	✓
Adapta VL001 15MMAP-CP	1/2" BSP X 15 mm	Angled	83.00	99.60	✓
Xero VL012 15MMAP-CP	1/2" BSP X 15 mm	Angled	60.00	72.00	✓
Piazza VL014 15MMAP-CP	1/2" BSP X 15 mm	Angled	100.00	120.00	✓
Combination Kit VL013 15MMAP/ST-CP	1/2" BSP X 15 mm	Angled / Straight	70.00	84.00	✓
Art Deco VL006 15MMAP-CP	1/2" BSP X 15 mm	Angled	90.00	108.00	✓
Crosshead VL008 15MMST-CP	1/2" BSP X 15 mm	Straight	73.00	87.60	✓
Crosshead VL008 15MMAP-CP	1/2" BSP X 15 mm	Angled	73.00	87.60	✓
Excelsior VL010 15MMTRVAP-CP	1/2" BSP X 15 mm thermostatic	Angled	214.00	256.80	✓
Crosshead 2 VL018 15MMAP-CP	1/2" BSP X 15 mm	Angled	60.00	72.00	✓
Arne Corner Thermostatic VL024 15MMTRVA-CP	Chrome 1/2" BSP X 15 mm thermostatic	Corner	100.00	120.00	✓
Arne Corner Thermostatic VL024 15MMTRVAP-ZMB	Matt Black 1/2" BSP X 15 mm thermostatic	Corner	100.00	120.00	✓
Arne Corner Thermostatic VL024 15MMTRVAP-ZAT	Anthracite 1/2" BSP X 15 mm thermostatic	Corner	100.00	120.00	✓
Dual Fuel VL015 15MMAP-CP	1/2" BSP X 15 mm	Angled	69.00	82.80	✓



Dual Fuel Valves VL015

For both central heating and electric dual fuel options



Straight Valves



Angled Valves

All valves are supplied as standard in a chrome finish. Other finishes are available.
Please Note: Designs may differ slightly when ordering in different finishes. Please contact our sales office on 01902 387000 to discuss your requirements.

METALLIC FINISHES



Please Note: Polished Brass, Brushed Brass and Polished Copper tube finishes, are supplied in a raw, un-lacquered finish, as standard.

This un-lacquered (ie; unprotected) base material will discolour in a short period of time and will therefore require regular cleaning in order to maintain the finish. To add a lacquer to preserve the finish, add an additional 25% to the un-lacquered price.

The supplements displayed on this page are only to be added to Brass manufactured towel rails, please see the individual product page for full material information. Individual Mild Steel supplements can also be found on the product page. For more information regarding pricing call sales on 01902 387 000.

Antique Brass, Antique Bronze, & Antique Copper - Due to the reaction between the solution with the base metal there will always be a degree of natural variation in shading between different components.

PRESTIGE METALLIC FINISHES



Prestige Finish Procedure	Chrome Price +	£ ex VAT	£ inc VAT
Prestige Finish up to 900mm height		561.00	673.20
Prestige Finish from 901mm up to 1200mm		635.00	762.00
Prestige Finish from 1201mm up to 1500mm		708.00	849.60
Prestige Finish from 1501mm +		782.00	938.40
Prestige Finish Valves		58.00	69.60

Please Note: Prestige finishes are available on all Brass Manufactured products. They can also be applied to Focus, Vela, Serene, Keys II & Grace.

The colours and finishes below are available on many of our ranges carrying the RAL colour symbol.
The featured colours have a £293.00 supplement ex VAT, £351.60 inc VAT on the white price. Other RAL colours are available POA.

PAINTED COLOURS AND FINISHES




CONTEMPORARY COLOUR RANGE



The contemporary colour range is available as a stocked item in three models Serene, Vela and Focus. White & Grey Sparkle Textured, Latte, Cappuccino, Mocha and Anthracite have a textured finish, with Espresso and Satin Black being gloss. These finishes are also available on other ranges.

RADIATOR COLOURS

Choose from literally hundreds of colours from the RAL Colour Chart - POA



VOGUE UK JOINT RANGE

Selecting your joint and tube design could not be more flexible.

Our handmade selection of towel warmers can be as individual as you are. Manufactured with pride and precision for your perfection - See handcrafted capabilities at the Vogue UK website.



Ball Joint 1"



Legacy Ball Joint 1.25"



Originals Ball Joint



Charlotte Ball Joint 1.5"



Grandeur Joint



Cylinder Joint



Art Moderne Corner



Minama Square Corner



Romolo Joint



Art Linea Joint



Mitred Corner



Plain Corner



Contemporary Corner



Minama Round Corner



Valour Bend

INNOVATION

Vogue UK is a vibrant organisation with research being conducted in many technology disciplines. This research results in exciting products as evidenced throughout the design collections we offer. Vogue UK has set itself a clear objective: both through consistent preservation and long tradition of British craftsmanship and meeting its high standards, as well as creating, with its very own innovative heating developments, contemporary design and a heightened passion for detail and perfection.

Those who appreciate lasting value derived from the synergy of traditional craftsmanship, creative development and the latest technology, as well as dedication in seeking the extraordinary know not to entrust any towel rail design but rather to a design crafted from Vogue (UK).

Vogue UK emphasises its creative drive to differentiate its towel rail designs down to the finest detail and its desire to monitor, to the greatest possible extent, the development and manufacture of a hand crafted product. We use the latest technology to produce low-volume individual parts with high added value continuously offering home interiors and connoisseurs of design new, impressive towel rail models.

ENVIRONMENT

Vogue UK has a legacy of core values, rooted strongly in safety, health and environmental stewardship. For 36 years, we have been reducing the environmental footprint of our own operations. Today, footprint reduction is expected of all companies. The challenge — and the opportunity — are products and manufacturing processes that are safer, less toxic, more energy efficient, use less water, less energy, & produce fewer greenhouse gases.

We're working to conserve energy and reduce waste and are exploring the use of sustainable materials and products. Whether we're saving costs by reducing energy consumption or creating covetable products through innovative, sustainable design, we believe that reducing our impact on the environment can also result in positive business benefits.

GENERAL INFORMATION

Bespoke items are non-returnable. Please note that certain non-stock models are also non-returnable, please confirm with our Sales Office on telephone +44(0)1902 387000.

All heat outputs are shown at 50°CΔt, in compliance with BSEN442 - Specification for Radiators and Convectors. To convert to 60°CΔt, multiply heat output by conversion factor 1.264 (approximate figure), to convert to 70°CΔt, multiply heat output by conversion factor 1.549 (approximate figure).

All measurements given are nominal dimensions only (mm) and are not binding. Detailed technical drawings are available on request from our Sales Office on +44(0)1902 387000 or via our website - www.vogueuk.co.uk Manufactured from hot brass stamped fittings and high quality brass tube complying to BS EN 12449:2016+A1:2019. Some models are manufactured from high grade CR steel tubing and/or containing steel components suitable for closed/indirect circuits only.

All rails are pressure tested to at least 5.4 bar (78psi) up to a maximum of 13 bar (189psi) air immersed in water. All models are fitted with two ½" BSP F.I. connections. Alternative M.I. or compression fitting is available on request. ¾" BSP F.I. connections are available at extra cost on some models. A manual bleed air vent is fitted to all hot water/dual fuel models. Auto air vents are available on request at additional cost.

In compliance with our policy of constant improvement, we reserve the right to alter specifications, materials and dimensions or discontinue any of our products without prior notice. The colours in the brochure are as accurate as the colour printing processes allow. Photographs and images are for illustrative purposes only. We reserve the right to change specifications without prior notification.

Products ordered incorrectly or where the specification has changed will incur a restock charge. Bespoke/custom made products are non-refundable. Upon the return of a product Vogue (UK) Ltd reserves the right to refuse credit if the product is not made available upon an agreed collection/return in line with the Company's terms and conditions. A copy of the Company's full Terms and Conditions of Trading is available on request.

INSTALLATION

Vogue (UK) Ltd recommends that preparatory work such as the adjustment of existing pipework, the installation of new pipework, or the advance drilling of holes, etc. is not carried out until the towel warmer or radiator is on site and positioned for fitting.

Pipe centres are provided as a centre to centre tappings using the Vogue (UK) range of valves. Valves are NOT supplied with each product. Please see Valves & Accessories section for further details.

All installations of a Vogue (UK) Ltd towel warmer or radiator should be in accordance with the following British Standards;

- BS 7593:2019 Code of Practice for the preparation, commissioning, and maintenance of domestic central heating and cooling water systems
(In short, clean, protect, test & maintain).
- BS EN 14336:2004 Heating systems in buildings — Installation and commissioning of water-based heating systems
- BS EN 12828:2012 Heating systems in buildings — Design for water-based heating systems.

EN442.1 & 2

Where applicable product within this publication has undergone independent testing to verify heat outputs are in accordance with the parameters laid down in the above European standards.

EN60335

Household and similar electrical appliances. Safety. Part 2 - 43 : 2003 + A2 : 2008. Where applicable all product within this publication utilising an electrical heating component, conform to the above safety standard.

ISO 9001:2015 CERTIFIED

Vogue (UK) Ltd is proud to be ISO 9001: 2015 certified.

Quality is utmost in importance to our organisation, in both the products and services we provide our customers. Reflecting this commitment, Vogue (UK) Ltd implemented and received certification of our Quality Management System in accordance with ISO 9001:2015.

CONSTRUCTION PRODUCT REGULATIONS (CPR)

In compliance with the above, Vogue (UK) Ltd (The company) holds declaration of Performance Certificates (DoPs) for all products covered by the Harmonised Standard EN442.1 / 2. Copies of relevant certificates are available on request. Some products at the time of print may be awaiting confirmation.

Product with a declared heat output of 200 Watt or less 50 degree C Delta T are not classified by The company as heating appliances and are therefore not covered by the above. All individually manufactured bespoke products are similarly exempted from the above legislation.

WARRANTY

Vogue (UK) Ltd is a company that celebrates the wealth of traditional, quality handcrafted heated towel warmers and radiators and is one of the last true manufacturers in the UK. Vogue branded towel warmers supplied and installed within UK are also covered by an extended 2, 15, or 30 Year product warranty —subject to our business trading Terms & Conditions against manufacturing defects. Components such as inset radiators, not of our manufacture, which become faulty by reason of defected materials, come with a 2 year warranty only.

CONTINUAL IMPROVEMENT

Our company policy is one of continual improvement and Vogue (UK) Ltd reserves the right to amend designs, specification or discontinue any of our products without prior notice. E & OE.

CARRIAGE

Paid UK mainland, excluding requests for next day service, Export carriage can also be arranged. Please contact our Sales Office for details on telephone +44(0)1902 387000.



INDEX

Model	Code	Material	Section	Style	Installation	Page
A						
Accessories	AC	N/A	A	N/A	N/A	147
Araline	MD096	SS	E	DTW	WM	135
Amie	CN065	MS	CN	MTW	WM	25
Arc Chrome	MD065	MS	CN	MTW	WM	24
Arc Matt Black	MD065	MS	CN	MTW	WM	23
Arcadia	LG017/OG017	MS/BR	TR	TTW	FM	81
Ardor Horizontal	AU021 & AU023	AL	DR	DR	WM	113
Ardor Vertical	AU022 & AU024	AL	DR	DR	WM	114
Art Moderne	OG011	BR	TR	TTW	FW	95
Art Moderne	OG010	BR	TR	TTW	WM	96
Astute Anthracite	CN095	AL	CN	MTW	WM	54
Astute White	CN095	AL	CN	MTW	WM	53
Astute Horizontal Single	DR036	AL	DR	DRM	WM	119
Astute Horizontal Double	DR036DP	AL	DR	DRM	WM	120
Astute Vertical Single	DR035	AL	DR	DR	WM	121
Astute Vertical Double	DR035DP	AL	DR	DR	WM	122
Aquila Chrome	DR016	MS	CN	DTW	WM	27
Aquila Matt Black	DR016	MS	CN	DTW	WM	28
Axis Chrome	MD062	MS	LR	MR	WM	57
Axis Matt Black	MD062	MS	LR	MR	WM	58
B						
Ballerina	LG024A-MS/ LG021-MS	MS	TR	TTW	FW	85
Ballerina	LG024/LG021/ OG003	BR	TR	TTW	FW	84
Ballerina	LG010-MS CP	MS	TR	TTW	WM	86
Ballerina	LG010-MS MB	MS	TR	TTW	WM	87
Ballerina	LG010-MS FBB	MS	TR	TTW	WM	88
Ballerina	LG025/LG010/ LG021/OG002	BR	TR	TTW	WM	83
Baroque	LG014/OG016	BR	TR	TTW	FM	82
Basin Stands	BSS001-7	BR	TR	BS	FW/WM	103
Bathroom Zones		N/A	A	N/A	N/A	146
Binary	TR002	BR/MS	CN	MTW	WM	50
Butler	LG035/OG004	BR	TR	TTW	FW	91
C						
Chorus	MD002	MS	LR	MR	WM	64
Chube	MD035	SS	LR	MR	WM	70
Colour Options		N/A	A	N/A	N/A	154
Combes	MD063	MS	LR	MR	WM	59
Concord	DR041	MS	CN	DTW	WM	48
Contrast	MD079	MS	CN	MTW	WM	36
D						
Duple	MD095	MS	LR	MR	WM	68

Model	Code	Material	Section	Style	Installation	Page
E						
Eco Modular Bars	ELTB12V	SS	E	MTW	WM	133
Electric Element & Dual Fuel Fitted Pricing		N/A	A	N/A	N/A	144
Electric Element Only	EE001/EE002/ EE003/EE005/EE006	N/A	A	N/A	N/A	141
Electric Under Floor Heating	EUFH	N/A	E	UFH	N/A	136
Elizabeth	LG003/OG019	MS/BR	TR	TTW	FW	93
Elizabeth	LG003/OG019	BR	TR	TTW	WM	94
Envirovent Electric Fans	SILD/ECODMEV/ SILM/SILENT	N/A	E	N/A	N/A	137
F						
Fairing	PJ010A PJ021B/PJ021C	BR	TR	TTW	WM	97
Fletcher	DR043	MS	CN	DTW	WM	16
Flint	2C-600/2C-1800	MS	DR	C	WM	126
Fly Line Horizontal	DR004/DR004DP	MS	DR	FR	WM	110
Fly Line Vertical	DR003/DR003DP	MS	DR	FR	WM	109
Fly Line II Horizontal	DR002/DR002DP	AL	DR	FR	WM	112
Fly Line II Vertical	DR001/DR001DP	AL	DR	FR	WM	111
Focus	MD001	MS	LR	MR	WM	61
Focus Colours	MD001	MS	LR	MR	WM	65
Focus Metallics	MD001	MS	LR	MR	WM	66
Focus Horizontal	MD001H	MS	LR	MR	WM	63
G						
Galaxy	MD059	SS	LR	MR	WM	72
Grace	MD067	MS	CN	MTW	WM	32
Grandeur	GD032FW	BR	TR	TTW	FW	89
Grandeur	GD032WM	BR	TR	TTW	WM	90
H						
Hamlet	LG037/OG001	BR	TR	TTW	WM	92
Harmonique Brushed Brass	MD060	MS/AL	CN	RTW	WM	18
Harmonique Chrome	MD060	MS/AL	CN	RTW	WM	19
Harmonique Matt Black	MD060	MS/AL	CN	RTW	WM	17
Heating Options		N/A	A	N/A	N/A	143
I						
Ideal	MD055	SS	CN	MTW	WM	34
Ieri	TM014-BR	BR	CN	MTW	WM	47
J						
Joint Options		N/A	A	N/A	N/A	155
K						
Keys II	CN030	MS	CN	DTW	WM	26
L						
Lister Horizontal	DR044	MS	DR	DR	WM	123
Lister Vertical	DR044	MS	DR	DR	WM	124
Luss Brushed Brass	CN097	MS	CN	DTW	WM	9
Luss Brushed Nickel	CN097	MS	CN	DTW	WM	12
Luss Chrome Plated	CN097	MS	CN	DTW	WM	10
Luss Matt Black	CN097	MS	CN	DTW	WM	11

INDEX

Model	Code	Material	Section	Style	Installation	Page
M						
Matus	DR042	MS	CN	DTW	WM	22
Metallic Finishes		N/A	A	N/A	N/A	153
Mode Bespoke	2C/3C/4C/5C/6C	MS	DR	C	WM	129
Mode Column Radiator	2C/3C/4C	MS	DR	C	WM	127
Mode II	CN027	MS	DR	C	WM	131
N						
Nexus Grand III	TM003	BR	TR	RTW	WM	100
Nexus III	TM001	BR	CN	RTW	WM	52
P						
Pearl	MD058	SS	LR	MR	WM	71
Penthouse	LG018/OG020	BR	TR	MR	WM	98
Pure	MD037	BR	CN	MTW	WM	31
Q						
Quadrate	MD074	MS	CN	MTW	WM	21
Quadrate Harmonique	MD078	MS	CN	RTW	WM	20
R						
Regency-MS	LG004-MS	MS	TR	TTW	FW	75
Regency-BR	LG004-BR/OG006-BR	BR	TR	TTW	FW	76
Regency	LG005/OG015	MS/BR	TR	TTW	WM	77
Regency II	LG036/OG009	BR	TR	TTW	WM	78
Regency Tall-MS	LG013-MS	MS	TR	TTW	FW/WM	79
Regency Tall-BR	LG013-BR/OG007-BR	BR	TR	TTW	FW/WM	80
Rubik	MD038	SS	CN	MTW	WM	33
Ruche Horizontal	AU007 & AU009	AL	DR	DR	WM	115
Ruche Vertical	AU008 & AU010	AL	DR	DR	WM	116
S						
Sequel III	TM005	BR	TR	RTW	WM	101
Sequel V	TM006	BR	TR	RTW	WM	102
Serenade	DR008	MS	DR	FR	WM	125
Serene	MD049	MS	CN	MR	WM	37
Shower Curtain Rails	SCR1 - 6	BR	TR	SCR	WM	105
Sierra	DR040	MS	CN	MTW	WM	15
Simplicity II	EL040	SS	E	VT	WM	134
Simplicity Integral Valve	IVCN026	BR	CN	TTW	WM	45
Smooth Brushed Brass	CN035	MS	CN	MTW	WM	30
Smooth Chrome	CN035	MS	CN	MTW	WM	29
Solo	TR001	BR	CN	MTW	WM	49
Squire	MD047	MS	CN	MR	WM	38
Studio	MD006	BR	LR	MR	WM	69
T						
Tarltan Horizontal	AU015	AL	DR	DR	WM	117
Tarltan Vertical	AU016	AL	DR	DR	WM	118
Tempo	MD072	MS	CN	MR	WM	51
Tune	MD003	MS	LR	MR	WM	67

Model	Code	Material	Section	Style	Installation	Page
V						
Valves	VL	N/A	A	N/A	N/A	149
Vego Matt Black	CN096	MS	CN	DTW	WM	13
Vego Brushed Brass	CN096	MS	CN	DTW	WM	14
Vela	MD048	MS	CN	MR	WM	39
Vela Brushed Brass	MD048	MS	CN	MR	WM	40
Venture	CN022	BR	CN	TTW	WM	46
Vintage	LG010B	BR	TR	TTW	WM	99
Vivid	CN021	BR	CN	TTW	WM	41
Vivid II	CN029	BR	CN	TTW	WM	42
Vivid Integral Valve	IVCN021	BR	CN	TTW	WM	43
Vivid Single Bar	IVCN021	BR	CN	TTW	WM	44
Z						
Zenith	IN007	SS	CN	DTW	WM	35

INDEX KEY

STYLE

C	Column Radiator
DR	Designer Radiator
DTW	Designer Towel Warmer
ER	Electric Radiator
FR	Flat Radiator
MR	Multirail
MTW	Modern Towel Warmer
RTW	Radiator Towel Warmer
TTW	Traditional Towel Warmer
UFH	Under Floor Heating
VT	Vertical Tube
BS	Basin Stands
SCR	Shower Curtain Rails

MATERIAL

BR	Brass
MS	Mild Steel
SS	Stainless Steel
AL	Aluminium

SECTION

CN	Contemporary
LR	Ladder Rails
TR	Traditional
DR	Designer Radiators
E	Electric
A	Additions

INSTALLATION

FM	Floor Mounted
WM	Wall Mounted
FW	Floor & Wall Mounted



36 Years of designing and crafting
towel rails in the UK



VOGUE UK

TOWEL WARMERS & RADIATORS

**VOGUE (UK) LTD
STRAWBERRY LANE
WILLENHALL, WEST MIDLANDS
WV13 3RS UNITED KINGDOM**

T: +44(0) 1902 387000

E: sales@vogueuk.co.uk

W: www.vogueuk.co.uk

VOGUE UK LTD IS A BUSINESS WITHIN THE BRAND K GROUP OF COMPANIES.



ISSUE 9